



**LABORATORY DATA CONSULTANTS, INC.**

2701 Loker Ave. West, Suite 220, Carlsbad, CA 92010 Bus: 760-827-1100 Fax: 760-827-1099

Froehling & Robertson, Inc.  
1735 Seibel Drive, NE  
Roanoke, VA 24012  
ATTN: Mr. Glenn Hargrove

July 26, 2018

SUBJECT: Wills Wharf, MD, Hexavalent Chromium Monitoring

Dear Mr. Hargrove,

Enclosed is the final validation report for the fraction listed below. This SDG was received on July 19, 2018. Attachment 1 is a summary of the samples that were reviewed for analysis.

**LDC Project #42676:**

<b><u>SDG #</u></b>	<b><u>Fraction</u></b>
8071114	Hexavalent Chromium

The data validation was performed under Level IV guidelines. The analyses were validated using the following documents, as applicable to each method:

- Air Monitoring Program Quality Assurance Project Plan, Wills Wharf Office Project, Baltimore Works Site, Baltimore, Maryland; April 2016
- USEPA National Functional Guidelines for Inorganic Superfund Methods Data Review; January 2017

Please feel free to contact us if you have any questions.

Sincerely,

Christina Rink  
Project Manager/Senior Chemist



## Laboratory Data Consultants, Inc. Data Validation Report

**Project/Site Name:** Wills Wharf, MD, Hexavalent Chromium Monitoring

**LDC Report Date:** July 25, 2018

**Parameters:** Hexavalent Chromium

**Validation Level:** Level IV

**Laboratory:** Eastern Research Group

**Sample Delivery Group (SDG):** 8071114

Sample Identification	Laboratory Sample Identification	Matrix	Collection Date
PWAM-1 (07/06/18)	8071114-01	Air	07/06/18
PWAM-2 (07/06/18)	8071114-02	Air	07/06/18
PWAM-3 (07/06/18)	8071114-03	Air	07/06/18
PWAM-FB (07/06/18)	8071114-04	Air	07/06/18
PWAM-TB (07/06/18)	8071114-05	Air	07/06/18
PWAM-1 (07/07/18)	8071114-06	Air	07/07/18
PWAM-2 (07/07/18)	8071114-07	Air	07/07/18
PWAM-3 (07/07/18)	8071114-08	Air	07/07/18
PWAM-FB (07/07/18)	8071114-09	Air	07/07/18
PWAM-TB (07/07/18)	8071114-10	Air	07/07/18
PWAM-1 (07/09/18)	8071114-11	Air	07/09/18
PWAM-2 (07/09/18)	8071114-12	Air	07/09/18
PWAM-3 (07/09/18)	8071114-13	Air	07/09/18
PWAM-FB (07/09/18)	8071114-14	Air	07/09/18
PWAM-TB (07/09/18)	8071114-15	Air	07/09/18
PWAM-1 (07/10/18)	8071114-16	Air	07/10/18
PWAM-2 (07/10/18)	8071114-17	Air	07/10/18
PWAM-3 (07/10/18)	8071114-18	Air	07/10/18
PWAM-FB (07/10/18)	8071114-19	Air	07/10/18
PWAM-TB (07/10/18)	8071114-20	Air	07/10/18
PWAM-3 (07/06/18)DUP	8071114-03DUP	Air	07/06/18
PWAM-1 (07/09/18)DUP	8071114-11DUP	Air	07/09/18

The date was appended to the sample ID to differentiate between samples.

## Introduction

This Data Validation Report (DVR) presents data validation findings and results for the associated samples listed on the cover page. Data validation was performed in accordance with the Air Monitoring Program Quality Assurance Project Plan, Wills Wharf Office Project, Baltimore Works Site, Baltimore, Maryland (April 2016) and a modified outline of the USEPA National Functional Guidelines (NFG) for Inorganic Superfund Methods Data Review (January 2017). Where specific guidance was not available, the data has been evaluated in a conservative manner consistent with industry standards using professional experience.

The analyses were performed by the following method:

Hexavalent Chromium by ERG-MOR-063

All sample results were subjected to Level IV data validation, which is comprised of the quality control (QC) summary forms as well as the raw data, to confirm sample quantitation and identification.

The following are definitions of the data qualifiers utilized during data validation:

- J (Estimated): The compound or analyte was analyzed for and positively identified by the laboratory; however the reported concentration is estimated due to non-conformances discovered during data validation.
- U (Non-detected): The compound or analyte was analyzed for and positively identified by the laboratory; however the compound or analyte should be considered non-detected at the reported concentration due to the presence of contaminants detected in the associated blank(s).
- UJ (Non-detected estimated): The compound or analyte was reported as not detected by the laboratory; however the reported quantitation/detection limit is estimated due to non-conformances discovered during data validation.
- R (Rejected): The sample results were rejected due to gross non-conformances discovered during data validation. Data qualified as rejected is not usable.
- NA (Not Applicable): The non-conformance discovered during data validation demonstrates a high bias, while the affected compound or analyte in the associated sample(s) was reported as not detected by the laboratory and did not warrant the qualification of the data.

A qualification summary table is provided at the end of this report if data has been qualified. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

## **I. Sample Receipt and Technical Holding Times**

All samples were received in good condition.

All technical holding time requirements were met.

## **II. Initial Calibration**

All criteria for the initial calibration were met.

## **III. Continuing Calibration**

Continuing calibration frequency and analysis criteria were met.

## **IV. Laboratory Blanks**

Laboratory blanks were analyzed as required by the method. No contaminants were found in the laboratory blanks.

## **V. Field Blanks**

Samples PWAM-TB (07/06/18), PWAM-TB (07/07/18), PWAM-TB (07/09/18), and PWAM-TB (07/10/18) were identified as trip blanks. No contaminants were found.

Samples PWAM-FB (07/06/18), PWAM-FB (07/07/18), PWAM-FB (07/09/18), and PWAM-FB (07/10/18) were identified as field blanks. No contaminants were found.

## **VI. Matrix Spike/Matrix Spike Duplicates**

Matrix spike (MS) and matrix spike duplicates (MSD) analyses were not required by the method.

## **VII. Duplicate Sample Analysis**

Duplicate (DUP) sample analysis was performed on an associated project sample. Results were within QC limits.

## **VIII. Laboratory Control Samples**

Laboratory control samples (LCS) and laboratory control samples duplicates (LCSD) were analyzed as required by the method. Percent recoveries (%R) were within QC limits. Relative percent differences (RPD) were within QC limits.

## **IX. Field Duplicates**

No field duplicates were identified in this SDG.

## **X. Sample Result Verification**

All sample result verifications were acceptable.

## **XI. Overall Assessment of Data**

The analysis was conducted within all specifications of the method. No results were rejected in this SDG.

The quality control criteria reviewed were met and are considered acceptable. Based upon the data validation all results are considered valid and usable for all purposes.

**Wills Wharf, MD, Hexavalent Chromium Monitoring  
Hexavalent Chromium - Data Qualification Summary - SDG 8071114**

No Sample Data Qualified Due to QA/QC Exceedances in this SDG

**Wills Wharf, MD, Hexavalent Chromium Monitoring  
Hexavalent Chromium - Laboratory Blank Data Qualification Summary - SDG  
8071114**

No Sample Data Qualified Due to Laboratory Blank Contamination in this  
SDG

**Wills Wharf, MD, Hexavalent Chromium Monitoring  
Hexavalent Chromium - Field Blank Data Qualification Summary - SDG 8071114**

No Sample Data Qualified Due to Field Blank Contamination in this SDG

LDC #: 42676A6

**VALIDATION COMPLETENESS WORKSHEET**

Date: 7/18/18

SDG #: 8071114

Level IV

Page: 1 of 2

Laboratory: Eastern Research Group

Reviewer: AK2nd Reviewer: AK**METHOD: (Analyte) Hexavalent Chromium (ERG-MOR-063)**

The samples listed below were reviewed for each of the following validation areas. Validation findings are noted in attached validation findings worksheets.

	Validation Area		Comments
I.	Sample receipt/Technical holding times	A/A	
II	Initial calibration	A	
III.	Calibration verification	A	
IV	Laboratory Blanks	A	
V	Field blanks	ND	FB=4,9,14,19 TB=5,10,15,20
VI.	Matrix Spike/Matrix Spike Duplicates	N	not required
VII.	Duplicate sample analysis	A	
VIII.	Laboratory control samples	A	LCS/D
IX.	Field duplicates	N	
X.	Sample result verification	A	
XI	Overall assessment of data	A	

Note: A = Acceptable  
N = Not provided/applicable  
SW = See worksheet

ND = No compounds detected  
R = Rinsate  
FB = Field blank

D = Duplicate  
TB = Trip blank  
EB = Equipment blank

SB=Source blank  
OTHER:

	Client ID	Lab ID	Matrix	Date
1	PWAM-1 (07/06/18)	8071114-01	Air	07/06/18
2	PWAM-2 (07/06/18)	8071114-02	Air	07/06/18
3	PWAM-3 (07/06/18)	8071114-03	Air	07/06/18
4	PWAM-FB (07/06/18)	8071114-04	Air	07/06/18
5	PWAM-TB (07/06/18)	8071114-05	Air	07/06/18
6	PWAM-1 (07/07/18)	8071114-06	Air	07/07/18
7	PWAM-2 (07/07/18)	8071114-07	Air	07/07/18
8	PWAM-3 (07/07/18)	8071114-08	Air	07/07/18
9	PWAM-FB (07/07/18)	8071114-09	Air	07/07/18
10	PWAM-TB (07/07/18)	8071114-10	Air	07/07/18
11	PWAM-1 (07/09/18)	8071114-11	Air	07/09/18
12	PWAM-2 (07/09/18)	8071114-12	Air	07/09/18
13	PWAM-3 (07/09/18)	8071114-13	Air	07/09/18
14	PWAM-FB (07/09/18)	8071114-14	Air	07/09/18
15	PWAM-TB (07/09/18)	8071114-15	Air	07/09/18
16	PWAM-1 (07/10/18)	8071114-16	Air	07/10/18
17	PWAM-2 (07/10/18)	8071114-17	Air	07/10/18



LDC #: 42676A6

**VALIDATION COMPLETENESS WORKSHEET**

Date: 7/18/18

SDG #: 8071114

Level IV

Page: 2 of 2

Laboratory: Eastern Research Group

Reviewer: [Signature]

2nd Reviewer: [Signature]

**METHOD: (Analyte) Hexavalent Chromium (ERG-MOR-063)**

	Client ID	Lab ID	Matrix	Date
18	PWAM-3 (07/10/18)	8071114-18	Air	07/10/18
19	PWAM-FB (07/10/18)	8071114-19	Air	07/10/18
20	PWAM-TB (07/10/18)	8071114-20	Air	07/10/18
21	PWAM-3 (07/06/18)DUP	8071114-03DUP	Air	07/06/18
22	PWAM-1 (07/09/18)DUP	8071114-11DUP	Air	07/09/18
23				
24				
25				
26				
27				

Notes: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Method: Inorganics (EPA Method See cover)

Validation Area	Yes	No	NA	Findings/Comments
<b>I. Technical holding times</b>				
All technical holding times were met.	/			
<b>II. Calibration</b>				
Were all instruments calibrated daily, each set-up time?	/			
Were the proper number of standards used?	/			
Were all initial calibration correlation coefficients $\geq 0.995$ ?	/			
Were all initial and continuing calibration verification %Rs within the 90-110% QC limits?	/			8715
Were titrant checks performed as required? (Level IV only)			/	
Were balance checks performed as required? (Level IV only)			/	
<b>III. Blanks</b>				
Was a method blank associated with every sample in this SDG?	/			
Was there contamination in the method blanks? If yes, please see the Blanks validation completeness worksheet.		/		
<b>IV. Matrix spike/Matrix spike duplicates and Duplicates</b>				
Were a matrix spike (MS) and duplicate (DUP) analyzed for each matrix in this SDG? If no, indicate which matrix does not have an associated MS/MSD or MS/DUP. Soil / Water.	/			
Were the MS/MSD percent recoveries (%R) and the relative percent differences (RPD) within the 75-125 QC limits? If the sample concentration exceeded the spike concentration by a factor of 4 or more, no action was taken.			/	
Were the MS/MSD or duplicate relative percent differences (RPD) $\leq 20\%$ for waters and $\leq 35\%$ for soil samples? A control limit of $\leq \text{CRDL}$ ( $\leq 2\text{X CRDL}$ for soil) was used for samples that were $\leq 5\text{X}$ the CRDL, including when only one of the duplicate sample values were $\leq 5\text{X}$ the CRDL.	/			
<b>V. Laboratory control samples</b>				
Was an LCS analyzed for this SDG?	/			
Was an LCS analyzed per extraction batch?	/			
Were the LCS percent recoveries (%R) and relative percent difference (RPD) within the 80-120% (85-115% for Method 300.0) QC limits?	/			
<b>VI. Regional Quality Assurance and Quality Control</b>				
Were performance evaluation (PE) samples performed?		/	/	
Were the performance evaluation (PE) samples within the acceptance limits?		/	/	

LDC #: 42676AF

### VALIDATION FINDINGS CHECKLIST

Page: 2 of 2  
Reviewer: OR  
2nd Reviewer: RK

Validation Area	Yes	No	NA	Findings/Comments
<b>VII. Sample Result Verification</b>				
Were RLs adjusted to reflect all sample dilutions and dry weight factors applicable to level IV validation?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Were detection limits < RL?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>VIII. Overall assessment of data</b>				
Overall assessment of data was found to be acceptable.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>IX. Field duplicates</b>				
Field duplicate pairs were identified in this SDG.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Target analytes were detected in the field duplicates.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
<b>X. Field blanks</b>				
Field blanks were identified in this SDG.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Target analytes were detected in the field blanks.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

LDC #: 470676AG

**Validation Findings Worksheet  
Initial and Continuing Calibration Calculation Verification**

Page: 1 of 1  
 Reviewer: [Signature]  
 2nd Reviewer: [Signature]

Method: Inorganics, Method See Cover

The correlation coefficient (r) for the calibration of Cr<sup>6+</sup> was recalculated. Calibration date: 7/12/18

An initial or continuing calibration verification percent recovery (%R) was recalculated for each type of analysis using the following formula:

$$\%R = \frac{\text{Found} \times 100}{\text{True}}$$

Where, Found = concentration of each analyte measured in the analysis of the ICV or CCV solution  
 True = concentration of each analyte in the ICV or CCV source

Type of analysis	Analyte	Standard	Conc. <sup>mg/L</sup> (mg/L)	Area	Recalculated	Reported	Acceptable (Y/N)
					r or r <sup>2</sup>	r or r <sup>2</sup>	
Initial calibration	Cr <sup>6+</sup>	s1	0.1	0.0386833	0.99998	0.99997	Y
		s2	0.1	0.0796863			
		s3	0.2	0.1582876			
		s4	0.5	0.39147165			
		s5	1	0.7951015			
		s6	2	1.6028748			
Calibration verification	↓	ICV	0.5	Found 0.4974	99.5	99.5	↓
Calibration verification	↓	CCV	↓	0.4995	99.9	99.9	
Calibration verification							

Comments: Refer to Calibration Verification findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

LDC #: 42676AG

**VALIDATION FINDINGS WORKSHEET**  
**Level IV Recalculation Worksheet**

Page: 1 of 1  
 Reviewer: OR  
 2nd Reviewer: KLC

**METHOD:** Inorganics, Method see cover

Percent recoveries (%R) for a laboratory control sample and a matrix spike sample were recalculated using the following formula:

$\%R = \frac{\text{Found}}{\text{True}} \times 100$     Where,    Found = concentration of each analyte measured in the analysis of the sample. For the matrix spike calculation, Found = SSR (spiked sample result) - SR (sample result).  
 True = concentration of each analyte in the source.

A sample and duplicate relative percent difference (RPD) was recalculated using the following formula:

$RPD = \frac{|S-D|}{(S+D)/2} \times 100$     Where,    S = Original sample concentration  
 D = Duplicate sample concentration

Sample ID	Type of Analysis	Element	Found / S (units) <u>ug/m<sup>3</sup></u>	True / D (units) <u>ug/m<sup>3</sup></u>	Recalculated	Reported	Acceptable (Y/N)
					%R / RPD	%R / RPD	
<u>LCS</u>	Laboratory control sample	<u>As</u>	<u>0.480</u> <u>0.463</u> or	<u>0.463</u>	<u>104</u>	<u>104</u>	<u>Y</u>
<u>N</u>	Matrix spike sample		(SSR-SR)				
<u>DD</u>	Duplicate sample	<u>As</u>	<u>0.0114</u>	<u>0.0126</u>	<u>10.2</u>	<u>10.2</u>	<u>Y</u>

Comments: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

