

MDE Environment

Maryland Department of the Environment

Volume VI, No. 8
Oct.-Dec. 2004

Lead registry project succeeds

By Richard J. McIntire

Maryland Governor Robert L. Ehrlich Jr. committed the state to eliminating childhood lead poisoning in the next six years, as he and Maryland Department of the Environment (MDE) Secretary Kendl P. Philbrick joined advocates and parents Nov. 23 to announce the successful details of an initiative aimed at boosting the state's lead rental property registry.

Under Maryland law all pre-1950 constructed residential rental units (an estimated 135,000) must be registered with MDE's Lead Poisoning Prevention Program. Working with the state Department of Assessments and Taxation, MDE developed



PHOTO COURTESY GOVERNOR'S PRESS OFFICE.

Gov. Robert L. Ehrlich Jr. (right) and Baltimore Del. Nathaniel Oaks show a graph detailing the state's declining childhood lead poisoning rate.

a mailing list of 50,000 potential unregistered units. A letter was sent to property owners this past summer describing the requirements of Maryland's lead laws. That targeted outreach effort netted 17,000 new registrations — well beyond the Governor's target of 10,000.

"A decade ago in Maryland, nearly a quarter of children

tested had elevated blood lead levels," Governor Ehrlich said. "In 2003 the number was 2.2 percent. This is extraordinary progress, but our ultimate goal is to get that number down to zero by 2010. And we all know, increasing the pool of property owners voluntarily complying with the law is the key to achiev-

See LEAD, Page 8

Panels issue water reports

By Richard J. McIntire

Two workgroups tasked with reviewing Maryland's water and wastewater programs issued their recommendations to the state's leadership Dec. 22. Their findings will result in actions that could impact county and municipal governments, citizens and the private sector.

The Water Security and Wastewater Systems Advisory Council and Interagency Technical Assistance Committee on Wastewater Treatment Systems delivered the report to sponsoring committees of the General Assembly and to Governor Robert L. Ehrlich Jr. earlier this month.

Since March, the Water Security and Wastewater Systems Advisory Council focused on matters

See REPORTS, Page 4

In this edition...


Create real energy savings--Page 2

Businesses cut waste--Page 3

'Trashy art' wins awards--Page 5



Visit MDE online at:
www.mde.state.md.us



Oct.-Dec. 2004

MDEnvironment is a monthly newspaper published by the Maryland Department of the Environment. Information contained within this publication is not intended to fulfill any legal or regulatory community information requirement.

Robert L. Ehrlich, Jr., Governor
Michael S. Steele, Lieutenant Governor
Kendl P. Philbrick, Secretary
Jonas A. Jacobson, Deputy Secretary
Stephen J. Pattison & Stuart F. Wilkins, Jr., Assistant Secretaries
Julianne L. Oberg, Director of Communications

Editorial Board Members

Andrew Gosden, Small Business Program Coordinator, Environmental Permits Service Center
Bob Maddox, Public Participation Coordinator, Air & Radiation Management Administration
Elaine Dietz, Environmental Specialist, Technical & Regulatory Services Administration
Reider J. White, Public/Legislative Affairs Officer, Air & Radiation Management Administration
Renee Matthews, Outreach Coordinator, Water Management Administration
Joe Herb, Graphic Artist, Technical & Regulatory Services Administration
David Mrgich, Recycling Section Head, Waste Management Administration
Barbara Rodgers, Division Chief, Administrative & Employee Services Administration

Contributing Writers:

Michael Woodman, ARMA
Laura Armstrong, CSC
Bob Maddox, ARMA

For the Record Section

Meetings and Hearings Calendar

Joane Mueller, Production Coord.

Contributors:

Gail Castleman, WAS Ta-shon Yu, WMA Bob Daniel, EPSC
Jim Metz, WAS Bob Maddox, ARMA Debbie Kasraei, WMA
Shannon Heafey, ARMA Melody Thrower, WMA

Enforcement & Compliance Notes

Bernard Penner, Office of the Secretary

Contributors:

Angelo Bianca, ARMA
Frank Courtright, ARMA
Hilary Miller, WAS Carol Coates, WMA

All original content is copyright MDE.

For reprint permission, comments or inquiries contact:

Richard J. McIntire, Editor-in-Chief
rjmcintire@mde.state.md.us
(410) 537-3012

Staying warm while saving energy is easy

By Bob Maddox

Cold winter temperatures and days with fewer hours of daylight are here. Meaning it's time to dig out the sweaters, coats and gloves. Dust off the boots. Find the snow shovel. Whew! Preparing for winter can be a lot of work. And there may be more things to do, especially to keep your home warm, utility costs lower and conserve energy.

Energy costs are expected to be high this winter. The U.S. Department of Energy made the following predictions about energy costs this winter: Average residential natural gas prices are expected to be 11 percent higher than they were last winter, and household expenditures are expected to be 15 percent higher. Heating oil prices are expected to average 29 percent higher compared with last winter and household expenditures are expected to be 28 percent higher. Propane prices are expected to average 17 percent above last winter, with 22 percent higher expenditures for propane-heated households.

Want to trim monthly expenses? Use less fuel? Contribute to a cleaner environment? Then take a long hard look at how you use household appliances and how well prepared your house is for reducing energy use. Energy conservation is one way to fight higher electric and heating bills. Energy conservation also helps protect air quality because emissions from power plants are reduced. You can do more than turn off lights when not in use.

We have all heard the familiar business adage "location, location, location." The adage for winterizing your home should be "insulation, insulation, insulation." Check to ensure that the house is sealed to prevent cold air from en-

tering. Cold air can enter through gaps between framing material, through holes drilled for plumbing and wiring, around doors and windows. Check to see if there is sufficient insulation material on the attic floor. A properly maintained heating system also saves money and conserves fuel. Here are additional tasks that can keep your house warm:

- Seal gaps in walls with caulk or concrete
- Replace broken or cracked window glass and cracked glazing
- Install storm windows over single pane windows or replace single pane windows with energy efficient double pane windows
- Seal joints in sheet metal ducts with duct tape
- Replace furnace filters once a month during the heating season
- Close curtains and shades at night
- Allow sunlight through windows during the day

Another way to save on heating costs is to keep the thermostat as low as is comfortable (65 to 68 degrees Fahrenheit is suggested) when the house is occupied and to set the thermostat back by 10 degrees at night or when the house is unoccupied. A programmable thermostat is an inexpensive investment (\$40 to \$99) that will automatically adjust the temperature. The thermostat could generate enough savings in fuel costs to pay for itself in one month.

Other ways to reduce utility costs and conserve energy are to buy energy-efficient appliances when older appliances need replacement. For example, many older gas-cooking stoves have continuous burning pilot lights. Replace with a gas stove that has a closed electric ignition system.

See SAVE, Page 5

Businesses earn awards for work that supports Bay

By Laura Armstrong

Maryland Department of the Environment Secretary Kendl P. Philbrick presented awards to small, medium, and large businesses and government facilities located within the Chesapeake Bay watershed that have implemented successful pollution prevention projects in 2003. The awards were presented at the *Businesses for the Bay* Annual Meeting Oct. 14 at the National Wildlife Visitor Center, Patuxent Research Refuge, in Laurel Maryland. The Governor also recognized Maryland manufacturers that have successfully completed an Environmental Management System Implementation Program sponsored by the Maryland Department of the Environment and Maryland Technology Extension Service.

Businesses for the Bay is a voluntary program that encourages and recognizes pollution prevention practices at businesses, government facilities, and other organizations located within the Chesapeake Bay watershed. Pollution prevention, or P2, is an environmental management approach that aims to reduce or eliminate waste prior to recycling, treatment, or disposal. P2 practices also include the increased efficiency of the use of raw materials, energy and water.

More than 600 organizations throughout the watershed are participating members in *Businesses for the Bay*. Since the program's inception in 1996, program participants throughout the Chesapeake Bay watershed have reported the reduction and recycling of 7.3 billion pounds of waste and materials at a cost savings of \$892 million. These wastes ranged from specific chemicals to air emissions and

solid waste. Secretary Philbrick remarked, "These results represent just a small fraction of the potential reductions that can be achieved through pollution prevention measures throughout the Chesapeake Bay watershed. We are fortunate to have a regional organization like *Businesses for the Bay* to carry this message and help tap this potential."

The following lists the award winners from Maryland:

Collins & Aikman

Havre de Grace, Maryland
Outstanding Achievement for Pollution Prevention, Medium-Sized Facility

PerkinElmer Fluid Sciences

Beltsville, Maryland
Outstanding Achievement for Pollution Prevention, Medium-Sized Facility

WHFC-FM and Harford Community College

Bel-Air, Maryland
Outstanding Achievement for an Educational Facility

Target Corporation

Minneapolis, Minnesota (43 stores in the Chesapeake Bay watershed)
Outstanding Achievement for a Retail Facility

Edgar O. Moore IV, Senior Environmental Engineer, Lockheed Martin Corporation
Baltimore, Maryland
Mentor of the Year

The complete list of award winners may be found on the *Businesses for the Bay* website (www.b4bay.org).

Secretary Philbrick also presented certificates to four Maryland manufacturers that success-



MDEnvironment photos by Richard J. McIntire

MDE Secretary Kendl P. Philbrick (center) and EPA Regional Administrator Don Welsh (right) congratulate representatives of Maryland's 2004 *Businesses for the Bay* awardees. Below MDE Pollution Prevention Coordinator Laura Armstrong (left) with representatives of those companies that completed the Environmental Management System Implementation Program in 2004.



fully completed an Environmental Management System (EMS) implementation program sponsored by the Maryland Department of the Environment and University of Maryland Technology Extension Service. The EMSs are based on the global ISO 14001 standard. They are:

- AAI Corporation**, Hunt Valley, Maryland
- Nurad Technologies**, Baltimore, Maryland
- ATK Elkton**, Elkton, Maryland
- Locke Insulators**, Baltimore, Maryland

For further information on the EMS program contact MDE's Laura Armstrong at 410-537-4119. To join *Businesses for the Bay*, simply visit www.b4bay.org

or call the Chesapeake Bay Program at 1-800-968-7229, ext. 719.



Above, MDE Secretary Kendl P. Philbrick (left) and EPA Regional Administrator Don Welsh (right) congratulate 2004 *Businesses for the Bay* Mentor of the Year Edgar O. Moore IV.

Cool & wet equals good air quality for area

Summer of '04 listed only one Code Red

By Michael Woodman

The summer of 2004 featured cool, cloudy and wet conditions when compared to a 'normal' Maryland summer. Perfect conditions for keeping the lawn green and flowers happy, but less than ideal for getting the perfect tan or producing ozone.

During a normal summer (May – September) Maryland would experience about 30 days with maximum temperatures at or above 90 degrees Fahrenheit, but this past summer the thermometer only reached or exceeded that mark on 10 days. With the below normal maximum temperatures came above normal precipitation. During the summer the Maryland region experienced rainfall that equaled or exceeded .01 inches on 65 of 153 days or 42 percent of the time. A total of 24.42 inches (or approximately two feet) of rain fell on the region and this was approximately 5.71 inches above normal. The wettest month of the summer was July, which had 8.69 inches of precipitation (an astounding 4.84 inches above normal).

The next logical question one might ask is why was the summer of 2004 so wet and cool? It was a combination of things. First an area of high pressure, known as the Bermuda High, usually forms off the coast of Maryland. This past summer the Bermuda High formed and stayed further south and east than normal and never got close enough to cause temperatures to climb into the 90s on a consistent basis. At the same time a persistent area of low pressure formed to the north in Canada near Hudson Bay. This in turn helped keep rain and clouds in the Maryland region.

As mentioned earlier this uncharacteristic summer weather kept the Maryland region wet and cloudy. This lack of sunshine and hot temperatures kept ozone concentrations low. In fact Maryland recorded only one Bad Air Day (Code Red) during the entire summer. Code Red indicates the air quality is poor and can cause respiratory distress for even healthy people. In comparison Maryland usually averages 10 Bad Air Days during the summer. Overall Maryland had 92 Code Green days (good air quality), 46 Code Yellow days (mild air pollution), nine Code Orange days (unhealthy air for people with respiratory problems), and one Code Red day.

This past summer featured some very interesting weather events that folks in the Maryland region will not soon forget. Aside from the normal average severe thunderstorms we expect during the summer, Maryland experienced some slow moving afternoon downpours that turned roads into rivers and flooded many basements. Several hurricanes and tropical storms came through the area to cause more flooding, above normal tides and strong winds. In addition, the area witnessed damage and destruction associated with tornadoes.

To learn more about air quality forecasting, current ground level ozone conditions and voluntary actions, visit MDE's website at www.mde.state.md and the Air-Watch website at: www.air-watch.net.

When viewing the Air-Watch site, users can register on the E-Alert system to receive notification via e-mail or facsimile when ozone reaches unhealthy concentrations.

REPORTS Continued from Page 1

relating to the security of water and wastewater facilities, chlorine and alternative disinfections and new technologies. The Inter-agency Technical Assistance Committee evaluated technical assistance to small and medium communities, user rates, public education, infrastructure needs and costs, and water and sewer planning.

"Going through this process was important and crucial work if Maryland jurisdictions and other service entities are to continue providing safe and adequate water services that support public health and the environment," said Maryland Department of the Environment Secretary Kendl P. Philbrick. "On behalf of the citizens of the state I thank the committee members for their generous time and expertise."

The report covers a broad range of issues from drinking water and wastewater security, chlorine use, water and sewerage planning, finance options for water and wastewater infrastructure by local governments and public awareness and technical assistance.

"We hope that this report will provide the basis for new programs and procedures at the state and local level to improve the overall management of water and wastewater systems," said Victoria Woodward, chair of the Water Security and Wastewater Systems Advisory Council.

"The report emphasizes the need to help small and medium-sized facilities address on-going operational and maintenance, and periodic capital improvement needs," added Steve

McHenry, chair of the Inter-agency Technical Assistance Committee.

Report recommendations address many technical aspects related to the use of gaseous chlorine, liquid chlorine (sodium hypochlorite, more commonly known as bleach), and alternative disinfection technologies. The report also calls for greater vigilance to ensure the adequacy of water and wastewater facilities to serve existing and new development.

The report also updated 2001 estimates of wastewater capital from \$4.3 billion to about \$5.3 billion today. Much of the increased cost is attributable to Enhanced Nutrient Removal at wastewater treatment plants. The report also mentions the creation of the Bay Restoration Fund as a mechanism to fund this nutrient

removal program.

Other recommendations of the report include:

- Seeking changes in the federal Clean Water Act to allow loan forgiveness and longer repayment terms to make state water quality loan programs more affordable;
- Encouraging local governments to perform utility rate studies to keep water and wastewater systems self-supporting;
- Encouraging development of regional facilities where feasible and practical;
- Improving citizen awareness of the need for adequate funding of water quality infrastructure through educational messages targeted to ratepayers.

Interested parties can obtain a copy of the report by calling (410) 537-3512. The report is also available on MDE's website at: www.mde.state.md.us.

Peacock, boot of screws walk away as awardees

By Richard J. McIntire

A colorful peacock and black boot of screws created by students from Baltimore County's Carver Center for Arts and Technology were among the winning artwork at the third annual "Rethink Recycling" Sculpture Contest, co-sponsored by the Maryland Department of the Environment (MDE) Nov. 19.



The sculpture contest challenges students to innovatively and artistically use recycled materials as a solution to waste reduction. A total of 35 entries from 14 different high schools across the state contained everything from electronic material, cardboard, plastic, scrap wood, chicken wire, broken compact discs and more.

MDE Secretary Kendl P. Philbrick, representatives of the America Recycles Day National Program and Baltimore Public Works Museum determined the winners.

"This event is one of my favorites," Secretary Philbrick said. "We get to foster youth's ingenuity and spirit while encouraging an environmental ethic. After participating in a contest such as this, artists and art lovers will never look at discarded items or trash the same again."

Sculptures were judged on workmanship, creativity and use and variety of recycled materials.

The top sculptor was Michelle

Paul, a student from Baltimore County's Carver Center for Arts and Technology. Her winning sculpture was a replica of the NBC peacock made from electronic materials, monitor, light fixture, light bulbs and wires. Paul received \$500 for her winning sculpture.

Best Workmanship was awarded to Ashley Taylor, a student at St. Mary's County's Leonardtown High School. Her winning sculpture was a porcupine made from scrap sheet metal, newspaper, wires, car antennas, bolts, springs, aluminum cans and a car mirror adjuster button.

Carianne Bente, also of the Carver Center for Arts and Technology, won the Best Creativity award for a sculpture of a boot made from screws.

In The Best Use of Materials category, Stacy Mathis of South Carroll High School won with her abstract sculpture made from 19 different discarded monochromatic blue objects.

Some of the sculptures are on public display at MDE's headquarters in Baltimore.

Winners of workmanship, creativity, and best use of materials all won Sharp Audio Systems. This year's contest sponsors included Constellation Energy, the Maryland Soft Drink Association, Panasonic, Network Events Inc., the Maryland Recyclers Coalition, Sharp Electronics Corporation, Montgomery Park

SAVE Continued from Page 2

When shopping for other major appliances, like refrigerators and washers, check the energy efficiency labels and look at products that have earned the ENERGY STAR. They meet strict energy efficiency guidelines set by the U.S. Environmental Protection



MDENVIRONMENT PHOTOS BY RICHARD J. MCINTIRE

Above--MDE Secretary Kendl P. Philbrick congratulates overall winner Michelle Paul. Ashley Taylor's metal porcupine (inset, left) won Best Workmanship. Below one of the judges looks over a field of sunflowers mostly composed of plastic bottles.



Business Park, and Gershman, Brickner & Bratton Inc., a waste consulting firm.

The "Rethink Recycling" sculpture contest, in celebration of America Recycles Day, is just one way MDE educates and empowers the public to reuse and recycle materials that would

have otherwise gone into landfills.

To find out what you can do to reduce, reuse, recycle and buy recycled products, visit MDE's recycling web page at: www.mde.state.md.us/recycling.

When it comes to recycling, "It All Comes Back To You."

Agency and Department of Energy.

Use appliances in an efficient manner to reduce electricity costs. Run the clothes washer or dishwasher with a full load. Reduce the temperature setting on the water heater from a high to

moderate setting. Turn off computers and other appliances when not being used. And, yes, turn off the lights when you leave the room.

To learn more about short-term fuel prices and energy trends, visit www.energy.gov.



*Secretary
tours alma
mater to test
water quality*



Above--Secretary Philbrick converses with a student about the school's environmental activities. Below--officials view the results of the school's successful native plant greenhouse and garden. The plants are then used to create streamside buffers on school property.



MDENVIRONMENT PHOTOS BY RICHARD MCINTIRE

MDE Secretary Kendl P. Philbrick led a tour of elected officials to his alma mater, Towson High School, to mark World Water Monitoring Day Oct. 18. MDE provided schools across the state with water quality monitoring kits to gather data on four important measures of water quality. Each school had the opportunity to upload their data to a special section of the MDE website to be added to data collected worldwide. By participating, Maryland students receive a hands-on experience in assessing the condition of their local environment.



Enforcement & Compliance Notes

--Oct. 15 to Nov. 15, 2004--

Air & Radiation Management Administration

Schmidt Baking Company, Inc. (Schmidt) – Baltimore County—On Oct. 19, MDE issued a Notice of Proposed Civil Penalty in the amount of \$10,000 to Schmidt for violations of air quality regulations. Schmidt operates a commercial bakery plant in Baltimore County. During a compliance inspection conducted by MDE, the inspector identified numerous months where the Company did not conduct visible emissions observations of its exhaust stack as required by its operating permit. Monitoring and record keeping are key requirements of the operating permit to help ensure compliance. Status: Schmidt has 10 days to request a meeting concerning the Penalty. (Reference #AQCP 04-15)

Lehigh Cement – Carroll County—On Oct. 26, MDE issued a Corrective Order to Lehigh Cement ordering the facility to submit a Plan within 30 days to address various air quality violations. The Order addresses federal air toxics violations, visible emissions violations, and nuisance dust violations. MDE received many citizen complaints concerning dust from the Lehigh plant falling on personal properties. MDE investigations confirmed excessive cement dust being emitted from the cement storage facility cre-

ating an air pollution nuisance on citizens' properties. Status: Lehigh has 10 days to appeal the Order. (Reference #AQCP 04-10-02)

Kaydon Ring & Seal – Baltimore City—A Baltimore City Circuit Court Judge has recently approved a Joint Motion to Amend Consent Decree between MDE and Kaydon Ring & Seal. Kaydon operates a piston manufacturing plant in Baltimore. The Motion clarifies language in an existing Consent Decree previously signed by Kaydon and MDE. The Decree was for chromium and volatile organic compound violations and contained a \$50,000 penalty and \$198,000 in supplemental environmental projects. The amended language clarifies expenditure of the project funds, which included paving a parking lot to reduce particulate emissions and installing a new freon-free process chiller. Status: Case Closed. (Reference #AQCP 24-C-02000818)

Water Management Administration

Greenbelt Metropark, L.L.C., Prince George's County – On Nov. 5, MDE and Greenbelt Metropark L.L.C. finalized an administrative Consent Order resolving alleged violations of sediment control, water pollution and waterway construction laws associated with construction activity at the Greenbelt Station

Metro Planned Community located at the former A.H. Smith mining site in Branchville, Maryland. Under the terms of the Consent Order, Greenbelt Metropark L.L.C. has agreed to pay \$15,000 to the Maryland Clean Water Fund and to comply with an MDE issued Stop Work Order until an approved sediment control plan has been obtained from the Prince George's Soil Conservation District and implemented and MDE has received a delineation of the mapped flood plain on the site and confirmed that future proposed work will not result in adverse flood risk upstream or downstream of the property. Status: Case closed. (Reference# CO-05-0048).

Precision Collision Car Care Center, Anne Arundel County – On Nov. 5, MDE issued an administrative Complaint, Order and Penalty against Precision Collision Car Care Center located in Annapolis, Maryland for alleged violations of the total petroleum effluent limitations and self-monitoring requirements of State Groundwater Discharge Permit 01-DP-2475. The Order requires the facility to submit to MDE delinquent Discharge Monitoring Reports and a corrective action plan for review and approval to address improvements to the wastewater treatment system within 30 days. The action seeks an administrative penalty of \$13,000. Status: Case pending. (Reference #AO-05-0043).

Washington Suburban Sanitary Commission, Prince George's County – On Oct. 20, 2004, MDE and the Washington Suburban Sanitary Commission (WSSC) finalized a penalty settlement to resolve Total Nitrogen and Biochemical Oxygen Demand (BOD) effluent violations as well as an 8 million gallon unlawful discharge of nondisinfected wastewater to the Patuxent River from WSSC's Western Branch Wastewater Treatment Plant that occurred in April 2004. Under the terms of the settlement, WSSC has agreed to pay \$105,424 to the Maryland Clean Water Fund. Status: Case closed. (Reference # PS-05-0046).

Water and Sediment Pollution Penalties – Statewide

During the period October 15, 2004 to Nov. 15, MDE collected an additional \$2,500 to the Sediment Fund in resolution of alleged erosion and sediment control/sediment pollution violations from two sites and \$2,400 to the Clean Water Fund in resolution of alleged water pollution violations at three facilities.

Waste Management Administration

Soil Safe, General Services Administration and Cherry Hill Construction - Baltimore City – Soil Safe, General Services Administration and Cherry Hill Construction were issued Com-

See CASES, Page 8



PHOTO COURTESY GOVERNOR'S PRESS OFFICE.

Gov. Robert L. Ehrlich Jr. (center), MDE Secretary Kendl P. Philbrick (left) and Baltimore Del. Nathaniel Oaks greet a lead poisoning survivor.

LEAD Continued from Page 1

ing that goal.”

“We know what causes lead poisoning in children and we know how to prevent it,” the Governor added. “In 2004, there is no excuse for a single child in Maryland to suffer from lead poisoning.”

In a decade, Maryland has reduced the number of children with elevated lead levels by roughly 90 percent, both in Baltimore, where the largest at-risk population is found, and around the state. Much of the decline is the result of prevention efforts on the part of property owners. Increasingly aggressive and effective testing programs and enforcement, especially in areas where children are at risk, have also heightened awareness and lead abatement activity.

“Maryland’s Lead Poisoning Prevention Program works when property owners comply with registration requirements of the law,” MDE Secretary Kendl P. Philbrick said. “There is virtually zero lead poisoning in compliant housing. Virtually all poisoning occurs in non-compliant properties. That is why it is vital

that these units be identified then made lead safe.”

The rental registry is important for a number reasons:

- 1.) Required by law as part of standards to be met by property owners for a liability cap;
- 2.) Provides a listing of properties identified as posing a potential lead paint hazard;
- 3.) Registration fees provide a significant funding source for state lead poisoning prevention activities.

The public uses information in the registry when searching for rental housing. MDE and other enforcement entities use the registry in determining property owner compliance with lead hazard risk reduction requirements.

The first mailing targeted Baltimore City and nearby jurisdictions. But come the spring, MDE will be undertake another mass mailing with the emphasis on the rest of the state—aiming to further close gaps in the lead registry.

The effects of lead poisoning may result in poor school performance, inability to read, aggressive behavior, hearing loss or even mental retardation.

Award honors Carroll for protecting drinking water

The U.S. Environmental Protection Agency recently awarded the Carroll County Board of Commissioners a source water protection award for its efforts to protect the drinking water sources of the county. In April, the commissioners adopted a water resource

management ordinance that sets standards to ensure land-use activities occur without polluting water and provides enforcement procedures for violations. The county also published a manual that outlines its master resource management plan.

CASES Continued from Page 7

plaint, Order and Civil Penalty equaling \$25,000 on Sept. 28, 2004 for violating Maryland’s law and regulations regarding Controlled Hazardous Substances, transporting soils with PCB concentrations in excess of 50 ppm. **Status:** Soil Safe, General Services Administration and Cherry Hill Construction has 10 days to request a hearing on the Complaint and Order and 30 days to request a hearing on the Penalty. (Complaint and Order CAP-05-003)

Milton Tillman, III – 13 affected properties – **Baltimore City** - was issued Complaint, Order and Civil Penalty equaling \$22,500 on Oct. 13, 2004 for violating Maryland’s Lead Laws by failing to register a pre-1950 rental property and failing to bring each affected property into compliance with risk reduction. **Status:** Milton Tillman has 10 days to request a hearing on the Complaint and Order and 30 days to request a hearing on the Penalty. (Case Number 03-30-6699)

Josephine L. Solomon and John Jackson – 1 affected property – **Baltimore City** - was issued Complaint, Order and Civil Penalty equaling \$7,500 on Sept. 17, 2004 for violating Maryland’s Lead Laws by failing to register a pre-1950 rental property and failing to bring each affected

property into compliance with risk reduction. **Status:** Solomon and Jackson have 10 days to request a hearing on the Complaint and Order and 30 days to request a hearing on the Penalty. (Case Number 02-30-5805)

Talmage Faison, Sr. – 1 affected property – **Baltimore City** - was issued Complaint, Order and Civil Penalty equaling \$7,500 on Sept. 17, 2004 for violating Maryland’s Lead Laws by failing to register a pre-1950 rental property and failing to bring each affected property into compliance with risk reduction. **Status:** Faison has 10 days to request a hearing on the Complaint and Order and 30 days to request a hearing on the Penalty. (Case Number 02-30-6087)

James A. Johnson, Jr. – 1 affected property – **Baltimore County** - was issued Complaint, Order and Civil Penalty equaling \$12,500 on Sept. 22, 2004 for violating Maryland’s Lead Laws by failing to register a pre-1950 rental property and failing to bring each affected property into compliance with risk reduction. **Status:** Johnson has 10 days to request a hearing on the Complaint and Order and 30 days to request a hearing on the Penalty. (Case Number 04-30-7637)



Enforcement & Compliance Notes

--Sept. 15 to October 15, 2004--

Air & Radiation Management Administration

Frederick Clark, D.D.S. – Prince George’s County--On Oct. 5, MDE issued a Complaint, Order, and Administrative Penalty for \$1,000 to Frederick Clark, D.D.S. for failure to comply with regulations governing the owning or operating of radiation machines. Dr. Clark has failed to pay annual fees or submit a renewal registration. Status: Dr. Clark has 10 days to appeal the Order. (Reference #RHP 04-10)

Mark Schulz, D.D.S. – Baltimore County--On Oct. 5, MDE issued a Complaint, Order, and Administrative Penalty for \$1,000 to Mark Schulz, D.D.S. for failure to comply with regulations governing the owning or operating of radiation machines. Dr. Schulz has failed to pay annual fees or submit a renewal registration. Status: Dr. Schulz has 10 days to appeal the Order. (Reference #RHP 04-11)

Suburban Hospital – Montgomery County--On Oct. 5, MDE issued a Complaint, Order, and Administrative Penalty for \$2,000 to Suburban Hospital for a misadministration that occurred at the therapy facility. The patient was irradiated at the wrong treatment site due to incorrect positioning. Status: Suburban Hospital has 10 days to appeal the Order. (Reference

#RHP 04-19)

University of Maryland Medical System Corporation – Baltimore City--On Oct. 5, MDE issued a Complaint, Order, and Administrative Penalty for \$10,000 to the University of Maryland Medical System Corporation for allowing an employee to receive occupational exposures to radiation in excess of the annual limits for such an exposure and for failing to adhere to the as low as reasonably achievable (ALARA) principles. Status: University of Maryland has 10 days to appeal the Order. (Reference #RHP 04-16)

Johns Hopkins Institutions – Baltimore City--On Oct. 6, MDE issued a Notice of Proposed Civil Penalty in the amount of \$17,000 to Johns Hopkins Institutions. Hopkins was issued a Title 5 operating permit in November 2003 for the operation of five boilers and ten emergency generators. The permit required that Hopkins measure NOx emissions from the boilers periodically and calculate monthly NOx emissions. Hopkins reported in its required six-month report that it failed to conduct all the required measurements and calculations on numerous occasions. Status: Hopkins has 10 days to request a meeting concerning the Penalty. (Reference #AQCP 04-09)

Northwest Hospital Center – Baltimore County--On Oct. 6, MDE issued a Notice of Proposed Penalty in the amount of \$20,000 to Northwest Hospital Center. The Hospital operates a medical waste incinerator subject to federal medical waste incinerator regulations that require annual stack testing, monitoring of operating parameters, and periodic reporting. A recent incinerator stack test revealed that the Hospital incinerator failed to meet emissions standards for hydrochloric acid, violating the federal incinerator regulations. A retest of the incinerator demonstrated a return to compliance with the hydrochloric acid standard. Status: Northwest has 10 days to request a meeting concerning the Penalty. (Reference #AQCP 04-10)

Air Products Polymers, L.P. (Air Products)– Cecil County--On Oct. 12, MDE issued a Notice of Assessed Civil Penalty in the amount of \$12,000 to Air Products for air quality violations. Air Products operates an emulsion manufacturing facility that is a “major” source of volatile organic compounds as defined in the Clean Air Act, making it subject to operating permitting regulations. MDE issued an operating permit to the Company in May 2000.

Based on an evaluation of required reports submitted by the Company, MDE determined that the Company had not conducted monitoring and record keeping for its equipment as required by its Title 5 operating permit. The

violations occurred over a period of several months. The violations have since been corrected. Status: Air Products has 30 days to request a hearing concerning the Penalty. (Reference #AQCP 04-13A)

Water Management Administration

Town of Emmitsburg, Frederick County –On Sept. 17, MDE and the Town of Emmitsburg finalized an administrative consent order regarding improvements to Emmitsburg’s wastewater treatment plant and collection system to address sanitary sewer overflows and bypasses. Under the terms of the consent order, Emmitsburg has agreed to construct improvements to the Little Run Sewer Main by July 31, 2005 and to evaluate the sewer system improvements and submit a progress report by October 31, 2005 regarding the efficacy of the improvements in eliminating sanitary sewer overflows, bypasses and ensuring the wastewater treatment plant’s ability to maintain compliance with permit effluent limitations. The consent order also requires that Emmitsburg not authorize or approve new connections to the sewage collection system in excess of 20 equivalent dwelling units (EDUs) per year without prior approval from MDE. Emmitsburg has also agreed to pay \$5,500 to the Maryland

See NOTES, Page 16

For the Record

The following is a partial list by county of applications received by MDE and other permitting activity between Sept. 16 and Oct. 15, 2004. For more information on these permits, please contact MDE's Environmental Permit Service Center at (410) 537-3772.

Allegany

CHARLES TWIGG PROPERTY - 13109 McKenzie Tower Road, Cumberland, MD 21502. Sewage sludge application on agricultural land

MEAD WESTVACO - 300 Pratt Street, Luke, MD 21540. (04-1154) Water permit to upgrade water treatment facilities at Route 135 and Grant Street

UNITED ENERGY COAL, INC. - CABIN RUN - Cabin Run Road, Frostburg, MD 21532. (2005-001-00300) Air quality permit to operate

Anne Arundel

ANNE ARUNDEL COUNTY DEPARTMENT OF PUBLIC WORKS - 2662 Riva Road, Annapolis, MD 21401. (04-1149) Water permit to lay 36" transmission main along MD Route 648 from Magothy Bridge Road to Mountain Road

SHA - HANOVER COMPLEX - 7491 Connelley Drive, Hanover, MD 21076. (05DP3505) Surface industrial discharge permit

SOLLEY ROAD SANITARY LANDFILL - 7890 Solley Road, Glen Burnie, MD 21060. (05DP2755) Groundwater industrial discharge permit

WAL-MART STORE #3490 - 7081 Arundel Mills Circle, Hanover, MD 21076. (2005-OPT-19548) Oil operations permit for above ground storage tank and transportation

Baltimore City

JOHNS HOPKINS UNIVERSITY

HOMEWOOD - 3100 Wyman Park Drive, Baltimore, MD 21218. (TR9400) an air permit to construct for one boiler > 10 MMBtu

SUNOCO PARTNERS MARKET-ING & TERMINAL - 2155 Northbridge Avenue, Baltimore, MD 21226. (TR9419) an air permit to construct for one hydrocarbon combustor

UNILEVER HOME & PERSONAL CARE-USA - 5300 Holabird Avenue, Baltimore, MD 21224. (TR9417) an air permit to construct for one bag dump station

WAL-MART STORE #3507 - 2701 Port Covington Drive, Baltimore, MD 21230. (2005-OPT-19551) Oil operations permit for above ground storage tank and transportation

Baltimore County

BALTIMORE COUNTY DEPARTMENT OF PUBLIC WORKS - 111 Chesapeake Avenue, Towson, MD 21204. (04-1137) Water permit to lay 16' Water Rolling Road Transmission main along Frederick Road and Sanford Avenue

BALTIMORE COUNTY DEPARTMENT OF PUBLIC WORKS - 111 Chesapeake Avenue, Towson, MD 21204. (04-1151) Sewerage permit to construct Stemmers Run relief force main along the I-695 and Amtrak right-of-way between Golden Ring Road and Eastern Boulevard

ISG SPARROWS POINT, LLC - 5111 North Point Boulevard, Sparrows Point, MD 21219. (2005-OPT-2078) Oil operations permit for above ground storage tank and transportation

MARYLAND PAVING - TEXAS ASPHALT PLANT - 10000 Beaver Dam Road, Cockeysville, MD 21030. (2005-005-02436) Air quality permit to operate

MARYLAND RECYCLE COMPANY, INC. - 8920 Yellow Brick Road, Baltimore, MD 21237. (05-005-02406) Air quality permit to operate

RITTENHOUSE FUEL COMPANY - PARKTON - 316 Mount Carmel

Road, Parkton, MD 21120. (2005-OPT-4402) Oil operations permit for above ground storage tank and transportation

WAL-MART STORE # 3489 - 6420 Petrie Way, Rosedale, MD 21237. (2005-OPT-21439) Oil operations permit for above ground storage tank and transportation

WAL-MART STORE #2435 - 2399 North Point Boulevard, Dundalk, MD 21222. (2005-OPT-21409) Oil operations permit for above ground storage tank and transportation

WALMART STORE #3481 - 112 Carroll Island Road, Baltimore, MD 21220. (2005-OPT-19496) Oil operations permit for above ground storage tank and transportation

Caroline

JAMES AND WANDA SUE LEWIS, CR-98 - 18695 Zion Road, Marydel, MD 21649. Sewage sludge application on agricultural land

Carroll

CARROLL COUNTY COMMISSIONERS - 225 N. Center Street, Westminster, MD 21157. (04-1153) Water permit to construct the Bark Hill water System at 3835 Bark Hill Road, Union Bridge

KINDER MORGAN OPERATING L.P. - 929 Hoods Mill Road, Woodbine, MD 21797. (TR9388) an air permit to construct for one boiler <50 MMBtu

WAL-MART STORE # 2436 - 1320 Liberty Road, Eldersburg, MD 21784. (2005-OPT-21415) Oil operations permit for above ground storage tank and transportation

WAL-MART STORE # 2551 - 209 E. Ridgeville Boulevard, Mount Airy, MD 21771. (2005-OPT-21421) Oil operations permit for above ground storage tank and transportation

WAL-MART STORE # 2850 - 2320 North Hanover Pike, Hampstead, MD 21074. (2005-OPT-21416) Oil operations permit for above ground storage tank and transportation

Cecil

WILSON FUEL SERVICE INC. - 1335 E. Old Philadelphia Road, Elkton, MD 21921. (2005-OPT-4563) Oil operations permit for above ground storage tank and transportation

Charles

CHARLES COUNTY COMMISSIONERS - P. O. Box 2150, La Plata, MD 20646. (04-1142) Water permit to lay water mains along Billingsley Road from St. Patrick Road to Middletown

CHARLES COUNTY DEPARTMENT OF PLANNING AND GROWTH MANAGEMENT - P.O. Box 2150, La Plata, MD 20646. (04-1140) Water permit to construct Waldorf Water Tower # 5 at Vera Davis Lane, Waldorf

CHARLES COUNTY DEPARTMENT OF PLANNING AND GROWTH MANAGEMENT - P.O. Box 2150, La Plata, MD 20646. (04-1141) Sewerage permit to construct the North Pointe Wastewater Pumping Station at Mill Hill Road, South of Route 228

CHARLES COUNTY DEPARTMENT OF PLANNING AND GROWTH MANAGEMENT - P.O. Box 2150, La Plata, MD 20646. (04-1144) Water permit to lay water mains along Route 229 between Courtney Drive and 1300 feet North of Grey Run Drive

EDWARD AND LEXY EDELEN, SITE 58-CHS - 8000 Block Of Chapel Point Road, Port Tobacco, MD 20677. Sewage sludge application on agricultural land

JAMES E. HILL - 6585 Ripley Road, Ripley, MD 20646. (2004-NW-GP01) Natural Woodwaste Permit

WALDORF ASPHALT, LLC - 12250 Acton Lane, Waldorf, MD 20601. (05-017-00001) Air quality permit to operate

Continued on the next page

For the Record

WAL-MART STORE # 2853 - 40 Drury Drive, La Plata, MD 21043. (2005-OPT-21434) Oil operations permit for above ground storage tank and transportation

Dorchester

C & S BOATWORKS, LLC - 8 Washington Street, Warehouse 2, Cambridge, MD 21613. (TR9429) an air permit to construct for boat manufacturing facility

WAL-MART STORE # 2272 - 2775 Dorchester Square, Cambridge, MD 21613. (2005-OPT-21437) Oil operations permit for above ground storage tank and transportation

Frederick

FARMERS COOPERATIVE ASSOCIATION INC - 820 East South Street, Frederick, MD 21701. (TR9431) an air permit to construct for one grain dryer

FORT DETRICK - AREA B - 810 Schreider Street, Frederick, MD 21702. Sewage sludge disposal permit at landfill

FREDERICK DIVISION OF UTILITIES AND SOLID WASTE MANAGEMENT - 12 East Church Street, Frederick, MD 21701. (04-1138) Water permit to lay New Design Water Transmission main parallel to Monocacy River from Ballenger Creek WWTP to County System connection at River Oaks

FREDERICK DIVISION OF UTILITIES AND SOLID WASTE MANAGEMENT - 12 East Church Street, Frederick, MD 21701. (04-1139) Water permit to lay New Design Water Transmission main and East County Pumping station, on the ridge, south of Reichs Ford Road and east of the Monocacy River

GRIMES SYSTEMS CO., INC. - 8005 Reichs Ford Road, Frederick, MD 21704. (TR9399) an air permit to construct for one temporary crushing operation

J. TYLER QUINN - P. O. Box 670, Frederick, MD 21705. (04-1143) Sewerage permit to construct the Lewistown Mills Wastewater Treatment Plant at Route 15N and Fish Hatchery Road

NJR, LLC - 806 West Diamond Avenue - Suite 100, Gaithersburg, MD 20878. (04-1152) Sewerage permit to construct the Mountainside Day Camp Wastewater Treatment Plant along with a force main at 2914 Roderick Road, Urbana

REICHS FORD MUNICIPAL LANDFILL - 9031-A Reichs Ford Road, Frederick, MD 21701. (05DP2191) Surface industrial discharge permit

RICHARD F. KLINE, INC. - 7700 Grove Road, Frederick, MD 21704. (TR9408) an air permit to construct for one crushing plant

TOWN OF THURMONT - 10 Frederick Road, Thurmont, MD 21788. (04-1150) Sewerage permit to upgrade the sludge dewatering facilities at the Thurmont Wastewater Treatment Plant

WAL-MART STORE # 2233 - 7400 Guilford Drive, Frederick, MD 21704. (2005-OPT-21412) Oil operations permit for above ground storage tank and transportation

WAL-MART STORE#2756 - 1811 Monocacy Boulevard, Frederick, MD 21701. (2005-OPT-19549) Oil operations permit for above ground storage tank and transportation

Garrett

ACCIDENT WWTP - 427 South Main Street, Accident, MD 21520. (05DP1068) Surface municipal discharge permit

BACKBONE MOUNTAIN, LLC - MINE #1 - 293 Table Rock Road, Oakland, MD 21550. (2005-023-00129) Air quality permit to operate

WAL-MART SUPERCENTER # 2894 - 13164 Garrett Highway, Oakland, MD 21550. (2005-OPT-21414) Oil operations permit for above ground storage tank and transportation

Harford

AMERICAN COLOR GRAPHICS - 1211 Belmar Drive, Belcamp, MD 21017. (05-025-00219) Air quality part 70 operating permit

DIXIE CONSTRUCTION CO. INC. - 260 Hopewell Road, Churchville, MD

21082. (2005-OPT-2285) Oil operations permit for above ground storage tank and transportation

MARYLAND PAVING - CHURCHVILLE ASPHALT PLANT - 1219 Calvary Road, Bel Air, MD 21015. (2005-025-00458) Air quality permit to operate

U.S. ARMY ABERDEEN PROVING GROUND- ABERDEEN - 2201 Aberdeen Boulevard, Aberdeen Proving Grounds, MD 21005. (2005-OPT-2010) Oil operations permit for above ground storage tank and transportation

Howard

HOWARD COUNTY PUBLIC SCHOOL SYSTEM - 10910 Route 108, Ellicott City, MD 21042. (04-1145) Water permit to construct a water treatment plant at the Western Elementary School located at Ten Oaks Road and Rutherford Way

HOWARD COUNTY PUBLIC SCHOOL SYSTEM - 10910 Route 108, Ellicott City, MD 21042. (04-1146) Sewerage permit to construct a wastewater treatment plant at the Western Elementary School located at Ten Oaks Road and Rutherford Way

NIRO, INC. - 9165 Rumsey Road, Columbia, MD 21045. (TR9425) an air permit to construct for modification to spray dryer

Montgomery

RITCHIE LAND RECLAMATION, LP - 4710 Saul Road, Kensington, MD 20895. (TR9426) an air permit to construct for one portable crushing operation

WAL-MART STORE # 2357 - 20910 Frederick Road, Germantown, MD 20876. (2005-OPT-21422) Oil operations permit for above ground storage tank and transportation

Prince George's

AGGREGATE & DIRT SOLUTIONS, LLC - 5900 Sheriff Road, Capitol Heights, MD 20743. (TR9414) an air permit to construct for one crushing operation

BERG CORPORATION, THE -

2072 San Antonio Lane, Andrews Air Force Base, MD 20762. (TR9466) an air permit to construct for one temporary crushing operation

BLENDMASTERS, INC. - 14713 Baltimore Avenue, Unit 32, Laurel, MD 20707. (TR9411) an air permit to construct for one paint spray booth

INDUSTRIAL TOWEL SERVICES, INC. - 136 Lafayette Avenue, Laurel, MD 20707. (TR9384) an air permit to construct for industrial laundry facility

PATUXENT WILDLIFE RESEARCH CENTER - 12311 Beach Forest Road, Laurel, MD 20708. (05DP2538) Surface municipal discharge permit

RITCHIE LAND RECLAMATION LP - 2001 Ritchie Marlboro Road, Upper Marlboro, MD 20774. (TR9391) an air permit to construct for one portable crushing operation

SHELL STATION (FORMER) - 6328 Kenilworth Avenue, Riverdale, MD 20737. (TR9450) an air permit to construct for one soil remediation system

USDA BELTSVILLE AGRICULTURE RESEARCH CENTER - 10300 Baltimore Avenue, Beltsville, MD 20705. (04-1147) Sewerage permit to extend a force main along Baltimore Avenue and Sunnyside Avenue from FDA/DS to BARC

USDA BELTSVILLE AGRICULTURE RESEARCH CENTER - 10300 Baltimore Avenue, Beltsville, MD 20705. (04-1148) Water permit to extend a force main along Baltimore Avenue and Sunnyside Avenue to West Campus

VERIZON MARYLAND, INC. - 14200 Old Marlboro Pike, Upper Marlboro, MD 20772. (TR9382) an air permit to construct for one 500 kW generator set

VERIZON MARYLAND, INC. - 6510 Riggs Road, Hyattsville, MD 20783. (TR9383) an air permit to construct for one 500 kW backup generator set

WAL-MART STORE # 1985 - 3549 Russett Green East, Laurel, MD 20724. (2005-OPT-21410) Oil operations per-

Continued on the next page

For the Record

mit for above ground storage tank and transportation

WAL-MART STORE # 2799 - 8745 Woodyard Road, Clinton, MD 20735. (2005-OPT-21411) Oil operations permit for above ground storage tank and transportation

WASHINGTON FOOTBALL, INC. - 1600 FedEx Way, Landover, MD 20785. (TR9410) an air permit to construct for one emergency generator

Queen Anne's

KENT NARROWS/STEVENSVILLE/GRASONVILLE WWTP - 310 Bateau Drive, Stevensville, MD 21666. Sewage sludge transportation permit

QUEENSTOWN WWTP #2 - Vicinity of Del Rhodes Avenue & Friels Road, Queenstown, MD 21658. (05DP0737) Surface municipal discharge permit

Somerset

EASTERN CORRECTIONAL INSTITUTION - 30420 Revells Neck Road, Route 1, Box 500, Westover, MD 21853. (05DP2861) Surface industrial discharge permit

EWELL WWTP-SMITH ISLAND - 3780 Smith Island Road, Ewell, MD 21824. (05DP1099) Surface municipal discharge permit

TYLERTON WWTP - 3039 Union Church Road, Tylerton, MD 21866. (05DP1100) Surface municipal discharge permit

St. Mary's

MARYLAND ROCK INDUSTRIES, INC. - 21475 Abell's Wharf Road, Leonardtown, MD 20650. (TR9477) an air permit to construct for one internal combustion engine

ROGER STAIGER FARM, 47-SM - Cornfield Harbor Road, Scotland, MD 20687. Sewage sludge application on agricultural land

STEPHEN THOMAS REEVES TRUSTEE PROPERTY, SM-63 - 24823 Hurry Road, Chaptico, MD 20621. Sewage sludge application on

agricultural land

THOMAS BAYNE PROPERTY, SITE 49-SM - 132 Bayne Road, Ridge, MD 20680. Sewage sludge application on agricultural land

Talbot

MIDSHORE REGIONAL SOLID WASTE FACILITY - 7341 Barker's Landing Road, Easton, MD 21601. Solid waste municipal landfill permit

MIDSHORE REGIONAL SOLID WASTE FACILITY - 7341 Barker's Landing Road, Easton, MD 21601. Sewage sludge disposal permit at landfill

Washington

BROADFORDING BIBLE CHURCH WWTP - 13523 Broadfording Road, Hagerstown, MD 21740. (05DP1006) Surface municipal discharge permit

SUN CHEMICAL CORPORATION - 10319 Grumbacker Lane, Williamsport, MD 21795. (01DP2638A) Surface industrial discharge permit with groundwater opt.

WAL-MART SUPERCENTER # 1674 - 17850 Garland Groh Boulevard, Hagerstown, MD 21740. (2005-OPT-21413) Oil operations permit for above ground storage tank and transportation

CRAIG PAVING, INC. - 1700 Wesel Boulevard, Hagerstown, MD 21740. (TR9381) an air permit to construct for one temporary crushing operation

RAYLOC - 100 Rayloc Drive, Hancock, MD 21750. (TR9427) an air permit to construct for one cartridge dust collector

Wicomico

PITTSVILLE WWTP - 34751 Poplar Neck Road, Pittsville, MD 21850. (05DP2085) Surface municipal discharge permit

SHORELAND FREEZERS - 111 Bateman Street, Salisbury, MD 21804. (05DP3067) Surface industrial discharge permit

WAL-MART SUPERCENTER # 1890 - 2702 North Salisbury Boulevard,

Salisbury, MD 21801. (2005-OPT-21432) Oil operations permit for above ground storage tank and transportation

WAL-MART SUPERCENTER # 2931 - 409 North Fruitland Boulevard, Salisbury, MD 21804. (2005-OPT-21430) Oil operations permit for above ground storage tank and transportation

WICOMICO COUNTY LANDFILL - 6900 Brick Kiln Road, Salisbury, MD 21801. Sewage sludge application on agricultural land

Worcester

MID-ATLANTIC FOODS, INC. - 1842 Broad Street, Pocomoke City, MD 21851. (05DP2091) Surface industrial discharge permit

RIVER RUN WWTP - 11517 River Run Lane, Berlin, MD 21811. (99DP2394A) Groundwater municipal discharge permit

WAL-MART STORE # 2514 - 2132 Old Snow Hill Road, Pocomoke City, MD 21851. (2005-OPT-21438) Oil operations permit for above ground storage tank and transportation

Out of State

JANUARY ENVIRONMENTAL SERVICES, INC. - 91 Van Buren Street, Nashville, TN 37208. (2005-OPV-21557) Oil operations permit for transportation

OUT OF STATE TO PENNSYLVANIA - Permitted Landfills or WWTPs, Any City, PA 00000. (TBD-30-4659-T) Sewage sludge transportation permit

ISSUANCES

Allegany

AMERICAN WOODMARK CORPORATION - 17600 Barton Park Drive SW, Cumberland, MD 21502. (001-6-0274 N) Air permit to construct for one paint spray booth

BARTON BUSINESS PARK WWTP - 17207 McMullen Highway, S.W., Cumberland, MD 21502.

(02DP3402) Surface municipal discharge permit

FIBRED-MARYLAND, INC. - 10900 Day Road, Southeast, Cumberland, MD 21502. (001-00172) Air quality permit to operate

FROSTBURG FINISHING LINE, INC., THE - 18505 Martin Run Road, SW, Frostburg, MD 21532. (001-6-0275 N) Air permit to construct for one molding/coating operation

Anne Arundel

ANNE ARUNDEL COUNTY DEPARTMENT OF PUBLIC WORKS - 2662 Riva Road, Annapolis, MD 21401. (04-16-1020) Water permit to upgrade the Herald Harbor Water Treatment Plant at 400 Mountain Road, Crownsville

BERG CORPORATION, THE - 1901 West Street, Annapolis, MD 21401. (003-6-1065) Air permit to construct for one temporary crushing operation

EASTERN PETROLEUM CORP. - 300 Mountain Road, Pasadena, MD 21122. (2004-OPT-4105) Oil operations permit for above ground storage tank and transportation

W. TUDOR JONES LAGOON STORAGE - Polling House Road North Of Bayard, Harwood, MD 20776. (S-04-02-1158-S) Sewage sludge storage permit

Baltimore City

BALTIMORE GAS & ELECTRIC CO.- LNG - 1699 Leadenhall Street, Baltimore, MD 21230. (510-5-1722 through 1725 N) Air permit to construct for four vaporizers

CANTON CROSSING DOCK AREA SITE - 1410 South Clinton Street, Baltimore, MD 21224. (2005-OGR-4390) General permit for treated groundwater from oil contaminated sources

CHEVRON PRODUCTS COMPANY - BALTIMORE - 1955 Chesapeake Avenue, Baltimore, MD 21226. (2005-OGR-3056) General permit for treated groundwater from oil contaminated

Continued on the next page

For the Record

nated sources

CLEAN HARBORS OF BALTIMORE - 1910 Russell Street, Baltimore, MD 21230. (2005-OPX-3063) Oil operation permit for sludge solidification

CONSTELLATION ENERGY GROUP - SPRING GARDENS - 1699 Leadenhall Street, Baltimore, MD 21230. (01DP0192) Surface industrial discharge permit

DIPLOMAT COMDOMINIUM - 3737 Clarks Lane, Baltimore, MD 21215. (510-5-1667 through 1670) Air general permit to construct for four boilers <10 MMBTU

FMC CORPORATION - 1701 East Patapsco Avenue, Baltimore, MD 21226. (2003-OPT-3185A) Oil operations permit for above ground storage tank and transportation

NEW ALL SAINTS SCHOOL - 3510 Eldorado Avenue, Baltimore, MD 21207. (510-5-1719 and 1720) Air general permit to construct for two boilers <10 MMBTU

ROCKLAND INDUSTRIES, INC. - 1601 Edison Highway, Baltimore, MD 21203. Air permit to construct for one wide textile finishing line

ROLAND PARK SWIMMING POOL - 5021 Lawndale Avenue, Baltimore, MD 21210. (01SI6943) General permit registration for discharge from general permit for swimming pools and spas

ROLLING FRITO-LAY SALES - BALTIMORE DC - 3101 Viona Avenue, Baltimore, MD 21230. (02SW1863) General permit registration for stormwater associated with industrial activity

RUBBLE BEE RECYCLING & DEMOLITION - 6300 York Road, Baltimore, MD 21212. (510-6-1841) Air permit to construct for one temporary crushing operation

SAM'S CLUB #4771 - 2601 Port Covington Drive, Baltimore, MD 21230. (510-9-1007) Air general permit to construct for one underground storage tank farm

SOIL SAFE, INC. - 4600 Fayette Street, Baltimore, MD 21224. (2004-OPS-3472A) Oil contaminated soil facility

SOUTHERN GALVANIZING - 1620 Bush Street, Baltimore, MD 21230. (510-00091) Air quality permit to operate

TRIGEN-ENERGY BALTIMORE - SPRING GARDENS PLANT - 1500 Leadenhall Street, Baltimore, MD 21230. (510-02796) Air quality part 70 operating permit

VERIZON - DOWNTOWN BALTIMORE COMPLEX - 323 North Charles Street, Baltimore, MD 21201. (510-9-1003 through 9-1006 N) Air permit to construct for four 2000 kW standby diesel generator sets

Baltimore County

A & A GLOBAL INDUSTRIES, INC. - 10711 Gilroy Road, Hunt Valley, MD 21031. (005-5-1926) Air general permit to construct for one boiler <10 MMBtu

AIR PRODUCTS & CHEMICALS - BALTIMORE - 2005 Reservoir Road, Sparrows Point, MD 21219. (02SW1873) General permit registration for stormwater associated with industrial activity

BGE - NOTCHCLIFF - 10650 Harford Road, Parkville, MD 21234. (01DP2806) Groundwater industrial discharge permit

DEVONSHIRE APARTMENTS - 10 Spinners Court, Randallstown, MD 21133. (01SI6942) General permit registration for discharge from general permit for swimming pools and spas

DULANEY TOWERS - 1 Smeton Place, Towson, MD 21204. (005-5-1927) Air general permit to construct for one boiler <10 MMBtu

GREATER BALTIMORE MEDICAL CENTER - 6701 Charles Street North, Baltimore, MD 21204. (005-5-1920) Air general permit to construct for one boiler <10 MMBTU

HAR SINAI CONGREGATION - 2905 Walnut Avenue, Owings Mills, MD 21117. (04-16-101082) Water permit to construct water treatment facility at Har Sinai Congregation, Owings Mills

MID-ATLANTIC PACKAGING SUPPLY, INC. - 2607 North Rolling Road, Baltimore, MD 21244. (005-

02003) Air quality permit to operate

PATAPSCO & BACK RIVERS RAILROAD COMPANY - Bethlehem Steel, Sparrows Point, MD 21219. (2004-OPT-2567) Oil operations permit for above ground storage tank and transportation

SAM'S CLUB #6650 - 6410 Petrie Way, Baltimore, MD 21237. (005-9-1215) Air general permit to construct for one underground storage tank farm

SPARROWS POINT SHIPYARD - 600-A Shipyard Road, Sparrows Point, MD 21219. (2005-OPT-2079) Oil operations permit for above ground storage tank and transportation

SURFACE TREATMENT TECHNOLOGIES - 1954 Halethorpe Farms Road, Suite 600, Halethorpe, MD 21227. (005-6-2815 N) Air permit to construct for one thermal spray facility

UNIVERSITY OF MD, BALTIMORE COUNTY - 1000 Hilltop Circle, Baltimore, MD 21250. (005-4-2111 & 4-1112 N) Air permit to construct for two 62 MM Btu/hr (NG/No.2) boilers

URBAN N. ZINK CONTRACTOR, INC - 6924 Ebenezer Road, Chase, MD 21027. (2005-OPV-2723) Oil operations permit for transportation

WEAVER MARINE SERVICE INC. - 730 Riverside Drive, Baltimore, MD 21221. (02MA9288) General permit registration for discharge from marinas

Calvert

CALVERT GATEWAY WASTEWATER TREATMENT PLANT - Route 4 & Towncenter Boulevard, Dunkirk, MD 20754. (S-04-04-5084-T) Sewage sludge transportation permit

CHESAPEAKE BEACH WWTP - 8550 Bayside Road, Chesapeake Beach, MD 20732. (02SW1871) General permit registration for stormwater associated with industrial activity

HILL LAND CLEARING DEBRIS LANDFILL - MD Route 2 & Dalrample Road, Sunderland, MD 20689. (2004-WLC-0551) Solid waste land clearing debris landfill permit

PATUXENT GATE STATION - 10895 H. G. Trueman Road, Lusby, MD

20657. (009-5-) Air general permit to construct for one boiler <10 MMBtu

SOLOMONS ISLAND WWTP - 500 Sweetwater Lane, Lusby, MD 20657. (S-04-04-5085-T) Sewage sludge transportation permit

Caroline

JAMES HENRY FARM, CR-93 - 11000 Block of Knife Box Road, Denton, MD 21629. (S-04-05-4008-A) Sewage sludge application on agricultural land

Carroll

COLONIAL PIPELINE COMPANY - WOODBINE - 929 Hoods Mill Road, Woodbine, MD 21797. (24-013-00056) Air quality part 70 operating permit

EVAPCO, INC. - 5151 Allendale Lane, Taneytown, MD 21787. (013-9-0154) Air general permit to construct for one underground storage tank farm

FOGLES SEPTIC CLEAN INC. - 580 Obrecht Road, Sykesville, MD 21784. (2004-OPT-19581) Oil operations permit for above ground storage tank and transportation

FREEDOM DISTRICT WATER TREATMENT PLANT - 5631 Oakland Road, Sykesville, MD 21784. (01DP3186) Surface municipal discharge permit

LEHIGH CEMENT COMPANY - NEW WINDSOR - MD Route 31, New Windsor, MD 21776. (00MM2448) General permit registration for discharge from quarry

STAMBAUGH CHEVROLET - 1115 South Main Street, Hampstead, MD 21074. (013-6-0320 N) Air permit to construct for one paint spray booth

UNIGEN PHARMACEUTICAL, INC. - 1221 Tech Court, Westminster, MD 21157. (013-5-0136 & 0137) Air general permit to construct for two boilers <10 MMBtu

WOODHAVEN BUILDING & DEVELOPMENT, INC - 4175 Hanover Pike, Manchester, MD 21102. (04-22:23-1156) Sewerage permit to construct the Jackson Ridge Wastewater

Continued on the next page

For the Record

Pumping Station and a force main along MD Route 75 at Phillips Lane

Cecil

CECIL COUNTY CENTRAL LANDFILL - 758 E. Old Philadelphia Road, Elkton, MD 21921. (S-04-07-4636-L) Sewage sludge disposal permit at landfill

DUPONT - DOW ELASTOMERS - 505 Blue Ball Road, Elkton, MD 21921. (015-00097) Air quality permit to operate

HACKS POINT MARINA - 1645 Glebe Road, Earleville, MD 21919. (02MA9286) General permit registration for discharge from marinas

MARYLAND DEPARTMENT OF NATURAL RESOURCES - Tawes State Office Building, E-4, Annapolis, MD 21401. (04-22:23-1033) Sewerage permit to construct a wastewater pumping station and a force main at the intersection of Horseshoe Lane and MD Route 273

MID STATES OIL REFINING CO. - ELKTON - 606 Lewisville Road, Elkton, MD 19351. (2004-OPT-2513) Oil operations permit for above ground storage tank and transportation

ROCK SPRINGS GENERATION FACILITY - 1423 Rock Springs Road, Rising Sun, MD 21911. (2003-OPT-11150A) Oil operations permit for above ground storage tank and transportation

Charles

CHARLES COUNTY COMMISSIONERS - P. O. Box 2150, La Plata, MD 20646. (04-12-1142) Water permit to lay water mains along Billingsley Road from St. Patrick Road to Middleton

JOHN & EDITH HOGAN, CH-165 - 8550 Cooksey Road, La Plata, MD 20646. (S-04-08-5067-A) Sewage sludge application on agricultural land

PATUXENT ROCK PARTNERSHIP - 9622 Rosewick Road, La Plata, MD 20646. (017-6-0122 N) Air permit to construct for Eagle portable 1200 jaw crusher

SOUTHERN MARYLAND PRE-

RELEASE UNIT - Oaks Road at Carrico Mill Road, Hughesville, MD 20637. (04DP0750) Surface municipal discharge permit

ST. CHARLES COMMUNITY, LLC - 222 Smallwood Village Center, Waldorf, MD 20602. (04-22-1120) Sewerage permit to construct gravity sewers from Billingsley Road and St. Charles Parkway to Demarr Road

WALDORF MARBLE - 4317 Charles Crossing Drive, White Plains, MD 20695. (017-00063) Air quality permit to operate

Dorchester

CAMBRIDGE DORCHESTER AIRPORT - 5223 Bucktown Road, Cambridge, MD 21613. (2005-OPT-6326) Oil operations permit for above ground storage tank and transportation

Frederick

BALLENGER CREEK WWTP - 7400 Marcie's Choice Lane, Frederick, MD 21704. (S-04-10-4606-T) Sewage sludge transportation permit

CITY OF FREDERICK DEPARTMENT OF PUBLIC WORKS - 111 Airport Drive East, Frederick, MD 21701. (04-22-1104) Sewerage permit to construct Rock Creek Interceptor Sewers at MD Route 40 and MD Route 15

DOMINION TRANSMISSION - JEFFERSON M & R FACILITY - 3031 Jefferson Pike, Jefferson, MD 21755. (00HT9471) General permit registration for discharge from gas pipeline

ETRON CORPORATION - 9639 Dr. Perry Road, #109 N, Ijamsville, MD 21754. (04DP2999) Groundwater industrial discharge permit

FORT DETRICK - AREA A - 201 Beasley Road, Frederick, MD 21702. (2000-WIN-0341) Solid waste incinerator permit

GRIMES SYSTEMS CO., INC. - 8005 Reichs Ford Road, Frederick, MD 21704. (021-6-0551 N) Air permit to construct for one temporary crushing operation

JEFFERSON WWTP - Westport Drive & Brockton Drive, North of

Route 180, Jefferson, MD 21755. (03DP0097) Surface municipal discharge permit

RICHARD F. KLINE, INC. - FREDERICK - 7700 Grove Road, Frederick, MD 21704. (021-00037) Air quality permit to operate

ROLLING FRITO-LAY SALES - FREDERICK DC - 6809-B Bowmans Crossing, Frederick, MD 21701. (02SW1866) General permit registration for stormwater associated with industrial activity

SAIC - FREDERICK, INC. - 7116 Geoffrey Way, Frederick, MD 21702. (021-5-0324, 5-0325, and 5-0326 N) Air permit to construct for three 14.3 MMBH natural gas fired boilers

SAIC - FREDERICK, INC. - 7116 Geoffrey Way, Frederick, MD 21703. (021-9-0206 N) Air permit to construct for one 600 kw emergency generator

Garrett

DEEP CREEK LAKE WWTP - 762 Mayhew Inn Road, Oakland, MD 21550. (S-04-11-5058-T) Sewage sludge transportation permit

Harford

ABERDEEN ADVANCED WWTP - 361 Michael Lane, Aberdeen, MD 21001. (S-04-12-2458-F) Sewage sludge treatment permit

CITY OF ABERDEEN - 60 North Parke Street, Aberdeen, MD 21001. (04-25-1110) Sewerage permit to upgrade Aberdeen Wastewater Treatment Plant at Aberdeen Proving Ground for enhanced nutrient removal

CITY OF HARVRE DE GRACE - 711 Pennington Avenue, Havre de Grace, MD 21078. (04-14-1070) Water permit to construct a water elevated tank at Chapel Road and Bulle Rock Parkway

DAVID AND NANCY ROSE PROPERTY, HF-34 - 3232 Old York Road, Whitehall, MD 21161. (S-04-12-5068-A) Sewage sludge application on agricultural land

FALLSTON PRESBYTERIAN CHURCH - P. O. Box 54, Fallston, MD 21047. (04-16-1064) Water permit to

construct water treatment plant at the Fallston Presbyterian Church, 600 Fallston Road, Fallston

ISGOOD LLC - 2700 Philadelphia Road, Edgewood, MD 21040. (04-25-1119) Sewerage permit to revise Permit No. 02-25-1104 for Arena Club Septic Pre-treatment System

Howard

CHERRY HILL CONSTRUCTION, INC. - 8227 Washington Boulevard, Jessup, MD 20794. (2005-OPT-2230) Oil operations permit for above ground storage tank and transportation

GENERAL ELECTRIC COMPANY - 9001 Snowden River Pkwy., Robert Fulton Drive, Parcel A-10, Columbia, MD 21046. (02DP3245) Surface industrial discharge permit

GLENELG HIGH SCHOOL WWTP - 14025 Burnt Woods Road, Ellicott City, MD 21042. (02DP3412) Groundwater municipal discharge permit

HOWARD COMMUNITY COLLEGE - 10901 Little Patuxent Parkway, Columbia, MD 21044. (027-5-0196 through 0198) Air general permit to construct for three boilers <10 MMBTU

WORKPLACE ESSENTIALS, INC. - 7184 Troy Hill Drive, Elkridge, MD 21075. (2003-WTS-0594) Solid waste transfer station permit

Montgomery

ARMSTRONG CO., INC., G. D. - 21504 Laytonsville Road, Laytonsville, MD 20882. (2005-OPT-4158) Oil operations permit for above ground storage tank and transportation

BAILEY'S PUB & GRILL - 20021 Century Boulevard, Germantown, MD 20874. (031-8-0151) Air general permit to construct for one charbroiler

BRIGHTON GARDEN'S FRIENDSHIP HEIGHT - 5555 Friendship Boulevard, Chevy Chase, MD 20815. (031-5-1732 & 1733) Air general permit to construct for two boilers < 10MMBTU

CENTER FOR PROSTATE DISEASE RESEARCH - 1530 Jefferson Street East, Rockville, MD 20852.

Continued on the next page

For the Record

(0331-5-1724) Air general permit to construct for one boiler < 10 MMBTU

DEMOCRACY PLAZA I - 6701 Democracy Boulevard, Bethesda, MD 20817. (04DP3483) Surface industrial discharge permit

DEMOCRACY PLAZA II - 6707 Democracy Boulevard, Bethesda, MD 20817. (04DP3484) Surface industrial discharge permit

DIGENE CORPORATION - 1201 Clopper Road, Gaithersburg, MD 20878. (031-9-0744 N) Air permit to construct for emergency generator

FREESTATE PETROLEUM CORPORATION - 20650 Frederick Road, Germantown, MD 20876. (031-9-0746) Air general permit to construct for one underground storage tank farm

HUMAN GENOME SCIENCES, INC.- 9930 LSM - 9930 Belward Campus Drive, Rockville, MD 20850. (2005-OPT-16098) Oil operations permit for above ground storage tank and transportation

KENSINGTON CHEVRON - 10625 Connecticut Avenue, Kensington, MD 20895. (031-9-0747) Air general permit to construct for one underground storage tank farm

KENWOOD PLACE CONDOMINIUM - 5301 Westbard Circle, Bethesda, MD 20816. (031-5- 1691 through 1693) Air general permit to construct for three boilers < 10 MMBTU

NIH ANIMAL CENTER - Elmer School Road, Poolesville, MD 20837. (04DP2529) Surface municipal discharge permit

RIVER FALLS CLUB - 7915 Horse-shoe Lane, Potomac, MD 20854. (01SI6625) General permit registration for discharge from general permit for swimming pools and spas

THAT'S AMORE - 1699 Rockville Pike, Rockville, MD 20852. (031-8-0139) Air general permit to construct for one charbroiler

THE BEDFORD BUILDING - 6500 Rock Spring Drive, Bethesda, MD 20817. (04DP3486) Surface industrial discharge permit

THE CAMALIER BUILDING - 10215 Fernwood Road, Bethesda, MD

20817. (04DP3485) Surface industrial discharge permit

THE CHAMPLAIN BUILDING - 6401 Rockledge Drive, Bethesda, MD 20817. (04DP3487) Surface industrial discharge permit

THE WESTMORELAND BUILDING - 6430 Rockledge Drive, Bethesda, MD 20817. (04DP3488) Surface industrial discharge permit

UNITED THERAPEUTICS - 1110 Spring Street, Silver Spring, MD 20910. (031-6-0772 N) Air permit to construct for one pharmaceuticals facility

VERIZON - BETHESDA CO (GLC 06160) - 4533 Stanford Street, Bethesda, MD 20815. (031-9-0754 N) Air permit to construct for one 1000 kW emergency generator

Prince George's

7-ELEVEN #33234 - 8905 Rhode Island Avenue, College Park, MD 20740. (033-9-1165) Air permit to construct for one 10,000 and one 15,000-gasoline underground storage tank

AGGREGATE INDUSTRIES - FINANCIAL INTERNATIONAL MINE - 17950 Aquasco Road, Brandywine, MD 20613. (00MM9798) General permit registration for discharge from surface mine

BEHNKE NURSERIES CO. - 11300 Baltimore Avenue, Beltsville, MD 20705. (033-5-1129) Air general permit to construct for one boiler < 10 MMBTU

BERG CORPORATION, THE - 1510 Ritchie Marlboro Road, Capitol Heights, MD 20743. (033-6-1227) Air permit to construct for one temporary crushing operation

CITY OF BOWIE DEPARTMENT OF PUBLIC AORKS - 2614 Kenhill Drive, Bowie, MD 20715. (04-12-1125) Water permit to lay water mains along Millstream Drive between MD Route 197 and Moylan Drive

HUB REALTY FUNDING, INC. - 4700 River Road, Riverdale, MD 20737. (033-5-1121 & 1122) Air general permit to construct for two boilers < 10MMBTU

LABORATORY FOR TELECOMMUNICATIONS - 8080 Greenmead Drive, College Park, MD 20742. (033-9-1161 N) Air permit to construct for one emergency generator

NATIONAL WILDLIFE VISITOR CENTER - 10901 Scarlet Tanager Loop, Laurel, MD 20708. (02DP2831) Surface municipal discharge permit

QUEENSTOWN APARTMENTS - 3301 Chillum Road, Mount Rainier, MD 20712. (033-5-1144 through 1149) Air general permit to construct for six boilers <10 MMBtu

ROLLING FRITO-LAY SALES - BELTSVILLE DC - 11700 Trolley Lane, Beltsville, MD 20705. (02SW1864) General permit registration for stormwater associated with industrial activity

SOIL SAFE, INC. - BRANDYWINE - Mattawoman Drive At Cedarville Road, Brandywine, MD 20613. (2003-OPS-14480) Oil contaminated soil facility

VERIZON MARYLAND, INC. - 14200 Old Marlboro Pike, Upper Marlboro, MD 20772. (033-9-1167 N) Air permit to construct for one 500 kW generator set

VERIZON MARYLAND, INC. - 6510 Riggs Road, Hyattsville, MD 20783. (033-9-1166 N) Air permit to construct for one 500 kW backup generator set

VOGUE CLEANERS - 5642 Annapolis Road, Bladensburg, MD 20710. (033-6-1230) Air general permit to construct for one dry cleaning machine

WASHINGTON METROPOLITAN AREA TRANSIT - 9450 Lotts Ford Road, Largo, MD 20774. (033-9-1162 N) Air permit to construct for one emergency generator

Queen Anne's

EASTERN PETROLEUM CONVE-NIENCE STORE & CAR WASH - 212 Grange Hall Road, Wye Mills, MD 21679. (04DP3493) Groundwater industrial discharge permit

LANGENFELDER MARINE, INC. - 400 Pier Avenue, Stevensville, MD 21666. (2005-OPT-3036) Oil operations permit for above ground storage

tank and transportation

SOUTH NARROWS BOAT WORKS, INC. - 1235 Little Creek Road, Chester, MD 21619. (02MA9168) General permit registration for discharge from marinas

Somerset

WESTOVER GOOSE CREEK FOOD STORE - 9010 Ocean Highway, Westover, MD 21871. (2005-OGR-3677A) General permit for treated groundwater from oil contaminated sources

St. Mary's

FORREST FARM WWTP - 23255 Pembroke Drive, Leonardtown, MD 20636. (04DP3280) Groundwater municipal discharge permit

ROLLING FRITO-LAY SALES - CHARLOTTE HALL DC - 29910 Charlotte Hall Road, Charlotte Hall, MD 20622. (02SW1865) General permit registration for stormwater associated with industrial activity

SHA - LEONARDTOWN SHOP - 26720 Point Lookout Road, Leonardtown, MD 20650. (03DP3439) Surface industrial discharge permit

Talbot

CADMUS PROFESSIONAL COMMUNICATIONS - 500 Cadmus Lane, Easton, MD 21601. (041-6-0053 N) Air permit to construct for one sheetfed printing press

CONSTELLATION POWER - POTABLE WATER DISCHARGES - (00HT9470) General permit registration for discharges of potable water from 10 separate facilities

EASTON UTILITIES COMMISSION - 201 N. Washington Street, Easton, MD 21601. (04-25-1102) Sewerage permit to construct facilities for enhanced nutrient removal at the Easton Wastewater Treatment Plant.

MIDSHORE REGIONAL SOLID WASTE FACILITY - 7341 Barker's Landing Road, Easton, MD 21601. (S-

Continued on the next page

Atholton students visit MDE

Students from Howard County's Atholton High School recently toured MDE headquarters--the region's largest "Green Building." They also participated in a recycling demonstration, ran a watershed runoff model and received an air quality lesson.



MDE ENVIRONMENT PHOTO BY RICHARD MCINTIRE

For the Record

04-20-2407-L) Sewage sludge disposal permit at landfill

MIDSHORE TRANSFER STATION - 7341 Barkers Landing Road, Easton, MD 21601. (2004-WTS-0549) Solid waste transfer station permit to various MD counties

ROBERT D. RAUCH & ASSOCIATES - 28466 Waterview Drive, Easton, MD 21601. (04-22-1092) Sewerage permit to construct a force main along Lyons Drive and Dutchmans Lane, Easton

Washington

A. C. & T. DIESEL STOP - 11407 Moats Road, Williamsport, MD 21795. (2005-OPT-6956) Oil operations permit for above ground storage tank and transportation

CEDAR RIDGE CHILDREN'S HOME SCHOOL - 12146 Cedar Ridge Road, Williamsport, MD 21795. (03DP3229) Surface municipal discharge permit

CONSERVIT, INCORPORATED - 18656 Leslie Drive, Hagerstown, MD 21740. (043-00155) Air quality permit to operate

CRAIG PAVING, INC. - 1700 Wesel Boulevard, Hagerstown, MD 21740. (043-6-0624) Air permit to construct for one temporary crushing operation

DANIEL G. SCHUSTER, LLC - 1000 Sherman Avenue, Hagerstown, MD 21740. (043-6-0626 N) Air permit to construct for one portable concrete plant

crete plant

ELK RIDGE WATER TREATMENT PLANT - 3728 Chestnut Grove Road, Keedysville, MD 21756. (03DP3250) Surface municipal discharge permit

INTERSTATE TRUCK EQUIPMENT - 12821 Salem Avenue, Hagerstown, MD 21740. (2005-OPT-21216) Oil operations permit for above ground storage tank and transportation

L.W. WOLFE ENTERPRISES, INC. - 10103 Mapleville Road, Hagerstown, MD 21740. (043-00107) Air quality permit to operate

PEPSI BOTTLING GROUP, THE - 10417 Fergusson Lane, Williamsport, MD 21795. (043-6-0625 N) Air permit to construct for one paint spray booth

ROLLING FRITO-LAY SALES - HAGERSTOWN BIN - 10526-B Governor Lane Boulevard, Williamsport, MD 21795. (02SW1867) General permit registration for stormwater associated with industrial activity

RUST-OLEUM CORPORATION - 16410 Industrial Lane, Interstate Industrial Park, Williamsport, MD 21795. (043-00167) Air quality permit to operate

Wicomico

MID-EASTERN OIL COMPANY, INC. - 810 Eastern Shore Drive, Salisbury, MD 21804. (2005-OPV-2515) Oil operations permit for transportation

PENNSY SUPPLY, INC., DBA TILCON DELAWARE - 8788 Patton Road, Delmar, MD 21875. (2005-OPT-3252) Oil operations permit for above ground storage tank and transportation

ROLLING FRITO-LAY SALES - SALISBURY BIN - 2011 Northwood Drive, Salisbury, MD 21801. (02SW1868) General permit registration for stormwater associated with industrial activity

Worcester

BARRETT CHEVROLET-OLDS -

10419 Old Ocean City Boulevard, Barrett Road, Berlin, MD 21811. (03DP2392) Groundwater industrial discharge permit

Out of State

FUNKHOUSER & CO., H.N. - 2150 South Loudoun Street, Winchester, VA 22601. (2005-OPV-2338) Oil operations permit for transportation

SMOKEY'S GULF SERVICE, INC. - 48 East Main Street, Middletown, DE 19709. (2005-OPV-2664) Oil operations permit for transportation

NOTES Continued from Page 9

Clean Water Fund in settlement of previous permit violations and unlawful sanitary sewer overflows from July 1, 2001 to June 11, 2004. **Status:** Case closed. (Reference #co-05-0033).

Koren Development Company, Inc., Anne Arundel County – On Oct. 20, MDE and Koren Development Company, Inc. finalized an administrative consent order regarding improvements to the Piney Orchard Wastewater Treatment Plant located in Odenton, Maryland. Under the terms of the consent order, Koren Development Company has agreed to operate the plant in compliance with its

State discharge permit and to pay to the Maryland Clean Water Fund \$13,640 in settlement of previous nitrogen effluent limitation violations from April 1 through July 31, 2003. **Status:** Case closed. (Reference # CO-05-0038).

Water and Sediment Pollution Penalties – Statewide

During the period September 15 – Oct. 15, 2004, MDE collected an additional \$3,200 to the Sediment Fund in resolution of alleged erosion and sediment control/sediment pollution violations from two sites and \$9,000 to the Clean Water Fund in resolution of alleged water pollution violations at one facility.