

Applications Received 06/15/2013 thru 07/15/2013

Allegany

VINDEX ENERGY CORPORATION – Frostburg, MD (SC-87-118) Modification

VINDEX ENERGY CORPORATION – Vale Summit, MD (SM-01-439) Modification

Anne Arundel

AMERICAN WATER OPERATIONS AND MAINTENANCE, INC. – 3220 Laurel Fort Meade Road, Laurel, MD 20724. (13-1077) Sewerage permit to construct lime feed system replacement at Fort Meade WWTP

GIANT FUEL - 941 Ritchie Hwy, Severna Park, MD 21146. Application received for Installation of one (1) 20,000-gal and one (1) 30,000-gallon gasoline storage tanks

HORIZON SQUARE APARTMENTS - 3563 Fort Meade Rd, Laurel, MD 20724. Application received for Installation of (3) Hydrotherm/KN-20 and (3) RBI/Futera Fusion 1000 Boilers

JUDY ISLAND GRILL II - 800 Crain Hwy, North, Glen Burnie, MD 21061. Application received for Installation of (1) CSP PO8410 Charbroiler

U.S. GOVERNMENT – 9800 Savage Road, Fort Meade, MD 20755. (13-1086) Water permit to construct water storage tanks at Fr. Meade

Baltimore City

AMERICAN SUGAR REFINING, INC. - 1100 E Key Hwy, Baltimore, MD 21230. Application received for Installation of one (1) 500 kW emergency generator; (1) scrap melter & conveyors; (1) packaging video inkjet printer; (1) adhesive fugitive; & (1) cooling tower

CITY OF BALTIMORE – 305 Abel Wolman Municipal Building, 200 N. Holliday Street, Baltimore, MD 21202. (13-1074) Sewerage permit to construct gravity sewers (rehabilitation) at Eastern Herring Run Sewershed at Frankford and Radecke Avenues

BOWEN & KRON ENTERPRISES @ CHESAPEAKE REALTY PARTNERS - 2 E Wells St, Baltimore City, MD 21230. Application received for Installation of one (1) Temporary crushing operation

FIRST TRANSIT, INC - 2500-2600 Sisson St, Baltimore, MD 21211. Application received for Installation of one (1) 10,000 Aboveground storage tank

JOHNS HOPKINS BAYVIEW MEDICAL CENTER - 4940 Eastern Ave, Baltimore, MD 21224. Application received for Installation of four (4) Internal combustion engines rated @1825 kW used for emergency and peak shaving

MAYOR AND CITY COUNCIL OF BALTIMORE – 305 Abel Wolman Building, 200 N. Holliday Street, Baltimore, MD 21202. (13-1078) Sewerage permit to construct gravity sewers at Frankfurst Avenue, Chesapeake Avenue

PAULIE GEE'S HAMPDEN - 3535 Chestnut Ave, Baltimore City, MD 21211. Application received for Installation of (2) Stefano Ferrara M140 Pizza Oven Charbroilers

UNITED STATES GYPSUM COMPANY - 5500 Quarantine Rd, Curtis Bay, MD 21226. Application received for Renewal Part 70 PTO for wallboard manufacturing plant

Baltimore

AMERICAN YEAST CORPORATION - 8215 Beachwood Rd, Dundalk, MD 21222. Application received for Installation of one (1) 400 kW Combined heat & power plant

BALTIMORE COUNTY DPW – 111 W. Chesapeake Avenue, Towson, MD 21204. (13-1088) Sewerage permit to construct gravity sewers at Towson Towne Boulevard and Osler Drive

BALTIMORE COUNTY DPW – 111 W. Chesapeake Avenue, Towson, MD 20204. (13-1085) Water permit to construct water mains at Frederick Avenue at Sanford Avenue thru Hilltop/Wilkens at Rolling Road

GLEN MEADOWS RETIREMENT COMMUNITY – 11630 Glen Arm Road, Glen Arm, MD 21057. (13-1090) Sewerage permit to construct wastewater treatment plant upgrades at 11630 Glen Arm Road

HONEYGO RUN RECLAMATION CENTER, INC. – Perry Hall, MD (77-SP-0120) Renewal for a surface mine located I-95 to MD 43 East

KINDER MORGAN CHESAPEAKE BULK - 1430 Sparrows Point Blvd, Sparrows Point, MD 212191029. Application received for Installation of two (2) 500 tph crushing plants powered by two (2) 1000 kW generators

LAFARGE NORTH AMERICA – Timonium, MD (77-SP-0055) Renewal for a surface mine located on east side of I-83, north of Padonia Road

MARYLAND PAVING - TEXAS QUARRY - 10000 D Beaver Dam Rd, Cockeysville, MD 21030. Application received for Installation of (1) Heatec, Inc. Model #: HC-200 Boiler

MARYLAND PAVING - TEXAS QUARRY - 10000 D Beaver Dam Rd, Cockeysville, MD 21030. Application received for Installation of one (1) 120 tph Portable crusher & one (1) 385 tph Portable screen

MCCORMICK & COMPANY, INC. - 11100 McCormick Rd, Hunt Valley, MD 21031. Application received for Installation of one (1) Wet Scrubber to control odors from wastewater treatment plant

MIDDLE RIVER AIRCRAFT SYSTEMS - 103 Chesapeake Park Plz, Middle River, MD 21220. Application received for Installation of (1) Reznor, DFCH-136, SN 03127706A Boiler

MUDGETT'S AUTO BODY - 8310 Harford Rd, Parkville, MD 21234. Application received for Installation of (1) Garmat 42106 Paint Booth

RECOVERMAT MID-ATLANTIC, LLC - 2202 Halethorpe Farms Rd, Halethorpe, MD 21227. Application received for Renewal SPTO for (1) Shredding system hammermill

Carroll

CITY OF WESTMINSTER – 56 West Main Street, Westminster, MD 21157. (13-1089) Water permit to construct Radon/Nitrate removal at Washington Avenue and Kate Wagner Road

COLONIAL PIPELINE COMPANY- DORSEY JUNCTION - 929 Hoods Mill Rd, Woodbine, MD 21797. Application received for Pipeline breakout facility. This permit to construct authorizes the Installation of eight (8) temporary, portable emergency generators each rated at 2000 kilowatts, one (1) NSPS permanent stationary emergency generator rated at 800 kilowatts, and an internal floating roof to replace the existing internal floating roof of Tank 1060. The permit includes limitations on premises-wide emissions of hazardous air pollutants (HAP) and oxides of nitrogen (NOx) in order that Colonial Pipeline Company may be recognized as a synthetic minor source of HAP and NOx. This permit supersedes all previous permits to construct issued to premises number 013-0056.

COLONIAL PIPELINE COMPANY- DORSEY JUNCTION - 929 Hoods Mill Rd, Woodbine, MD 21797. Application received for Renewal Part 70 PTO for Pipeline breakout facility

SHEETZ STORE #132 - 226 E Baltimore St, Taneytown, MD 21787. Application received for Installation of (1) Motor Vehicle Refueling Facility Under Ground

Cecil

COLONIAL METALS - 505 Blue Ball Rd; Bldg 20, Elkton, MD 21921. Application received for Installation of one (1) PGM production line consisting of three vessel

reactors controlled by one (1) NO₂ fume scrubber and one (1) NH₃ fume scrubber in the existing precious metal recovery facility.

TERUMO MEDICAL CORPORATION - 950 Elkton Blvd, Elkton, MD 21921.
Application received for Installation of one (1) Glide Sheath Process Line at an existing medica device manufacturing facility.

YORK BUILDING PRODUCTS CO., INC. – Perryville, MD (08-SP-1036-A)
Modification for a surface mine located on I-95 to exit 93 proceed north on Rt. 222

VA MEDICAL CENTER - PERRY POINT - 515 Broad Street, Perryville, MD 21902.
Application received for Installation of two (2) Emergency generators, each rated @ 2000 kW

Dorchester

CAMBRIDGE AUTO BODY - 2829 Gypsy Hill Rd, Cambridge, MD 21613.
Application received for Installation of one (1) Global Paint Booth

Harford

APG-ABERDEEN AREA - Aberdeen Area- APG, Aberdeen Proving Ground, MD 21005. Application received for Installation of eleven (11) Boilers < 10 MMBtu

APG-EDGEWOOD AREA - Edgewood Area-Aberdeen Proving Ground, Aberdeen Proving Ground, MD 21010. Application received for Installation of one (1) Boiler < 10 MMBtu

APG-EDGEWOOD AREA - Edgewood Area-Aberdeen Proving Ground, Aberdeen Proving Ground, MD 21010. Application received for Installation of one (1) Kohler (Model No. 600REOVZ) diesel fired emergency generator rated at 600 kW.

BILL BASS SEWAGE PUMP STATION - Bill Bass Sewage Pump Station, Edgewood, MD 21040. Application received for Installation of one (1) Emergency generator rated @ 670 hp

COUNTRY WALK WATER BOOSTER STATION - 2500 S Tollgate Rd, Bel Air, MD. Application received for Installation of one (1) Emergency generator rated @ 670 hp

HAVRE DE GRACE WTP (COUNTY) - 413 ST. JOHN ST, Havre De Grace, MD 21078. Application received for Installation of one (1) diesel fired generator rated at 1474 HP to be used for emergency and emergency demand response purposes.

JOPPATOWNE WWTP - 101 Shore Dr, Joppa, MD 21085. Application received for Installation of one (1) Emergency generator rated @ 670 hp

PLUMTREE SEWAGE PUMP STATION - RING FACTORY RD WEST, Bel Air, MD.
Application received for Installation of one (1) Emergency generator rated @ 536 hp

SOD RUN WWTP - 1212 Chelsea Rd, Perryman, MD 21005. Application received for
Installation of one (1) diesel fired generator rated at 1072 HP for emergency and
emergency demand response purposes.

STEPNEY WATER BOOSTER STATION - 1313 S Philadelphia Blvd, Aberdeen, MD
21001. Application received for Installation of one (1) Emergency generator rated @ 536
hp

WINTERS RUN SEWAGE PUMP STATION - PERRY AVE, Edgewood, MD.
Application received for Installation of one (1) Emergency generator rated @ 804 hp

Frederick

ASPEN RIDGE, LLC. – 7420 Hayward Road, Suite 203, Frederick, MD 21702. (13-
1092) Sewerage permit to construct force main and wastewater pumping station at 172
Thomas Johnson Drive

Garrett

SAVAGE MOUNTAIN MINERALS – Westernport, MD (SM-13-461) Incidental
Boundary Revision

SAVAGE MOUNTAIN MINERALS – Westernport, MD (SM-13-461) Modification

Harford

DEPARTMENT OF THE ARMY, U.S. ARMY GARRISON ABERDEEN PROVING
GROUND – 2201 Aberdeen Boulevard, Aberdeen Proving Ground, MD 21005. (13-
1083) Sewerage permit for wastewater treatment plant ENR upgrade

Howard

MEDITERANEAN KABOB HOUSE - 10095 Washington Blvd; Unit 107, Laurel, MD
20723. Application received for Installation of (1) Toastmaster TSKC-60 Charbroiler

NORTHROP GRUMMAN SYSTEMS CORP - 7040 Troy Hill Dr, Elkridge, MD 21075.
Application received for Installation of one (1) custom 1.25 gallon reservoir capacity
vapor degreaser and one (1) 35-gallon reservoir capacity and 10-gallon rinse reservoir
capacity vapor degreaser.

PIE'S AUTO COLLISION EXPERT SERVICES - 3420 Ellicott Center Dr, Ellicott City,
MD 21043. Application received for Installation of one (1) Paint spraybooth

UNIVERSAL CONTRACTORS - 5673 Furnace Ave, Elkridge, MD 21075. Application received for 2013 Ren SPTO for Concrete crushing & screening plant

Montgomery

CABIN BRANCH MANAGEMENT – 6905 Rockledge Drive, Suite 800, Bethesda, MD 20817. (13-1081) Water permit to construct water mains at MD 121 Clarksburg Road
F. O. DAY BITUMINOUS COMPANY - 13900 Piney Meeting House Rd, Rockville, MD 20850. Application received for Installation of one (1) 1.5 MMBtu Heatec Boiler

CABIN BRANCH MANAGEMENT – 6905 Rockledge Drive, Suite 800, Bethesda, MD 20817. (13-1082) Water permit to construct water mains at Whelan Road, MD 121 Clarksburg Road

MONTGOMERY COLLEGE - GERMANTOWN - 20200 Observation Dr, Germantown, MD 20876. Application received for Installation of (3) Aerco Benchmark 1.5LN Boilers

MONTGOMERY COLLEGE - GERMANTOWN - 20200 Observation Dr, Germantown, MD 20876. Application received for Installation of (3) Aerco Benchmark 1.5LN Boilers

WASHINGTON GAS - ROCKVILLE STATION - Westmore Rd, Rockville, MD 20850. Application received for Renewal Part 70 PTO for NG & Propane peaking station

WASHINGTON SUBURBAN SANITARY COMMISSION – 14501 Sweitzer Lane, Laurel, MD 20707. (13-1080) Water permit to construct replacement solids removal equipment at Potomac Water Filtration Plant, 12200 River Road, Potomac, MD 20854

WASHINGTON SUBURBAN SANITARY COMMISSION – 14501 Sweitzer Lane, Laurel, MD 20707. (13-1075) Water permit for pressure reducing valve at Adelphi road and New Hampshire Avenue

Prince George's

BARDON, INC. – Greenbelt, MD (98-SP-0532) Renewal for a surface mine located on Route 5 south to McKendree Road

NASA GODDARD SPACE FLIGHT CENTER - 8800 Greenbelt Rd, Greenbelt, MD 20771. Application received for Installation of one (1) 1.44 MMBtu boiler

ROCKHILL SAND & GRAVEL CORPORATION - Chantilly, VA (98-SP-0528-A) Renewal for a surface mine located on Route 301 south, left on Cross Roads Trail

WASHINGTON SUBURBAN SANITARY COMMISSION – 14501 Sweitzer Lane, Laurel, MD 20707. (13-1075) Water permit for pressure reducing valve at Adelphi road and New Hampshire Avenue

St. Mary's

RANDAL H SLOAN – Leonardtown, MD (13-SP-1105) Permit for a surface mine located MD Route 247 and MD Route 5

WALTER R WISE T/A REDGATE FARM ENTERPRISES – Chaptico, MD (98-SP-0536) Renewal for a surface mine located MD Rt. 5

Talbot

JENSENS HYDE PARK – 9618 Cordova Road, Easton, MD 21601. (13-1091) Water permit for water treatment plant disinfection project at 9618 Cordova Road, Easton, Maryland

Washington

COLUMBIA GAS - SUPPLEMENTAL SUPPLY - 17631 Washington St, West, Hagerstown, MD 21740. Application received for Installation of (1) Cold Weather Technologies 2.3 MM Series Dry Line Gas Heater #DLH-3080-3A4R-BXM-14-198-68-1R Boiler

MACK TRUCKS, INC - 13302 Pennsylvania Ave, Hagerstown, MD 21742. Application received for Modification to engine paint system

MARYLAND CORRECTIONAL INSTITUTION - HAGERSTOWN - 18601 Roxbury Rd, Hagerstown, MD 21740. Application received for Renewal SPTO for three (3) Boilers & three (3) Paint spraybooth

Wicomico

SHORE TRANSIT - 31955 Tri-County Way, Salisbury, MD 21804. Application received for Installation of (1) 10,000 Gallon Above Ground Fuel Tank

Worcester

SNOW HILL AUTO BODY - 5761 Worcester Hwy, Snow Hill, MD 21863. Application received for Installation of one (1) Garmat/Frontier Paint Booth