

April 28, 2006

Mr. Herb Meade  
Maryland Department of the Environment  
Oil Control Program  
2500 Broening Highway  
Baltimore, MD 21224


**RE: Tank Excavation Assessment Report  
Former Exxon Facility #28077  
14258 Jarrettsville Pike  
Phoenix, Baltimore County, MD  
MDE Case # 2006-0303-BA2**

Dear Mr. Meade:

Enclosed please find the Tank Excavation Assessment (TEA) Report for the above referenced former Exxon facility prepared by GSC|Kleinfelder. The report details the Underground Storage Tank, dispenser island, product and vapor piping removal conducted from March 4, 2006 through April 10, 2006.

Should you have any questions or comments, please contact Stephanie M. McQueen of ExxonMobil at 703-846-3510 or Ann S. Harris of GSC|Kleinfelder at (609) 584-5271 extension 329.

Very Truly Yours,  
GSC|Kleinfelder



Robert K. Templeton, P.G.  
Senior Project Manager



Ann S. Harris  
Project Manager

Enclosure

Copy: Stephanie M. McQueen, ExxonMobil w/enclosure  
File

**TANK EXCAVATION ASSESSMENT**

**Exxon Facility #2-8077  
14258 Jarrettsville Pike  
Phoenix, Baltimore County, Maryland**

**MDE Case # 2006-0303-BA2**

**April 30, 2006**

Prepared By:

GSCIKleinfelder  
8350 Bristol Court  
Suite 103  
Jessup, MD 20794


Prepared For:

Exxon Mobil Corporation  
3225 Gallows Road  
Room 8B0826  
Fairfax, VA 22037

GSCIKA Project # 60507606

QUALITY ASSURANCE/QUALITY CONTROL

The following personnel have reviewed this report for accuracy, content and quality of presentation:

  
Ann S. Harris  
Project Manager

April 28, 2006  
Date

  
Robert K. Templeton  
Senior Project Manager

April 28, 2006  
Date

## TABLE OF CONTENTS

	Page
1.0 INTRODUCTION .....	1
2.0 SITE OVERVIEW .....	1
2.1 Site and Surrounding Area.....	1
3.0 UST SYSTEM EXCAVATION AND REMOVAL .....	1
3.1 Dispenser Island and Piping Removal .....	2
3.1.1 Qualitative Soil Screening.....	2
3.1.2 Soil Sample Collection and Soil Quality Analytical Data.....	2
3.2 UST Removal .....	3
3.2.1 Qualitative Soil Screening.....	3
3.2.2 Soil Sample Collection and Soil Quality Analytical Data.....	3
4.0 MANAGEMENT OF GENERATED WASTES AND CLEAN FILL.....	4
4.1 Disposal of Liquids.....	4
4.2 Disposal of Soils.....	4
4.3 Disposal of USTs.....	4
4.4 Backfill .....	5
4.5 Remedial Piping .....	5
5.0 SUMMARY.....	5

## **LIST OF FIGURES AND TABLE**

Figure 1	-	Site Location Map
Figure 2	-	Site Map
Figure 3	-	Area Map
Figure 4	-	Soil Sample Location Map
Table 1	-	UST Soil Quality Analytical Data

**LIST OF APPENDICES**

- Appendix A - Figures and Tables
- Appendix B - Photo documentation
- Appendix C - MDE Tank Removal/Abandonment Report
- Appendix D - Non-Hazardous Soil Disposal Manifests
- Appendix E - Backfill Documentation
- Lab Appendix I - Accutest Laboratory Soil Analytical Data

## 1.0 INTRODUCTION

GSCIKleinfelder has been contracted by Exxon Mobil Corporation (ExxonMobil) to prepare a Tank Excavation Assessment (TEA) report for the Exxon Facility #28077 located at 14258 Jarrettsville Pike, Phoenix, Baltimore County, Maryland. The site location, surface topography, and nearby surface water bodies are depicted on **Figure 1 (Appendix A)**, an annotated section of the U.S.G.S. 7.5 minute series topographic quadrangle map.

Four double walled steel, fiberglass-coated gasoline USTs and all associated dispensers and product piping were removed. This report provides documentation of removal activities and the laboratory analytical results of soil samples collected during the excavation and removal of the UST system.

## 2.0 SITE OVERVIEW

### 2.1 Site and Surrounding Area

The site is located at 14258 Jarrettsville Pike, Phoenix, Baltimore County, Maryland and consists of approximately 1.71 acres of land. Prior to UST removal activities, the site features consisted of a service station with three service bays, a canopy with three dispenser islands, two 8,000-gallon gasoline USTs, one 10,000-gallon diesel UST, one 12,000-gallon gasoline UST and associated piping. The general location and orientation of the pertinent site features are shown on **Figure 2 (Appendix A)**.

A summary of the USTs at the site is provided below:

Identification	Age (years)	Capacity (gallons)	Construction	Contents
8K	21	8,000	Steel with Fiberglass	Gasoline
8K2	21	8,000	Steel with Fiberglass	Gasoline
10K	21	10,000	Steel with Fiberglass	Diesel
12K	21	12,000	Steel with Fiberglass	Gasoline

Land use near the site consists of both residential and commercial properties. Properties north of the site (across Jarrettsville Pike) consist of Bradford Bank and (across Paper Mill Road) the Klein Shopping Center. Properties west of the site (across Paper Mill Road) consist of the Klein Shopping Center, PaperMill Office Buildings and the Klein Office Buildings. Properties east of the site (across Jarrettsville Pike) consist of an active BP Amoco retail gasoline facility. Properties south of the site consist of a veterinary clinic and residential properties. **Figure 3** illustrates land use within a 1,000-foot radius of the site.

## 3.0 UST SYSTEM EXCAVATION AND REMOVAL

During the period of March 4, 2006 through April 10, 2006 UST closure activities for four USTs (designated as 8K, 8K2, 10K and 12K) were observed in accordance with generally accepted industry standards, and state and federal regulations and guidelines. Photo documentation of the closure activities is provided in **Appendix B**. Petroleum Services and Installation (PSI) of Beltsville, Maryland was

contracted to excavate and remove the USTs and all associated piping. Mr. Barry Dorton, a Maryland certified tank contractor (MDIC-06-0079T), was on-site during the product piping and UST removal.

On February 19, 2006, A&A Environmental/Permafix (A&A) of Baltimore, Maryland performed cleaning of the USTs and product lines. The tanks were vented using both a bonded and grounded vacuum truck with a hose attached to the UST fills and a coppus blower. Cleaning was accomplished by triple rinsing the USTs and lines with a solution of 25% Mirachem<sup>®</sup> and hot water. The USTs were triple rinsed in the ground using a pressure hose. Rinsate was removed from the USTs with a bonded and grounded vacuum truck. After venting and cleaning, lower explosion level (LEL) readings were collected from each UST using a calibrated LEL meter. Readings with the LEL meter were collected by way of the product-fill and vapor ports located in the middle and ends of the tanks. Three LEL readings were collected near the top, middle, and bottom of the tank at each port. Total volume of rinsate removed from cleaning activities was combined with liquid waste from on-going remediation efforts at the site and disposed of as non-hazardous waste by A&A. Following the venting and cleaning activities, the tanks were inerted by adding 150 pounds of dry ice to each UST. Activities completed during the closure are described below.

### **3.1 Dispenser Island and Piping Removal**

During the period of March 4, 2006 through March 6, 2006, and April 10, 2006 the dispenser pans, product and vapor recovery piping were excavated and removed from the site. The product and vapor recovery piping consisted of rigid, single-wall fiberglass piping. During excavation of the piping, a textile fabric was encountered in the product piping trench. The textile fabric lined the product line trench and was wrapped around the pea gravel and product piping with the fabric opening along the top of the trench. In addition, textile fabric was found to exist beneath the two diesel dispensers below the flex lines extending from the dispenser pans to the rigid fiberglass lines. The textile fabric was not encountered beneath any of the multi-product dispenser pans or vapor return piping at the site. The pea gravel and native soil removed during the excavation of the dispenser pans, product and vapor recovery piping was stockpiled on-site and subsequently transported to Soil Safe of Baltimore, Md.

#### **3.1.1 Qualitative Soil Screening**

Field screening of the soil beneath the product and vapor recovery piping was performed utilizing a portable Photoionization Detector (PID). The PID was calibrated prior to the start of each day's activities utilizing 100 ppm isobutylene calibration gas for volatile organic compounds. The results of the soil screening ranged from 1.4 to 1,283 meter units.

#### **3.1.2 Soil Sample Collection and Soil Quality Analytical Data**

Due to the textile fabric encountered, soil samples from beneath the product piping were collected using a dedicated stainless steel shovel and trowel in the native soil below the fabric. The stainless steel shovel and trowel were cleaned in analconox/de-ionized water wash and rinsed with de-ionized water before each soil sample was collected. A total of 25 soil samples (PP-1 through PP-25) were collected from the six-inch interval of native soil below the product and vapor return piping ranging from 3.0 to 4.5 feet below grade. In addition, a total of eight soil samples were collected from directly beneath the dispenser pans at a depth of 2.0 feet below grade. The soil sample locations are shown on **Figure 4 (Appendix A)**. The grab soil samples were collected utilizing Encore<sup>®</sup> samplers for volatile organics and laboratory supplied containers for Total Petroleum Hydrocarbon Gasoline Range and Diesel Range Organics (TPH GRO and TPH DRO, respectively). The soil samples were analyzed for volatile organics including MTBE, TBA, ETBE, DIPE and TAME via USEPA Method 8260B and TPH GRO and TPH DRO via



USEPA method 8015 by Accutest Laboratories of Dayton, NJ. The soil sample locations are shown on **Figure 4** and the results are summarized on **Table 1 (Appendix A)**. The Accutest Laboratory Soil Analytical data are included as **Lab Appendix I**.

Referring to **Table 1 (Appendix A)**, the following compounds exceeded the more stringent MDE Soil Protection of Groundwater Standards:

- Benzene – 27 samples
- Toluene – 2 samples
- Ethylbenzene – 2 samples
- Total Xylenes – 1 sample
- MTBE – 2 samples
- Napthalene – 13 samples
- TPH GRO – 4 samples
- TPH DRO – 7 samples
- Acetone – 7 samples

Five soil samples were either not detected at or above the laboratory reporting limit or were detected at concentrations below the MDE Soil Protection of Groundwater Standards.

### 3.2 UST Removal

During the period of March 27 through 28, 2006, the soils surrounding the USTs were excavated to a depth of 14 feet below grade to allow steel shoring to be installed. During excavation of the soil surrounding the USTs, sidewall and end samples were collected. Due to the inaccessibility of soils along the sidewall and bottom of the excavation, soil samples were collected from the teeth on the bucket of the excavator. A total of 16 soil samples were collected at depths ranging from 11.0 to 14.0 feet below grade (**Figure 1** and **Table 1, Appendix A**).

On March 31, 2006, four USTs (8K, 8K2, 10K and 12K) were removed from the site. The removal of the USTs was observed and documented with MDE Inspector Mr. Michael Franks. The MDE Tank Removal/Abandonment Report written by Mr. Franks is included as **Appendix C**. All of the USTs were observed to be clean and in good condition with no visible perforations. Following inspection, the USTs were transported to an offsite storage location. Soil samples from the native soil directly below the USTs were collected on April 1, 2006. The overall dimensions of the tank field excavation were approximately 60 feet long by 46 feet wide by 14 feet deep. The pea gravel and native soil removed during the excavation of the USTs was stockpiled on-site and subsequently transported to Soil Safe of Baltimore, Md.

#### 3.2.1 Qualitative Soil Screening

Field screening of the soil beneath the USTs was performed during soil sampling utilizing a portable PID. The PID was calibrated prior to the start of each day's activities utilizing 100 ppm isobutylene calibration gas for volatile organic compounds. The results of the soil screening ranged from 0 to 1,904 meter units.

#### 3.2.2 Soil Sample Collection and Soil Quality Analytical Data

A total of 16 soil samples (12KNorth, 8KNorth, 8K2North, 10K North, 12KSouth, 8KSouth, 8K2South, 10KSouth, 12KWest through 12KWest4 and 10KEast through 10KEast4) were collected at depths ranging from 11.0 to 14.0 feet below grade from the sidewalls of the excavation. A total of 24 soil

samples (12KB1 through 12KB8, 8KB1 through 8KB5, 8K2B1 through 8K2B5 and 10KB1 through 10KB6) were collected from the six-inch interval below the centerline of the USTs. All soil samples from the centerline of the USTs were collected in the native soil using a dedicated stainless steel shovel and trowel. The stainless steel shovel and trowel were cleaned in analconox/de-ionized water wash and rinsed with de-ionized water before each soil sample was collected. The soil sample locations are shown on **Figure 4 (Appendix A)**. The grab soil samples were collected utilizing Encore<sup>®</sup> samplers for volatile organics and laboratory supplied containers for TPH GRO and TPH DRO. The soil samples were analyzed for volatile organics including MTBE, TBA, ETBE, DIPE and TAME via USEPA Method 8260B and TPH GRO and TPH DRO via USEPA method 8015 by Accutest Laboratories of Dayton, NJ. The soil sample locations are shown on **Figure 4** and the results are summarized on **Table 1 (Appendix A)**. The Accutest Laboratory Soil Analytical data are included as **Lab Appendix I**.

Referring to **Table 1 (Appendix A)**, the following compounds exceeded the more stringent MDE Soil Protection of Groundwater Standards:

- Benzene – 40 samples
- Ethylbenzene – 2 samples
- Total Xylenes – 1 sample
- Napthalene – 34 samples
- TPH GRO – 5 samples
- TPH DRO – 2 samples
- Acetone – 6 samples

#### **4.0 MANAGEMENT OF GENERATED WASTES AND CLEAN FILL**

The following sections present information pertinent to the disposal of residual soils, tank bottoms/remaining liquids, and the USTs.

##### **4.1 Disposal of Liquids**

A&A Environmental/Permafix (A&A) of Baltimore, Maryland removed and disposed of liquids/tank bottoms generated during cleaning of the USTs. The liquids generated during the cleaning of the USTs were combined with groundwater being removed at the site as part of remedial investigation activities.

##### **4.2 Disposal of Soils**

Soil generated during the removal of the UST system was transported and disposed by Soil Safe Inc. of Baltimore, Md at their facility in Brandywine, Md. A total of 1,150 tons of soil were removed from the site. Non-Hazardous waste manifest are included in **Appendix D**.

##### **4.3 Disposal of USTs**

Following removal, cleaning, and visual inspection of the USTs for condition and integrity, the product piping was crushed and put in onsite dumpsters for disposal. The USTs were transported to a storage facility in Annapolis, Md. Photo documentation of the USTs is included in **Appendix B**.

#### 4.4 Backfill

The excavations were backfilled with quarry process from Patuxent Materials Inc. located in Crofton, MD. The backfill documentation is included in **Appendix E**.

#### 4.5 Remedial Piping

In order to address PID readings in the UST field (**Table 1**), prior to backfilling of the UST excavation, a trench was dug from approximately 14 to 17 feet below grade along the southwestern corner of the excavation. The trench was dug along the south end of the 12K and 8K USTs to allow for the placement of remediation piping. Approximately 20 feet of remediation piping was installed in this trench and backfilled to 14 feet below grade. At 14 feet below grade, a second 30 foot section of horizontal remediation piping was installed. Both horizontal sets of remediation piping have a vertical access point at ground surface. In addition to the horizontal remediation piping, six, 12-inch galvanized steel casings were set to 14 feet below grade at different locations throughout the UST excavation to allow for the installation of future monitoring or remediation wells through the former UST field.

### 5.0 SUMMARY

During the period of March 1 through April 10, 2006, UST system decommissioning activities were conducted which included the removal of two 8,000-gallon gasoline USTs, one 12,000-gallon gasoline UST, one 10,000-gallon diesel UST and associated product piping. Soil sampling results indicated Benzene, Toluene, Ethyl benzene, Total Xylenes, MTBE, Naphthalene, Acetone, TPH-GRO and TPH-DRO were above the most stringent MDE Soil Protection of Groundwater Standards.

As part of remedial investigation activities proposed to the MDE in the April 11, 2006 Remedial Soil Excavation Plan a remedial soil excavation was conducted on April 13 and 14, 2006. The remedial soil excavation was conducted to address the adsorbed phase hydrocarbon identified in the product and vapor recovery piping samples. Following receipt of the analytical data results from the post excavation soil samples collected will be included in a remedial excavation summary in the next MDE report submittal.

**APPENDIX A**  
**Figures and Tables**



**Legend**  
 Building Foot Prints  
 Site Boundary







FIGURE 1  
 USGS TOPOGRAPHIC MAP  
 EXXON RAS# 2-8077  
 14259 JARRETTVILLE PIKE  
 PHOENIX, MARYLAND  
 DRAWN BY: BMM SCALE: 1:4,800  
 REVISED BY: KAW PROJECT NO.: 0507608  
 DATE: APR. 20, 2006 SOURCE: CONTACT GSKLEINFELDER  
 FOR METADATA  
 CHECKED BY: FOR METADATA



**LEGEND**

-  MONITORING WELL
-  PROPERTY BOUNDARY (APPROX.)

**NOTES**

1. Soil Sample locations are approximate.




0 15  
Scale in feet

FIGURE 2  
SITE PLAN

EXXON RAS#2-8077  
14258 JARRETTVILLE PIKE  
PHOENIX, MD

DRAWN BY: CAS	SCALE: 1" = 15'
REVISED BY: KAW	PROJECT NO: 0507606
REVISED BY: KAW	SOURCE: GSC FIELD RECONNAISSANCE
CHECKED BY:	



- Legend**
- Building Foot Prints
  - Site Boundary
  - Roads
- Land Use**
- Agricultural
  - Commercial
  - Exempt
  - Exempt Commercial
  - Residential





FIGURE 3 AREA MAP	
EXXON RASH 2-8077 14258 JARRETTSVILLE PIKE PHOENIX, MARYLAND	
DRAWN BY: BNM	SCALE: 1:1,200
REVISED BY: KAW	PROJECT NO: 0507606
DATE: APR. 20, 2006	SOURCE: CONTACT GROCKLEINFELDER FOR METADATA
CHECKED BY:	



**LEGEND**

- Above MDE Protection of Groundwater Standard
- Below MDE Protection of Groundwater Standard
- - - Dispenser Area Piping
- - - Property Boundary (Approx.)

**NOTES**

1. Soil Sample locations are approximate.

0 10  
Scale in feet

FIGURE 4  
SOIL SAMPLE LOCATION PLAN

EXXON RAS#2-8077  
14258 JARRETTSVILLE PIKE  
PHOENIX, MD

DRAWN BY: CAS	SCALE: 1" = 10'
REVISED BY: KAW	PROJECT NO: 0507606
REVISED BY: KAW	SOURCE: GSC FIELD RECONNAISSANCE
CHECKED BY:	



**TABLE 1**  
**UST System Soil Analytical Results**

Exxon Facility 2-8077  
14258 Jarrettsville Pike  
Phoenix, Baltimore County, Maryland

Sample ID	Date	Depth (ft)	PID (ppm)	Benzene µg/kg	Toluene µg/kg	Ethylbenzene µg/kg	Xylenes (Total) µg/kg	MTBE µg/kg	Naphthalene µg/kg	Tert butyl alcohol µg/kg	TPH-CRO mg/kg	TPH-DRO mg/kg	1,2,4-Trimechylbenzene µg/kg	1,3,5-Trimechylbenzene µg/kg	* Acetone µg/kg	Isopropylbenzene µg/kg	* Methylene chloride µg/kg	sec-Butylbenzene µg/kg	tert-Butyl Methyl Ether µg/kg	n-Butylbenzene µg/kg	2-Butanone µg/kg	tert-Butyl Ethyl Ether µg/kg	Di-isopropyl ether µg/kg	n-Propylbenzene µg/kg
DI-1 (2.0)	3/6/2006	2.0	1283	104	62.0J	3320	3230	4970	8890	ND(2100)	876	536	11300	3890	15400	1260	ND(420)	1080	850	3670	ND(830)	ND(420)	ND(420)	5050
DI-2 (2.0)	3/6/2006	2.0	12.8	ND (0.99)	ND (0.99)	ND (0.99)	ND (2.0)	ND (0.99)	ND (4.9)	ND (25)	ND (16)	2070	ND (4.9)	ND (4.9)	ND (9.9)	ND (4.9)	ND (4.9)	ND (4.9)	ND (4.9)	ND (4.9)	ND (9.9)	ND (4.9)	ND (4.9)	ND (4.9)
DI-3 (2.0)	3/6/2006	2.0	330	63.6	517	524	2360	1420	1780	ND(1500)	113	358	4200	1270	348000	105J	N(300)	117J	376	423	ND(610)	149J	ND(300)	427
DI-4 (2.0)	3/6/2006	2.0	198	ND(670)	ND(670)	ND(670)	2420	295 J	2540J	ND(17000)	106	38.3	11600	4220	246000	ND(3300)	ND(3300)	ND(3300)	ND(3300)	ND(3300)	ND(6700)	ND(3300)	ND(3300)	421J
DI-5 (2.0)	3/6/2006	2.0	255	92.1	506	112	2500	532	2110	ND (1700)	140	3350	4730	2250	ND (690)	ND (340)	208 J	ND (340)	ND (340)	ND (340)	ND (690)	ND (340)	ND (340)	140 J
DI-6 (2.0)	3/6/2006	2.0	154	643	46600	31900	763000	403	52900	ND(6700)	4540	1560	779000	274000	3280	7170	ND(1300)	5810	ND(1300)	13400	ND(2700)	ND(1300)	ND(1300)	25500
DI-7 (2.0)	3/6/2006	2.0	133	ND (62)	77.1	63.8	327	2640	ND (310)	ND (1600)	19.5	ND (8.4)	325	91.7 J	ND (620)	ND (310)	ND (310)	ND (310)	248 J	ND (310)	ND (620)	ND (310)	ND (310)	60.5 J
DI-8 (2.0)	3/6/2006	2.0	8.5	ND(0.99)	4.1	1.5	9.9	23.8	ND(4.9)	ND(25)	ND(14)	16.7	5.3	2.2 J	83.7	ND(4.9)	ND(4.9)	ND(4.9)	7.8	ND(4.9)	ND(9.9)	ND(4.9)	ND(4.9)	0.68 J
PP-1 (3.0-3.5)	3/6/2006	3.0 - 3.5	284	ND(390)	ND(390)	1890	1920	157J	3410	ND(9800)	1370	1260	43300	1990J	14800	1000J	ND(2000)	1660J	ND(2000)	7080	ND(3900)	ND(2000)	ND(2000)	5040
PP-2 (3.0-3.5)	3/6/2006	3.0 - 3.5	56.5	ND (74)	ND (74)	556	ND (150)	ND (74)	ND (370)	ND (1900)	93.3	3080	ND (370)	ND (370)	ND (740)	104 J	ND (370)	ND (370)	ND (370)	ND (370)	ND (740)	ND (370)	ND (370)	321 J
PP-3 (3.0-3.5)	3/6/2006	3.0 - 3.5	7.1	8.3	0.82J	32.2	8.3	738	52.3	1260E	ND(16)	525	10.4	0.81J	47.9	5.8	ND(5.4)	8.4	21.4	28.4	ND(11)	ND(5.4)	5.3 J	22.3
PP-4(3.0-3.5)	3/6/2006	3.0 - 3.5	1109	903	3710	1670	7650	26200	1320	2290	1350	182	5650	1740	1010	329 J	ND(350)	261J	2220	525	ND(690)	ND(350)	ND(28)	979
PP-5 (3.0-3.5)	3/6/2006	3.0 - 3.5	668	779	2360	5340	23400	36400	4240	3770	603	539	51200	19700	1380	1260	ND (350)	911	1490	1400	ND (700)	ND (350)	ND (350)	3690
PP-6 (3.0-3.5)	3/6/2006	3.0 - 3.5	1191	ND(310)	1270	8900	70400	2830	8810	ND(7700)	383	165	105000	28800	ND(3100)	2000	ND(1500)	1400J	ND(1500)	4060	ND(3100)	ND(1500)	ND(1500)	8360
PP-7 (3.0-3.5)	3/6/2006	3.0 - 3.5	9.0	64.3 J	220	355	4940	1330	ND (340)	4850	16.1	ND (8.4)	546	131 J	1460	76.6 J	ND (340)	ND (340)	ND (340)	ND (340)	ND (680)	ND (340)	ND (340)	35.8 J
PP-8 (3.0-3.5)	3/6/2006	3.0 - 3.5	259	ND(52)	124	351	3380	2180	394	ND(1300)	34.3	33.8	3000	559	ND(520)	133 J	ND(260)	41.4J	ND(260)	123 J	ND(520)	ND(260)	ND(260)	254 J
PP-9 (3.0-3.5)	3/6/2006	3.0 - 3.5	459	54.6J	151	354	2360	1790	302	ND(1400)	45.5	17.8	1780	501	ND(570)	37.5 J	ND(290)	ND(290)	353	ND(290)	ND(570)	ND(290)	ND(290)	163 J
PP-1 0(3.0-3.5)	3/6/2006	3.0 - 3.5	1.4	ND (1.2)	ND (1.2)	ND (1.2)	ND (2.4)	10.6	ND (6.0)	46.5	ND (17)	ND (8.5)	ND (6.0)	ND (6.0)	77.1	ND (6.0)	ND (6.0)	ND (6.0)	ND (6.0)	ND (6.0)	ND (12)	ND (6.0)	ND (6.0)	ND (6.0)
PP-1 1(3.0-3.5)	3/6/2006	3.0 - 3.5	10.6	1.1	ND (0.98)	5.4	0.64 J	68.7	5.1	315	ND (14)	ND (8.2)	0.73 J	ND (4.9)	123	1.9 J	ND (0.68)	0.61 J	3.6 J	ND (4.9)	6.5 J	ND (4.9)	0.92 J	9.8
PP-1 2(3.0-3.5)	3/6/2006	3.0 - 3.5	23	31.6 J	ND (63)	355	1700	237	206 J	3910	125	2530	1310	342	ND (630)	ND (310)	ND (310)	ND (310)	ND (310)	ND (310)	ND (630)	ND (310)	ND (310)	152 J
PP-1 3(3.0-3.5)	3/6/2006	3.0 - 3.5	21.6	ND (66)	ND (66)	156	545	363	306 J	ND (1600)	ND (15)	ND (8.3)	1680	268 J	ND (660)	71.8 J	ND (330)	73.6 J	ND (330)	127 J	ND (660)	ND (330)	ND (330)	195 J
PP-1 4(3.0-3.5)	3/6/2006	3.0 - 3.5	1.5	ND (0.91)	ND (0.91)	ND (0.91)	ND (1.8)	539	ND (4.6)	ND (23)	ND (14)	ND (7.8)	ND (4.6)	ND (4.6)	16.1	ND (4.6)	ND (4.6)	ND (4.6)	6.2	ND (4.6)	ND (9.1)	ND (4.6)	ND (4.6)	ND (4.6)
PP-1 5(3.0-3.5)	3/6/2006	3.0 - 3.5	5.6	ND (1.0)	0.72 J	ND (1.0)	ND (2.1)	15.9	ND (5.2)	64.3	ND (16)	ND (8.3)	ND (5.2)	ND (5.2)	50.9	ND (5.2)	ND (5.2)	ND (5.2)	1.9 J	ND (5.2)	ND (10)	ND (5.2)	ND (5.2)	ND (5.2)
PP-1 6(3.0-3.5)	3/6/2006	3.0 - 3.5	57.8	ND(63)	268	168	2760	5280	ND(320)	1900	16.4	ND(8.2)	703	175J	883	48.5 J	ND(320)	ND(320)	44.1 J	ND(320)	ND(630)	ND(320)	ND(320)	32.7 J
PP-1 7(3.0-3.5)	3/6/2006	3.0 - 3.5	139	44.5J	235	139	677	6190	ND(300)	ND(1500)	ND(16)	ND(8.1)	529	125J	447J	ND(300)	ND(300)	ND(300)	165 J	ND(300)	ND(590)	ND(300)	ND(300)	50.9 J
MDE Soil Protection of GW ug/kg	-	-	-	5	8800	15000	170000	28000	330	-	-	-	-	-	2500	64000	-	-	-	-	-	-	-	-
MDE Soil Non-Residential ug/kg	-	-	-	104000	40880000	20440000	408800000	2728000	4088000	-	620	620	-	-	-	20440000	-	-	-	-	-	-	-	-

see notes at end

**TABLE 1**  
**UST System Soil Analytical Results**

Exxon Facility 2-8077  
14258 Jarrettsville Pike  
Phoenix, Baltimore County, Maryland

Sample ID	Date	Depth (ft)	PID (ppm)	Benzene µg/kg	Toluene µg/kg	Ethylbenzene µg/kg	Xylenes (Total) µg/kg	MTBE µg/kg	Naphthalene µg/kg	Tert butyl alcohol µg/kg	TPH-CRO mg/kg	TPH-DRO mg/kg	1,2,4-Trimechylbenzene µg/kg	1,3,5-Trimechylbenzene µg/kg	* Acetone µg/kg	Isopropylbenzene µg/kg	* Methylene chloride µg/kg	sec-Butylbenzene µg/kg	tert-Butyl Methyl Ether µg/kg	n-Butylbenzene µg/kg	2-Butanone µg/kg	tert-Butyl Ethyl Ether µg/kg	Di-isopropyl ether µg/kg	n-Propylbenzene µg/kg	
PP-18 (3.0-3.5)	3/6/2006	3.0 - 3.5	92.4	168	243	337	191	3610	258J	5650	ND(14)	16.2	ND(310)	ND(310)	2230	28.3 J	ND(310)	ND(310)	ND(310)	ND(310)	ND(630)	ND(310)	ND(310)	ND(310)	102 J
PP-19 (3.0-3.5)	3/7/2006	3.0 - 3.5	1129	4490	88700	27000	123000	37500	3700	ND(1700)	490	1040	83700	18400	7130	3180	ND(330)	2360	34400	8100	ND(660)	246	ND(330)	12700	
8K North (11.0)	3/27/2006	11.0	78.2	ND (83)	ND (83)	ND (83)	ND (170)	8760	ND (410)	ND (2100)	ND (15)	ND (8.4)	ND (410)	ND (410)	ND (830)	ND (410)	ND (410)	ND (410)	143 J	ND (410)	ND (830)	49.5 J	ND (410)	ND (410)	
8K2 North (11.0)	3/27/2006	11.0	98.0	ND (76)	ND (76)	ND (76)	ND (150)	4650	ND (380)	ND (1900)	ND (13)	ND (7.9)	ND (380)	ND (380)	ND (760)	ND (380)	ND (380)	ND (380)	57.8 J	ND (380)	ND (760)	ND (380)	ND (380)	ND (380)	
10K East (14.0)	3/27/2006	14.0	0.6	ND (75)	ND (75)	ND (75)	ND (150)	ND (75)	ND (370)	ND (1900)	ND (13)	ND (7.5)	ND (370)	ND (370)	ND (750)	ND (370)	ND (370)	ND (370)	ND (370)	ND (370)	ND (750)	ND (370)	ND (370)	ND (370)	
10K North (11.0)	3/27/2006	14.0	0.0	ND (64)	ND (64)	ND (64)	ND (130)	ND (64)	ND (320)	ND (1600)	ND (12)	ND (7.4)	ND (320)	ND (320)	ND (640)	ND (320)	ND (320)	ND (320)	ND (320)	ND (320)	ND (640)	ND (320)	ND (320)	ND (320)	
12K West (14.0)	3/27/2006	14.0	0.9	ND (72)	ND (72)	ND (72)	ND (140)	ND (72)	ND (360)	16600	ND (14)	ND (8.0)	144 J	ND (360)	ND (720)	ND (360)	ND (360)	ND (360)	ND (360)	ND (360)	ND (720)	ND (360)	ND (360)	ND (360)	
12K West2 (14.0)	3/27/2006	14.0	0.4	ND (71)	ND (71)	ND (71)	ND (140)	ND (71)	ND (360)	8740	ND (12)	ND (7.6)	ND (360)	ND (360)	ND (710)	ND (360)	ND (360)	ND (360)	ND (360)	ND (360)	ND (710)	ND (360)	ND (360)	ND (360)	
12K West3 (14.0)	3/27/2006	14.0	0.5	ND (69)	ND (69)	ND (69)	ND (140)	ND (69)	ND (350)	8090	ND (13)	ND (7.6)	ND (350)	ND (350)	ND (690)	ND (350)	ND (350)	ND (350)	ND (350)	ND (350)	ND (690)	ND (350)	ND (350)	ND (350)	
12K West4 (14.0)	3/27/2006	14.0	0.0	ND (86)	ND (86)	ND (86)	ND(170)	ND (86)	ND (430)	ND (2100)	ND (17)	ND (8.6)	ND (430)	ND (430)	ND (860)	ND (430)	ND (430)	ND (430)	ND (430)	ND (430)	ND (860)	ND (430)	ND (430)	ND (430)	
12K North (11.0)	3/25/2006	11.0	0.0	ND (76)	ND (76)	ND (76)	ND (150)	ND (76)	ND (380)	ND (1900)	ND (16)	ND (8.4)	ND (380)	ND (380)	ND (760)	ND (380)	ND (380)	ND (380)	ND (380)	ND (380)	ND (760)	ND (380)	ND (380)	ND (380)	
12K South (14.0)	3/28/2006	14.0	6.5	ND (76)	ND (76)	ND (76)	ND (150)	ND (76)	ND (380)	13000	ND (15)	ND (8.1)	ND (380)	ND (380)	2940	ND (380)	ND (380)	ND (380)	ND (380)	ND (380)	ND (760)	ND (380)	ND (380)	ND (380)	
8K1 South (14.0)	3/28/2006	14.0	15.2	ND (77)	ND (77)	ND (77)	ND (150)	ND (77)	ND (390)	12500	ND (14)	ND (7.9)	ND (390)	ND (390)	1010	ND (390)	ND (390)	ND (390)	ND (390)	ND (390)	608 J	ND (390)	ND (390)	ND (390)	
10K East2 (14.0)	3/28/2006	14.0	10.2	ND (83)	ND (83)	ND (83)	ND (170)	75.7 J	ND (410)	ND (2100)	ND (14)	ND (7.6)	ND (410)	ND (410)	ND (830)	ND (410)	ND (410)	ND (410)	ND (410)	ND (410)	ND (830)	ND (410)	ND (410)	ND (410)	
8K2 South (14.0)	3/28/2006	14.0	6.6	ND (64)	ND (64)	ND (64)	ND (130)	ND (64)	ND (320)	26600	ND (12)	ND (7.2)	ND (320)	ND (320)	242 J	ND (320)	ND (320)	ND (320)	ND (320)	ND (320)	ND (640)	ND (320)	ND (320)	ND (320)	
10K East3 (14.0)	3/28/2006	14.0	1	ND (62)	ND (62)	ND (62)	ND (120)	ND (62)	ND (310)	ND (1600)	ND (13)	ND (7.5)	ND (310)	ND (310)	ND (620)	ND (310)	ND (310)	ND (310)	ND (310)	ND (310)	ND (620)	ND (310)	ND (310)	ND (310)	
10K East4 (14.0)	3/28/2006	14.0	0.8	ND (63)	ND (63)	ND (63)	ND (130)	84.4	ND (320)	ND (1600)	ND (12)	ND (7.4)	ND (320)	ND (320)	ND (630)	ND (320)	ND (320)	ND (320)	ND (320)	ND (320)	ND (630)	ND (320)	ND (320)	ND (320)	
10K South (14.0)	3/28/2006	14.0	11.7	ND (61)	ND (61)	ND (61)	ND (120)	72.4	ND (310)	7630	ND (12)	ND (7.2)	ND (310)	ND (310)	ND (610)	ND (310)	ND (310)	ND (310)	ND (310)	ND (310)	ND (610)	ND (310)	ND (310)	ND (310)	
10KB1 (14.5-15)	4/1/2006	14.5-15	28.4	ND (65)	ND (65)	ND (65)	ND (130)	ND (65)	ND (330)	24800	ND (12)	ND (7.2)	ND (330)	ND (330)	ND (650)	ND (330)	ND (330)	ND (330)	ND (330)	ND (330)	ND (650)	ND (330)	ND (330)	ND (330)	
10KB2 (14.5-15)	4/1/2006	14.5-15	19.3	ND (62)	ND (62)	ND (62)	ND (120)	ND (62)	ND (310)	67000	ND (11)	ND (7.0)	ND (310)	ND (310)	ND (620)	ND (310)	ND (310)	ND (310)	ND (310)	ND (310)	ND (620)	ND (310)	ND (310)	ND (310)	
10KB3 (14.5-15)	4/1/2006	14.5-15	13.9	ND (75)	ND (75)	ND (75)	ND (150)	ND (75)	ND (370)	39600	ND (13)	ND (7.6)	ND (370)	ND (370)	ND (750)	ND (370)	ND (370)	ND (370)	ND (370)	ND (370)	ND (750)	ND (370)	ND (370)	ND (370)	
10KB4 (14.5-15)	4/1/2006	14.5-15	4.0	ND (76)	ND (76)	ND (76)	ND (150)	ND (76)	ND (380)	ND (1900)	ND (13)	ND (7.6)	ND (380)	ND (380)	ND (760)	ND (380)	ND (380)	ND (380)	ND (380)	ND (380)	ND (760)	ND (380)	ND (380)	ND (380)	
10KB5 (14.5-15)	4/1/2006	14.5-15	2.3	ND (64)	ND (64)	ND (64)	ND (130)	ND (64)	ND (320)	ND (1600)	ND (12)	ND (7.3)	ND (320)	ND (320)	ND (640)	ND (320)	ND (320)	ND (320)	ND (320)	ND (320)	ND (640)	ND (320)	ND (320)	ND (320)	
10KB6 (14.5-15)	4/1/2006	14.5-15	1.7	ND (64)	ND (64)	ND (64)	ND (130)	ND (64)	ND (320)	3150	ND (11)	ND (7.2)	ND (320)	ND (320)	ND (640)	ND (320)	ND (320)	ND (320)	ND (320)	ND (320)	ND (640)	ND (320)	ND (320)	ND (320)	
8K2B1 (14.5-15)	4/1/2006	14.5-15	23.8	ND (75)	ND (75)	ND (75)	ND (150)	ND (75)	ND (380)	17700	1970	ND (7.7)	ND (380)	ND (380)	ND (750)	ND (380)	ND (380)	ND (380)	ND (380)	ND (380)	ND (750)	ND (380)	ND (380)	ND (380)	
MDE Soil Protection of GW ug/kg	-	-	-	5	8800	15000	170000	28000	330	-	-	-	-	-	2500	64000	-	-	-	-	-	-	-	-	
MDE Soil Non-Residential ug/kg	-	-	-	104000	4080000	20440000	408800000	2728000	4088000	-	620	620	-	-	-	20440000	-	-	-	-	-	-	-	-	

see notes at end

**TABLE 1**  
**UST System Soil Analytical Results**

Exxon Facility 2-8077  
14258 Jarrettsville Pike  
Phoenix, Baltimore County, Maryland

Sample ID	Date	Depth (ft)	PID (ppm)	Benzene µg/kg	Toluene µg/kg	Ethylbenzene µg/kg	Xylenes (Total) µg/kg	MTBE µg/kg	Naphthalene µg/kg	Tert butyl alcohol µg/kg	TPH-GRO mg/kg	TPH-DRO mg/kg	1,2,4-Trimechylbenzene µg/kg	1,3,5-Trimechylbenzene µg/kg	* Acetone µg/kg	Isopropylbenzene µg/kg	* Methylene chloride µg/kg	sec-Butylbenzene µg/kg	tert-Butyl Methyl Ether µg/kg	n-Butylbenzene µg/kg	2-Butanone µg/kg	tert-Butyl Ethyl Ether µg/kg	Di-isopropyl ether µg/kg	n-Propylbenzene µg/kg	
8K2B2 (14.5-15)	4/1/2006	14.5-15	65.1	ND (71)	ND (71)	ND (71)	ND (140)	ND (71)	ND (350)	72800	ND (7.6)	NA	ND (350)	ND (350)	ND (710)	ND (350)	ND (350)	ND (350)	ND (350)	ND (350)	ND (710)	ND (350)	ND (350)	ND (350)	ND (350)
8K2B3 (14.5-15)	4/1/2006	14.5-15	59.31	ND (81)	ND (81)	ND (81)	ND (160)	ND (81)	ND (400)	145000	ND (7.7)	NA	ND (400)	ND (400)	ND (810)	ND (400)	ND (400)	ND (400)	ND (400)	ND (400)	ND (810)	ND (400)	ND (400)	ND (400)	ND (400)
8K2B4 (14.5-15)	4/1/2006	14.5-15	49.9	ND (78)	ND (78)	ND (78)	ND (160)	46.4 J	ND (390)	156000	ND (14)	ND (8.0)	ND (390)	ND (390)	ND (780)	ND (390)	ND (390)	ND (390)	ND (390)	ND (390)	ND (780)	ND (390)	ND (390)	ND (390)	ND (390)
8K2B5 (14.5-15)	4/1/2006	14.5-15	42.5	ND (68)	ND (68)	ND (68)	ND (140)	ND (68)	ND (340)	25300	ND (11)	ND (7.3)	ND (340)	ND (340)	ND (680)	ND (340)	ND (340)	ND (340)	ND (340)	ND (340)	ND (680)	ND (340)	ND (340)	ND (340)	ND (340)
8KB1 (14.5-15)	4/1/2006	14.5-15	58.1	ND (68)	ND (68)	ND (68)	ND (140)	ND (68)	ND (340)	67300	ND (13)	ND (7.6)	ND (340)	ND (340)	ND (680)	ND (340)	ND (340)	ND (340)	ND (340)	ND (340)	ND (680)	ND (340)	ND (340)	ND (340)	ND (340)
8KB2 (14.5-15)	4/1/2006	14.5-15	77.7	ND (68)	ND (68)	ND (68)	ND (140)	ND (68)	ND (340)	110000	ND (13)	ND (7.4)	ND (340)	ND (340)	ND (680)	ND (340)	ND (340)	ND (340)	ND (340)	ND (340)	ND (680)	ND (340)	ND (340)	ND (340)	ND (340)
8KB3 (14.5-15)	4/1/2006	14.5-15	55.4	ND (69)	ND (69)	ND (69)	ND (140)	ND (69)	ND (350)	257000	ND (13)	ND (7.4)	ND (350)	ND (350)	ND (690)	ND (350)	ND (350)	ND (350)	ND (350)	ND (350)	ND (690)	ND (350)	ND (350)	ND (350)	ND (350)
8KB4 (14.5-15)	4/1/2006	14.5-15	341	ND (72)	550	17300	108000	ND (72)	19400	295000	1210	382	189000	47500	5840	7720	ND (360)	2330	ND (360)	11400	1740	ND (360)	ND (360)	26100	26100
8KB5 (14.5-15)	4/1/2006	14.5-15	0.0	ND (680)	ND (680)	1400	14200	ND (680)	28100	420000	1360	1340	456000	92300	4590 J	2080 J	ND (3400)	4950	ND (3400)	27000	ND (6800)	ND (3400)	ND (3400)	21400	21400
12KB1 (14.5-15)	4/1/2006	14.5-15	0.0	ND (82)	ND (82)	ND (82)	ND (160)	ND (82)	ND (410)	32200	ND (14)	ND (8.0)	107 J	ND (410)	ND (820)	ND (410)	ND (410)	ND (410)	ND (410)	ND (410)	ND (820)	ND (410)	ND (410)	ND (410)	ND (410)
12KB2 (14.5-15)	4/1/2006	14.5-15	4.5	ND (78)	ND (78)	ND (78)	ND (160)	ND (78)	ND (390)	46000	ND (14)	ND (7.9)	ND (390)	ND (390)	ND (780)	ND (390)	ND (390)	ND (390)	ND (390)	ND (390)	ND (780)	ND (390)	ND (390)	ND (390)	ND (390)
12KB3 (14.5-15)	4/1/2006	14.5-15	19.9	ND (76)	ND (76)	ND (76)	ND (150)	ND (76)	ND (380)	58000	ND (14)	ND (7.9)	ND (380)	ND (380)	ND (760)	ND (380)	ND (380)	ND (380)	ND (380)	ND (380)	ND (760)	ND (380)	ND (380)	ND (380)	ND (380)
12KB4 (14.5-15)	4/1/2006	14.5-15	4.7	ND (1300)	5640	58300	374000	ND (1300)	21700	196000	ND (13)	1130	430000	94600	ND (13000)	10900	ND (6600)	3540 J	ND (6600)	15400	ND (13000)	ND (6600)	ND (6600)	43400	43400
12KB5 (14.5-15)	4/1/2006	14.5-15	689	ND (760)	ND (760)	6740	53900	ND (760)	48300	146000	1020	421	245000	62100	ND (7600)	5000	ND (3800)	3920	ND (3800)	20900	ND (7600)	ND (3800)	ND (3800)	26900	26900
12KB6 (14.5-15)	4/1/2006	14.5-15	600	ND (390)	ND (390)	1670	14500	ND (390)	30300	52000	293	244	112000	25800	ND (3900)	1970	ND (1900)	2100	ND (1900)	11400	ND (3900)	ND (1900)	ND (1900)	11200	11200
12KB7 (14.5-15)	4/1/2006	14.5-15	27.8	ND (82)	ND (82)	ND (82)	56.6 J	67.2 J	ND (410)	21100	NA	ND (8.5)	ND (410)	ND (410)	1920	ND (410)	ND (410)	ND (410)	ND (410)	ND (410)	396 J	ND (410)	ND (410)	1020	1020
12KB8 (14.5-15)	4/1/2006	14.5-15	1904	ND (70)	2270	3100	13000	ND (70)	391	19100	5350	519	7100	1990	ND (700)	301 J	ND (350)	95.9 J	172 J	376	ND (700)	ND (350)	ND (350)	1020	1020
PP-20 (4.0)	4/10/2006	4.0	3.9	ND (46)	ND (46)	ND (46)	ND (91)	ND (46)	ND (230)	ND (1100)	ND (11)	ND (6.9)	ND (230)	ND (230)	ND (460)	ND (230)	ND (230)	ND (230)	ND (230)	ND (230)	ND (460)	ND (230)	ND (230)	ND (230)	ND (230)
PP-21 (3.5)	4/10/2006	3.5	0.7	ND (50)	ND (50)	ND (50)	ND (100)	ND (50)	ND (250)	ND (1300)	ND (12)	ND (7.2)	ND (250)	ND (250)	ND (500)	ND (250)	ND (250)	ND (250)	ND (250)	ND (250)	ND (500)	ND (250)	ND (250)	ND (250)	ND (250)
PP-22 (3.5)	4/10/2006	3.5	29.5	ND (50)	ND (50)	ND (50)	ND (100)	122	ND (250)	ND (1300)	ND (12)	ND (7.1)	ND (250)	ND (250)	1510	ND (250)	ND (250)	ND (250)	ND (250)	ND (250)	ND (500)	ND (250)	ND (250)	ND (250)	ND (250)
PP-23 (3.5)	4/10/2006	3.5	26.5	36.5 J	34.3 J	185	597	584	210 J	4560	ND (15)	23.6	1310	339	713	54.3 J	ND (310)	ND (310)	ND (310)	ND (310)	ND (630)	ND (310)	ND (310)	163 J	163 J
PP-24 (4.5)	4/10/2006	4.5	60.9	213	138	1260	1460	1090	294 J	3550	33	62.6	1780	117 J	919	249 J	ND (320)	ND (320)	ND (320)	ND (320)	ND (630)	ND (320)	ND (320)	306 J	306 J
PP-25 (4.5)	4/10/2006	4.5	10.4	ND (67)	ND (67)	ND (67)	ND (130)	ND (67)	ND (330)	1780	ND (14)	16.1	ND (330)	ND (330)	ND (670)	ND (330)	ND (330)	ND (330)	ND (330)	ND (330)	ND (670)	ND (330)	ND (330)	ND (330)	ND (330)
MDE Soil Protection of GW ug/kg	-	-	-	5	8800	15000	170000	28000	330	-	-	-	-	-	2500	64000	-	-	-	-	-	-	-	-	-
MDE Soil Non-Residential ug/kg	-	-	-	104000	40880000	20440000	408800000	2728000	4088000	-	620	620	-	-	-	20440000	-	-	-	-	-	-	-	-	-

NOTES:

\* Compounds which are also used by the laboratory and are considered artifacts

ND = Not detected; laboratory reporting limit in parentheses

PID = Photoionization detector

ppm = Parts per million

MTBE = Methyl tertiary butyl ether

TPH-GRO = Total Petroleum Hydrocarbons - Gasoline Range Organics

TPH-DRO = Total Petroleum Hydrocarbons - Diesel Range Organics

mg/kg = Milligrams per kilogram

µg/kg = Micrograms per kilogram

NA = Not applicable

**APPENDIX B**  
**Photo Documentation**



**Photo 1 - View of excavation for shoring installation. North end of 12K UST in foreground.**



**Photo 2 - View of excavation for shoring installation. South end of 8K UST in center of photo.**



**Photo 3 - View of south end of 8K UST.**



**Photo 4 - View of uncovered USTs. 10K UST in foreground.**



**Photo 5 - View of 10K UST removal facing west.**



**Photo 6 - View of 8K2 UST removal facing west.**



**Photo 7 - View of 8K UST removal facing west.**



**Photo 8 - View of 12K UST removal facing west.**





**Photo 9 - View of tankfield following UST removal facing northeast. 10K UST centerline to right of photo, 8K UST centerline to left of photo.**



**Photo 10 - View of centerline of 8K UST (center of photo) facing northeast. South end of former USTs in foreground.**



**Photo 11 - View of USTs at storage facility (fence not yet constructed).**

**APPENDIX C**

**MDE Tank Removal/Abandonment Report**

# MARYLAND DEPARTMENT OF THE ENVIRONMENT

1800 Washington Boulevard, Suite 620 • Baltimore Maryland 21230-1719  
(410) 537-3442 • 1-800-633-6101 • http:// www. mde. state. md. us

## WASTE MANAGEMENT ADMINISTRATION Oil Control Program Tank Removal/Abandonment

Case #: 06-0303 BAR  
INITIAL / FOLLOW-UP

Site Name: EXXON RAS# 2-8077  
Address: 14258 SARLETTSVILLE PIKE PHOENIX 21131

Date: 3/31/06  
Facility ID#: 12342

*Handwritten:* 3 of removal

Tank#	Product	Age (years)	Size (gallons)	Tank Construction	Perforations		Piping Construction	Disposal Site
					Tank (Y/N)	Piping (Y/N)		
1	SUPER GASOLINE	21	8,000	DW BUFFALO	N	N	SW FFP	HOPKINS
2	REG GASOLINE	31	12,000	DW BUFFALO	N	Y	SW FFP	WILSON
3	PLS GASOLINE	21	8,000	DW BUFFALO	N	N	SW FFP	STORAGE
4	DIESEL	31	10,000	DW BUFFALO	N	N	SW FFP	↓

- (a) 4 Number of UST's removed (b) 0 Number of UST's abandoned-in-place (c) 0 Number of UST's remaining on-site.
- Has an environmental assessment been completed?  YES  NO
- Has piping been properly abandoned?  YES  NO  UNKNOWN
- Has vent risers been removed?  YES  NO
- Has all liquid been removed from UST(s)?  YES  NO
- Is explosion meter on site?  YES  NO
- Have UST(s) been purged of explosive or combustible vapors? (must confirm less than 10% LEL with explosion meter)  YES  NO
- Is groundwater contaminated?  YES  NO  NOT DETECTABLE AT THIS TIME
- Is soil contaminated? (if yes, type of product: NO SAMPLES TAKEN TODAY)  YES  NO  NOT DETECTABLE AT THIS TIME
- Were contaminated soils removed? (If YES, complete Contaminated Soil Removal Form; If NO, describe in item 18)  YES  NO  NO - ALL BACKFILL MATERIAL TO BE REMOVED
- Was soil field screened?  YES  NO (NOT ON THIS DATE, PERFORMED 4/11/06)
  - Tank: max. units N/A at N/A Piping: max. units N/A at N/A
- Are domestic well(s) on site?  YES  NO
  - Is sampling required? (If YES, list EPA method in item 14)  YES  NO

*Handwritten:* SMALL AREA REMAINS

*Handwritten:* CONTAINMENT

### 13. ACTIONS REQUIRED, IMMEDIATELY, OF THE OWNER BY THIS ADMINISTRATION:

- STOP OPERATIONS  PUMP OUT LIQUIDS  CONTAIN AND CLEAN UP SPILL  
 OTHER: \_\_\_\_\_

### 14. ACTIONS REQUIRED, WITHIN 30 DAYS, OF THE OWNER BY THIS ADMINISTRATION:

- SUBMIT ALL TANK REMOVAL/ABANDONMENT DOCUMENTATION INCLUDING: TANK CLOSURE REPORT w/ SITE MAP & SOIL ANALYTICAL RESULTS FOR TANKS & PIPING
- PROPERLY ABANDON PIPING IN COMPLIANCE WITH COMAR 26.10.10.02 B.(2) (removed unless otherwise directed) DISPOSAL RECEIPTS
- REMOVE VENT PIPE RISER(S)
- MONITORING WELL(S) REQUIRED IN PETROLEUM IMPACTED AREA(S) DESCRIBED IN ITEM 18
- COMPLETE AN ENVIRONMENTAL ASSESSMENT IN COMPLIANCE WITH COMAR \_\_\_\_\_ (submit two copies)
- SUBMIT SOIL ANALYTICAL RESULTS: COER SAMPLING PLAN
  - EPA METHOD:  8015B GRO/DRO  8021 (  BTEX  MTBE  TBA )  8270 (SVOC'S)  8260 (VOC'S)
  - OTHER: \_\_\_\_\_
- SUBMIT GROUNDWATER ANALYTICAL RESULTS: COER SAMPLING PLAN
  - EPA METHOD  8015B GRO/DRO  8021 (  BTEX  MTBE  TBA )  8270 (SVOC'S)  8260 (VOC'S)  1524.2 (VOC'S)
  - OTHER: \_\_\_\_\_
- SUBMIT SOIL DISPOSAL RECEIPT
- SUBMIT TANK DISPOSAL RECEIPT

*Handwritten:* MIA (circled)

14. (continued)

- AMEND REGISTRATION:  Notification form provided to contact person  
 Owner/Representative informed case file may remain open until notification form is received by MDE  
 OTHER: \_\_\_\_\_

15. Has inspector completed: site sketch?  YES  NO site photographs?  YES  NO  
 16. Were tank(s) labeled? (If YES, describe: TANK SIZE & NUMBER)  YES  NO  
 17. Is follow-up required by this Administration? EL GSC REPORT  YES  NO (REMEDIATION)

18. COMMENTS: PSI WAS THE REMOVAL CONTRACTOR. GSC & EXXON MOBIL REPRESENTATIVES WERE ALSO ON SITE. ALL UST'S WERE PUMPED OUT, RINSED, & INSPECTED PRIOR TO REMOVAL FROM THE EXCAVATION.

VISUAL OBSERVATION WAS PERFORMED ON EACH DOUBLE-WALL BUFF WIDE (STEEL CLAD) TANK ONCE IT WAS PLACED ON GRADE. THE OUTER FIBERGLASS COATING DID NOT REVEAL ANY SIGNS OF DAMAGE, THAT WOULD INDICATE ANY TYPE OF A RELEASE FROM THE UNDERGROUND STORAGE TANKS.

SOILS/BEDROCK BELOW THE TANK BOTTOMS ARE TO BE GATED AND SAMPLED TOMORROW 4/1/08. RESULTS ARE TO BE PLACED IN THE CLOSURE REPORT.

PIPING (PRODUCT) IN THE DISPENSER AREA WAS PREVIOUSLY REMOVED. THE <sup>EXISTING</sup> AREA FROM THE UST'S TO THE DISPENSERS STILL REMAINS AND WILL BE REMOVED SHORTLY.

UST EXCAVATION WILL BE CLEANED OF FOREIGN MATERIALS AND BACKFILLED WITH CLEAN #7'S.

THIS CASE WILL REMAIN OPEN FOR REMEDIATION ISSUES

Michael T. Frank  
Inspector's Name (printed)

MICHAEL T. FRANK 410-537-3487  
Inspector's Signature

Ann S. Harris  
Contact Person's Name (printed)

[Signature]  
Contact Person's Signature

409 477 3370  
Contact Person's Telephone No.

Bryan Denton  
Contractor's Name (Printed)

[Signature]  
Contractor's Signature

301-937-4533  
Contractor's Telephone No.

CAROL DORTON  
Technician/Remover Name (printed)

MDIC-06-0079 (T)  
Certification Number

3.1.108  
Expiration Date

**APPENDIX D**

**Non-Hazardous Soil Disposal Manifests**

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Soil Safe, Inc. Shipping Location Soil Safe, Inc.  
 Address 14251 Linnville Rd. Address 14251 Linnville Rd.  
Waynesville, NC 27587 Waynesville, NC 27587  
 Phone No. 704-746-0123 Phone No. 704-746-0123

Approval Number <u>175-0311</u>	Description of Material Non-Regulated Petroleum Contaminated Soil Non DDT/PCRA Regulated	GROSS
		TARE
		NET
		TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name \_\_\_\_\_ Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_

### TRANSPORTER

Transporter Name Soil Safe, Inc. Driver Name (Print) John Doe  
 Address 14251 Linnville Rd. Vehicle License No./State NC 12345678  
 Truck Number \_\_\_\_\_

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_ Driver Signature \_\_\_\_\_ Delivery Date \_\_\_\_\_

### DESTINATION

Site Name Soil Safe, Inc. Phone No. 704-746-0123  
 Address 14251 Linnville Rd.

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_

00045

# SOIL SAFE, INC.

Log Number

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #28077  
 Address 14258 Jarrettsville Pike Address 14258 Jarrettsville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (703) 846-3510 Phone No. (703) 846-3510

Approval Number  
**WIS-0511**

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
TARE  
NET  
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

[Signature] Generator Authorized Agent Name Signature 3/17/07 Shipment Date

### TRANSPORTER

Transporter Name B.P.J. / K.M.T. Driver Name (Print) Ray R. Parker  
 Address Baltimore MD 21234 Vehicle License No./State \_\_\_\_\_  
 Truck Number 2674

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

[Signature] Driver Signature 3-27-06 Shipment Date [Signature] Driver Signature 3-27-06 Delivery Date

### DESTINATION

Site Name Soil Safe, Incorporated Phone No. 301-782-3036  
 Address 16001 Matthewsman Dr. Brandywine, MD 20613

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_  
White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.



Log Number

00045

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Environmental Services Shipping Location Box 1337  
 Address 1425 Industrial Dr. P.O. Address 1425 Industrial Pk.  
Blacksburg, MD 21531 Blacksburg, MD 21531  
 Phone No. (301) 546-2412 Phone No. (301) 546-2512

Approval Number <u>22-0111</u>	Description of Material Non-Regulated Petroleum Contaminated Soil Non DDT/PCPA Regulated	GROSS
		TARE
		NET
		TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name \_\_\_\_\_ Signature \_\_\_\_\_ Shipped Date \_\_\_\_\_

### TRANSPORTER

Transporter Name \_\_\_\_\_ Driver Name (Print) \_\_\_\_\_  
 Address \_\_\_\_\_ Vehicle License No./State \_\_\_\_\_  
 Truck Number \_\_\_\_\_

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_ Driver Signature \_\_\_\_\_ Delivery Date \_\_\_\_\_

### DESTINATION

Site Name Soil Safe Environmental Services Phone No. (301) 546-2412  
 Address 1425 Industrial Pk. Blacksburg, MD 21531

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_

Log Number

00046

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #26077  
 Address 14258 Jarrettsville Pike Address 14258 Jarrettsville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (703) 846-3510 Phone No. (703) 846-3510

Approval Number  
**MS-0511**

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
TARE  
NET  
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

[Signature] on behalf of Exxon Signature 3/28/06 Shipment Date  
 Generator Authorized Agent Name

### TRANSPORTER

Transporter Name KMT Driver Name (Print) Tavorn Hopkins  
 Address Ba Ho MD Vehicle License No./State 138518  
 Truck Number 104

I hereby certify that the above named material was picked up at the generator site listed above. I hereby certify that the above named material was delivered without incident to the destination listed below.

Tavorn Hopkins 3-28-06 [Signature] 3-28-06  
 Driver Signature Shipment Date Driver Signature Delivery Date

### DESTINATION

Site Name Soil Safe, Incorporated Phone No. 301-782-3036  
 Address 16001 Mattawoman Dr. Brandywine, MD 20613

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_  
White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name: Yates Waste Services Shipping Location: Yates Waste  
 Address: 11252 York Road PA Address: 11252 York Road PA  
Phoenix, AZ 85131 Phoenix, AZ 85131  
 Phone No: 602-944-3110 Phone No: 602-944-3110

Approval Number  
**WEP-0211**

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non-DOT/HCHA Regulated

GROSS  
TARE  
NET  
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name: [Signature] Signature: [Signature] Shipment Date: [Signature]

### TRANSPORTER

Transporter Name: \_\_\_\_\_ Driver Name (Print): \_\_\_\_\_  
 Address: \_\_\_\_\_ Vehicle License No./State: \_\_\_\_\_  
 Truck Number: \_\_\_\_\_

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature: \_\_\_\_\_ Shipment Date: \_\_\_\_\_ Driver Signature: \_\_\_\_\_ Delivery Date: \_\_\_\_\_

### DESTINATION

Site Name: Soil Safe Incorporated Phone No: 602-944-3110  
 Address: 11252 York Road PA

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent: \_\_\_\_\_ Signature: \_\_\_\_\_ Receipt Date: \_\_\_\_\_

000 47

# SOIL SAFE, INC.

Log Number

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #28077  
 Address 14258 Jarrettsville Pike Address 14258 Jarrettsville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (703) 846-3510 Phone No. (703) 846-3510

Approval Number  
**W5-0611**

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
 TARE  
 NET  
 TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

[Signature] Generator Authorized Agent Name [Signature] Signature 3/27/04 Shipment Date

**TRANSPORTER**

Transporter Name KMT Driver Name (Print) William John  
 Address Balt MD Vehicle License No./State 110 E 44  
 Truck Number 105

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

[Signature] Driver Signature [Signature] Shipment Date [Signature] Driver Signature [Signature] Delivery Date

**DESTINATION**

Site Name Soil Safe, Incorporated Phone No. 301-782-3036  
 Address 16001 Mattawoman Dr, Brandywine, MD 20613

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_  
White - Facility    Green - Facility    Yellow - Generator    Pink - Broker    Goldenrod - Contractor    Blue - Trucking Co.

00048

# SOIL SAFE, INC.

Log Number

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #28077  
 Address 14258 Jarrettsville Pike Address 14258 Jarrettsville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (703) 846-3510 Phone No. (703) 846-3510

Approval Number <b>W5-0511</b>	Description of Material	GROSS
	Non-Regulated Petroleum Contaminated Soil	TARE
	Non DOT/RCRA Regulated	NET
		TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

[Signature] at behalf of [Name] Signature [Signature] Shipment Date 3/27/06  
 Generator Authorized Agent Name

### TRANSPORTER

Transporter Name KMT Driver Name (Print) TERRY MENDEZ  
 Address BAITD. MD Vehicle License No./State E 388053 D  
 Truck Number 104

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

[Signature] 3-27-06 Shipment Date [Signature] 3-27-06 Delivery Date  
 Driver Signature Driver Signature

### DESTINATION

Site Name Soil Safe, Incorporated Phone No. 301-782-3036  
 Address 16001 Mathawoman Dr. Brandywine, MD 20611

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_

White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name: ESSEX METAL CORPORATION Shipping Location: ESSEX, MD 21221  
 Address: 11250 JAMESVILLE PIKE Address: 11250 JAMESVILLE PIKE  
ESSEX, MD 21221 ESSEX, MD 21221  
 Phone No: (301) 463-3410 Phone No: (301) 463-3410

Approval Number	Description of Material	GROSS
		TARE
		NET
		TONNAGE
MS-0011	Non-Regulated Petroleum Contaminated Soil Non DOT/RCRA Regulated	

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name: \_\_\_\_\_ Signature: \_\_\_\_\_ Shipment Date: \_\_\_\_\_

### TRANSPORTER

Transporter Name: KMT Driver Name (Print): TRACY M... ..  
 Address: ... .. MD Vehicle License No./State: E 38003D  
 Truck Number: 104

I hereby certify that the above named material was picked up at the generator site listed above. I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature: \_\_\_\_\_ Shipment Date: \_\_\_\_\_ Driver Signature: \_\_\_\_\_ Delivery Date: \_\_\_\_\_

### DESTINATION

Site Name: SOIL SAFE, INC. Phone No: 301-752-0348  
 Address: 11250 JAMESVILLE PIKE, ESSEX, MD 21221

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent: \_\_\_\_\_ Signature: \_\_\_\_\_ Receipt Date: \_\_\_\_\_

00049

# SOIL SAFE, INC.

Log Number

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #28077  
 Address 14258 Jarrettsville Pike Address 14258 Jarrettsville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (703) 846-3510 Phone No. (703) 846-3510

Approval Number  
**WG-0511**

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
TARE  
NET  
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator/Authorized Agent Name [Signature] Signature [Signature] Shipment Date 3/27/06

### TRANSPORTER

Transporter Name RPS/KMT Driver Name (Print) Quincy Burden  
 Address Baltimore, MD Vehicle License No./State 14TED21  
 Truck Number 729

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature [Signature] Shipment Date 3/27/06 Driver Signature [Signature] Delivery Date 3/27/06

### DESTINATION

Site Name Soil Safe, Incorporated Phone No. 301-782-3036  
 Address 16001 Mattawoman Dr, Brandywine, MD 20613

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_  
White - Facility    Green - Facility    Yellow - Generator    Pink - Broker    Goldenrod - Contractor    Blue - Trucking Co.

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name: Exxon Mobil Corporation Shipping Location: Exxon Station  
 Address: 14251 Jarrowville Rd Address: 14251 Jarrowville Rd  
Revere, MD 21133 Revere, MD 21133  
 Phone No: 410-341-1111 Phone No: 410-341-1111

Approval Number	Description of Material	GROSS TARE NET TONNAGE
245-0011	Non-Regulated Petroleum Contaminated Soil Non-DOT/ICHA Regulated	

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name: [Signature] Signature: [Signature] Shipman State: [State]

### TRANSPORTER

Transporter Name: \_\_\_\_\_ Driver Name (Print): \_\_\_\_\_  
 Address: \_\_\_\_\_ Vehicle License No./State: \_\_\_\_\_  
 Truck Number: \_\_\_\_\_

I hereby certify that the above named material was picked up at the generator site listed above. I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature: \_\_\_\_\_ Shipment Date: \_\_\_\_\_ Driver Signature: \_\_\_\_\_ Delivery Date: \_\_\_\_\_

### DESTINATION

Site Name: Exxon Station Phone No: 410-341-1111  
 Address: 14251 Jarrowville Rd, Revere, MD 21133

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent: \_\_\_\_\_ Signature: \_\_\_\_\_ Receipt Date: \_\_\_\_\_



00050

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #28077  
 Address 14258 Jarrettsville Pike Address 14258 Jarrettsville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (703) 846-3510 Phone No. (703) 846-3510

Approval Number  
**W6-0511**

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
TARE  
NET  
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

[Signature] on behalf of Exxon 2/27/07  
 Generator Authorized Agent Name Signature Shipment Date

### TRANSPORTER

Transporter Name KWAT Driver Name (Print) SHEDDOW GREEN  
 Address BACTO MD Vehicle License No./State 132E/D OR MD  
 Truck Number 103

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

[Signature] 3/27/06 [Signature] 3/27/06  
 Driver Signature Shipment Date Driver Signature Delivery Date

### DESTINATION

Site Name Soil Safe, Incorporated Phone No. 301-782-3036  
 Address 16001 Matthews Dr. Brandywine, MD 20613

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_  
White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.

00070

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name: Soil Safe, Inc. Shipping Location: Soil Safe, Inc.  
 Address: 14215 North Hill Way Address: 14215 North Hill Way  
Shelton, MI 48884 Shelton, MI 48884  
 Phone No: 517-244-1544 Phone No: 517-244-1544

Approval Number  
002-0511

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non-DOT/RCRA Regulated

GROSS
TARE
NET
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name: \_\_\_\_\_ Signature: \_\_\_\_\_ Shipment Date: \_\_\_\_\_

### TRANSPORTER

Tractor/Trailer Name: W-15 Driver Name (Print): Michael G. [Signature]  
 Address: 14215 North Hill Way Vehicle License No./State: MI 2300000000  
 Truck Number: 15

I hereby certify that the above named material was picked up at the generator site listed above. I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature: [Signature] Shipment Date: \_\_\_\_\_ Driver Signature: [Signature] Delivery Date: \_\_\_\_\_

### DESTINATION

Site Name: Soil Safe, Inc. Phone No: 517-244-1544  
 Address: 14215 North Hill Way, Shelton, MI 48884

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent: \_\_\_\_\_ Signature: \_\_\_\_\_ Receipt Date: \_\_\_\_\_

Log Number

# SOIL SAFE, INC.

00051

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #28077  
 Address 14258 Jarrettsville Pike Address 14258 Jarrettsville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (703) 846-3510 Phone No. (703) 846-3510

Approval  
Number  
**WS-0511**

Description of Material:  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
TARE  
NET  
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

[Signature] Generator Authorized Agent Name [Signature] Signature 3/28/06 Shipment Date

### TRANSPORTER

Transporter Name Tenbus (Koni) Trucking Driver Name (Print) Vernand Jones  
 Address 1304 E 34 St Vehicle License No./State 143 E 60 MD  
 Truck Number 1338

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

[Signature] Driver Signature 3-28-06 Shipment Date

[Signature] Driver Signature 3-28-06 Delivery Date

### DESTINATION

Site Name Soil Safe, Incorporated Phone No. 301-782-3096  
 Address 16001 Mattawoman Dr. Brandywine, MD 20613

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_  
White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name: Environmental Enterprises Shipping Location: Frederick, MD 21701  
 Address: 14775 Laurel Rd, P.O. Box 11131 Address: 14775 Laurel Rd, P.O. Box 11131  
Frederick, MD 21701 Frederick, MD 21701  
 Phone No: (301) 546-0310 Phone No: (301) 546-0310

Approval Number	Description of Material	CROSS TARE NET TONNAGE
195-2211	Non-Regulated Petroleum Contaminated Soil Non-DOT/RCRA Regulated	

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 261.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name: \_\_\_\_\_ Signature: \_\_\_\_\_ Shipment Date: \_\_\_\_\_

### TRANSPORTER

Transporter Name: \_\_\_\_\_ Driver Name (Print): John J. [unclear]  
 Address: \_\_\_\_\_ Vehicle License No./State: 1-5N-8-1111  
 Truck Number: 1-2-3-4-5-6-7-8-9-0

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature: \_\_\_\_\_ Shipment Date: \_\_\_\_\_ Driver Signature: \_\_\_\_\_ Delivery Date: \_\_\_\_\_

### DESTINATION

Site Name: Soil Safe, Inc. [unclear] Phone No: (301) 546-0310  
 Address: 14775 Laurel Rd, P.O. Box 11131, Frederick, MD 21701

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent: \_\_\_\_\_ Signature: \_\_\_\_\_ Receipt Date: \_\_\_\_\_

00052

# SOIL SAFE, INC.

Log Number
------------

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name <u>Exxon Mobil Corporation</u>	Shipping Location <u>Exxon #28077</u>
Address <u>14258 Jarrettsville Pike</u>	Address <u>14258 Jarrettsville Pike</u>
<u>Phoenix, MD 21131</u>	<u>Phoenix, MD 21131</u>
Phone No. <u>(703) 846-3510</u>	Phone No. <u>(703) 846-3510</u>

Approval Number <b>WS-0511</b>
-----------------------------------

Description of Material Non-Regulated Petroleum Contaminated Soil Non DOT/RCRA Regulated
---

GROSS TARE NET TONNAGE
---------------------------------

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

<u>[Signature]</u>	<u>[Signature]</u>	<u>3/28/06</u>
Generator Authorized Agent Name	Signature	Shipment Date

### TRANSPORTER

Transporter Name <u>Sunkins/KMT</u>	Driver Name (Print) <u>C. Nelson</u>
Address <u>[Address]</u>	Vehicle License No./State <u>MD</u>
	Truck Number <u># 1339</u>

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

<u>[Signature]</u>	<u>3/28</u>	<u>[Signature]</u>	<u>3/27</u>
Driver Signature	Shipment Date	Driver Signature	Delivery Date

### DESTINATION

Site Name <u>Soil Safe, Incorporated</u>	Phone No. <u>301-782-3036</u>
Address <u>16901 Matstowman Dr, Brandywine, MD 20613</u>	

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent	Signature	Receipt Date
<small>White - Facility</small>	<small>Green - Facility</small>	<small>Yellow - Generator</small>
<small>Pink - Broker</small>	<small>Goldenrod - Contractor</small>	<small>Blue - Trucking Co.</small>

Log Number

5005 2

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Personnel Services Shipping Location PO Box 1267  
 Address 1425 Jernstedt Pike Address 1425 Jernstedt Pike  
Prince Georges, MD 21774 Prince Georges, MD 21774  
 Phone No 703-446-8810 Phone No 703-446-8810

Approval Number	Description of Material	GROSS TARE NET TONNAGE
001-0311	Non-Regulated Petroleum Contaminated Soil Non-DOT/RCRA Regulated	

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name \_\_\_\_\_ Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_

### TRANSPORTER

Transporter Name \_\_\_\_\_ Driver Name (Print) \_\_\_\_\_  
 Address \_\_\_\_\_ Vehicle License No / State \_\_\_\_\_  
 Truck Number \_\_\_\_\_

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_ Driver Signature \_\_\_\_\_ Delivery Date \_\_\_\_\_

### DESTINATION

Site Name Soil Safe, Inc. Phone No 703-446-8810  
 Address 1425 Jernstedt Pike, Prince Georges, MD 21774

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_

00053

# SOIL SAFE, INC.

Log Number

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #28077  
 Address 14258 Jarrettsville Pike Address 14258 Jarrettsville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (703) 846-3510 Phone No. (703) 846-3510

Approval Number  
**WE-0511**

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
TARE  
NET  
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

[Signature] Generator/Authorized Agent Name Signature 3/28/00 Shipment Date

### TRANSPORTER

Transporter Name [Signature] Driver Name (Print) F. DIAZ  
 Address Balto. MD Vehicle License No./State D-200-248-018-349 MD  
 Truck Number 341

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

[Signature] Driver Signature Shipment Date 3/28/00 Driver Signature Delivery Date

### DESTINATION

Site Name Soil Safe, Incorporated Phone No. 301-782-3036  
 Address 16001 Mattawoman Dr. Brandywine, MD 20613

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent Signature Receipt Date  
 White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.

Log Number

SOIL SAFE, INC.

NON-HAZARDOUS MATERIAL MANIFEST

GENERATOR

Generator Name: Soilsafe Waste Corporation Shipping Location: Poolesville, MD
Address: 11177 Laurelville Pike Phone No: (301) 244-2111
Address: 11177 Laurelville Pike Phone No: (301) 244-2111

Table with 3 columns: Approval Number, Description of Material, and GROSS TARE NET TONNAGE. Description includes Non-Regulated Petroleum Contaminated Soil and Non-DOT/RCRA Regulated.

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name Signature Shipment Date

TRANSPORTER

Transporter Name Driver Name (Print)
Address Vehicle License No./State
Truck Number

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature Shipment Date Driver Signature Delivery Date

DESTINATION

Site Name Phone No.
Address

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent Signature Receipt Date



00054

# SOIL SAFE, INC.

Log Number

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #28077  
 Address 14258 Jarrettsville Pike Address 14258 Jarrettsville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (703) 846-3510 Phone No. (703) 846-3510

Approval Number  
**W5-0511**

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
TARE  
NET  
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

[Signature] on behalf of Exxon Signature 3/28/00 Shipment Date  
 Generator Authorized Agent Name

### TRANSPORTER

Transporter Name Boone / [unclear] Driver Name (Print) Scate  
 Address Baltimore Vehicle License No./State \_\_\_\_\_  
 Truck Number 343

I hereby certify that the above named material was picked up at the generator site listed above. I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_ Driver Signature \_\_\_\_\_ Delivery Date \_\_\_\_\_

### DESTINATION

Site Name Soil Safe, Incorporated Phone No. 301-782-3036  
 Address 16001 Mattawoman Dr. Brandywine, MD 20613

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_  
White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name: Soil Safe Corporation Shipping Location: 14235 S. 200th Ave  
 Address: 14235 S. 200th Ave, Suite 200, Edina, MN 55425 Address: 14235 S. 200th Ave, Suite 200, Edina, MN 55425  
 Phone No: 763-546-1120 Phone No: 763-546-1120

Approval Number	Description of Material	GROSS TARE NET TONNAGE
WE-451	Non-Regulated Petroleum Contaminated Soil Non-DOT/ROHA Regulated	

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name: [Signature] Signature: [Signature] Shipment Date: 01/22/2014

### TRANSPORTER

Transporter Name: Soil Safe Corporation Driver Name (Print): [Name]  
 Address: 14235 S. 200th Ave, Suite 200, Edina, MN 55425 Vehicle License No./State: [License]  
 Truck Number: [Number]

I hereby certify that the above named material was picked up at the generator site listed above. I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature: [Signature] Shipment Date: 01/22/2014 Driver Signature: [Signature] Delivery Date: 01/22/2014

### DESTINATION

Site Name: Soil Safe Corporation Phone No: 763-546-1120  
 Address: 14235 S. 200th Ave, Suite 200, Edina, MN 55425

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent: [Name] Signature: [Signature] Receipt Date: 01/22/2014

00055

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #28077  
 Address 14258 Jarrettsville Pike Address 14258 Jarrettsville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (703) 846-3510 Phone No. (703) 846-3510

Approval Number  
**WS-0511**

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
TARE  
NET  
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

[Signature] at behalf of you 3/22/06  
 Generator Authorized Agent Name Signature Shipment Date

### TRANSPORTER

Transporter Name KMT Driver Name (Print) Antwan Mackey  
 Address Balt Md Vehicle License No./State MD E34765D  
 Truck Number ADM #46

I hereby certify that the above named material was picked up at the generator site listed above. I hereby certify that the above named material was delivered without incident to the destination listed below.

[Signature] 3/22/06 [Signature] 3/23/06  
 Driver Signature Shipment Date Driver Signature Delivery Date

### DESTINATION

Site Name Soil Safe, Incorporated Phone No. 301-782-3036  
 Address 16001 Mattawoman Dr. Brandywine, MD 20613

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent Signature Receipt Date  
 White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.

Log Number

SOIL SAFE, INC.

NON-HAZARDOUS MATERIAL MANIFEST

GENERATOR

Generator Name: Essex North Corporation, Shipping Location: Boston 02177, Address: 1035 Lancaster Pike, Phone No: 617-644-1110

Table with 3 columns: Approval Number (203-0011), Description of Material (Non-Regulated Petroleum Contaminated Soil, Non-DOT RCRA Regulated), and Tonnage (GROSS, TARE, NET, TONNAGE).

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name, Signature, Statement Date

TRANSPORTER

Transporter Name, Driver Name (Print), Address, Vehicle License No./State, Truck Number

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature, Shipper Date, Driver Signature, Delivery Date

DESTINATION

Site Name: Soil Safe Corporation, Phone No: 617-644-1110, Address: 1035 Lancaster Pike, Boston, MA 02177

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent, Signature, Receipt Date

00056

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #28077  
 Address 14258 Jarrettsville Pike Address 14258 Jarrettsville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (703) 846-3510 Phone No. (703) 846-3510

Approval  
Number  
**WS-0511**

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
TARE  
NET  
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

[Signature] Generator Authorized Agent Name Signature 3/28/06 Shipment Date

### TRANSPORTER

Transporter Name ADM Driver Name (Print) K. Adams  
 Address Baltimore MD Vehicle License No./State 147 E 24 Maryland  
 Truck Number 922

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

[Signature] Driver Signature 3-28-06 Shipment Date [Signature] Driver Signature 3-28-06 Delivery Date

### DESTINATION

Site Name Soil Safe, Incorporated Phone No. 301-782-3036  
 Address 16001 Mattawoman Dr. Brandywine, MD 20619

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_  
White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon 22377  
 Address 14753 Marshfield Rd Address 14753 Marshfield Rd  
Exxon, MO 64131 Exxon, MO 64131  
 Phone No. 781-331-1512 Phone No. 781-331-1512

Approval Number  MO-0574	Description of Material  Non-Regulated Petroleum Contaminated Soil  Non-DOT/BCRA Regulated	GROSS
		TARE
		NET
		TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name \_\_\_\_\_ Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_

### TRANSPORTER

Transporter Name ADM Driver Name (Print) A. [Signature]  
 Address Butler, MO Vehicle License No./State \_\_\_\_\_  
 Truck Number \_\_\_\_\_

I hereby certify that the above named material was picked up at the generator site listed above. I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_ Driver Signature \_\_\_\_\_ Delivery Date \_\_\_\_\_

### DESTINATION

Site Name Soil Safe, Inc. [Signature] Phone No. 781-331-1512  
 Address 14753 Marshfield Rd, Exon, MO 64131

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_

Log Number

# SOIL SAFE, INC.

00057

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #28077  
 Address 14258 Jarrettsville Pike Address 14258 Jarrettsville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (703) 846-3510 Phone No. (703) 846-3510

Approval  
Number  
  
**WG-0011**

Description of Material  
  
Non-Regulated Petroleum  
Contaminated Soil  
  
Non DOT/RCRA Regulated

GROSS  
TARE  
NET  
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

[Signature] Generator Authorized Agent Name Signature 3/28/00 Shipment Date

### TRANSPORTER

Transporter Name MAKESVILLE TRUCKING Driver Name (Print) TONY DELL  
 Address 10300 LEE PATRICK PKWY Vehicle License No./State E38763D  
COLUMBIA, MD Truck Number M912

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

[Signature] Driver Signature 3/28/00 Shipment Date [Signature] Driver Signature 3/28/00 Delivery Date

### DESTINATION

Site Name Soil Safe, Incorporated Phone No. 301-782-3036  
 Address 16001 Matthewsman Dr. Brandywine, MD 20613

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_  
White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name State M&E Exposition Shipping Location State 42007  
 Address 1720 Interstate 78 Address 1025 Interstate 78  
Phone: 345 2111 Phone: 345 2111  
 Phone No (225) 345-3111 Phone No (225) 345-3111

Approval Number  
**345 2111**

Description of Material:  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
TARE  
NET  
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name \_\_\_\_\_ Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_

### TRANSPORTER

Transporter Name State 225 Driver Name (Print) \_\_\_\_\_  
 Address \_\_\_\_\_ Vehicle License No./State LA 225  
 \_\_\_\_\_ Truck Number 225

I hereby certify that the above named material was picked up at the generator site listed above. I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_ Driver Signature \_\_\_\_\_ Delivery Date \_\_\_\_\_

### DESTINATION

Site Name State 225 Phone No \_\_\_\_\_  
 Address State 225

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_



0058

# SOIL SAFE, INC.

Log Number
------------

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name	<u>Exxon Mobil Corporation</u>	Shipping Location	<u>Exxon #28077</u>
Address	<u>14258 Jarrettsville Pike</u>	Address	<u>14258 Jarrettsville Pike</u>
	<u>Phoenix, MD 21131</u>		<u>Phoenix, MD 21131</u>
Phone No.	<u>(703) 846-3510</u>	Phone No.	<u>(703) 846-3510</u>

Approval Number
<b>W5-0511</b>

Description of Material
Non-Regulated Petroleum Contaminated Soil
Non DOT/RCRA Regulated

GROSS TARE NET TONNAGE
------------------------

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name	<u>[Signature]</u>	Signature	<u>[Signature]</u>	Shipment Date	<u>3/28/06</u>
---------------------------------	--------------------	-----------	--------------------	---------------	----------------

### TRANSPORTER

Transporter Name	<u>KMT / R. P. T.</u>	Driver Name (Print)	<u>RAY PARKER</u>
Address	<u>Ba/Ho. MD 21239</u>	Vehicle License No./State	
		Truck Number	<u>2674</u>

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature	<u>[Signature]</u>	Shipment Date	<u>3-28-06</u>	Driver Signature	<u>[Signature]</u>	Delivery Date	<u>3-28-06</u>
------------------	--------------------	---------------	----------------	------------------	--------------------	---------------	----------------

### DESTINATION

Site Name	<u>Soil Safe, Incorporated</u>	Phone No.	<u>301-782-3036</u>
Address	<u>16001 Mattawoman Dr. Brandywine, MD 20613</u>		

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent	Signature	Receipt Date
White - Facility	Green - Facility	Yellow - Generator
Pink - Broker	Goldenrod - Contractor	Blue - Trucking Co.

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name: Soil Safe Corporation Shipping Location: 16111 Hamersville Pike  
 Address: 16111 Hamersville Pike Address: 16111 Hamersville Pike  
Mount Airy, NC 27551 Charlotte, NC 28211  
 Phone No: (704) 636-3310 Phone No: (704) 636-3310

Approval Number	Description of Material	GROSS TARE NET TONNAGE
225-0511	Non-Regulated Petroleum Contaminated Soil Non-DOT/RCRA Regulated	

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name: \_\_\_\_\_ Signature: \_\_\_\_\_ Shipment Date: \_\_\_\_\_

### TRANSPORTER

Transporter Name: \_\_\_\_\_ Driver Name (Print): \_\_\_\_\_  
 Address: \_\_\_\_\_ Vehicle License No./State: \_\_\_\_\_  
 Truck Number: \_\_\_\_\_

I hereby certify that the above named material was picked up at the generator site listed above. I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature: \_\_\_\_\_ Shipment Date: \_\_\_\_\_ Driver Signature: \_\_\_\_\_ Delivery Date: \_\_\_\_\_

### DESTINATION

Site Name: Soil Safe Corporation Phone No: (704) 636-3310  
 Address: 16111 Hamersville Pike, Mount Airy, NC 27551

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent: \_\_\_\_\_ Signature: \_\_\_\_\_ Receipt Date: \_\_\_\_\_

00059

# SOIL SAFE, INC.

Log Number

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #28077  
 Address 14258 Jarrettsville Pike Address 14258 Jarrettsville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (703) 846-3510 Phone No. (703) 846-3510

Approval Number  
**WS-0511**

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
TARE  
NET  
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

[Signature] Generator Authorized Agent Name Signature 3/29/06 Shipment Date

### TRANSPORTER

Transporter Name RPS/KMT Driver Name (Print) Quincy Burden  
 Address Kr. Ho, MD Vehicle License No./State 147E-D-01  
 Truck Number 709

I hereby certify that the above named material was picked up at the generator site listed above. I hereby certify that the above named material was delivered without incident to the destination listed below.

[Signature] Driver Signature 3-29-06 Shipment Date [Signature] Driver Signature 3-29-06 Delivery Date

### DESTINATION

Site Name Soil Safe, Incorporated Phone No. 301-782-3036  
 Address 16001 Mattawoman Dr. Brandywine, MD 20613

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_  
White - Facility Green - Facility Yellow - Generator Pink - Smoker Goldenrod - Contractor Blue - Trucking Co.

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon 21007  
 Address 14255 Inverness Blvd Address 14255 Inverness Blvd  
Florida, AZ 33131 Florida, AZ 33131  
 Phone No. (754) 236-2110 Phone No. (754) 246-3310

Approval Number  
**425-0511**

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non-DOT/PCRA Regulated

GROSS  
 TARE  
 NET  
 TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name \_\_\_\_\_ Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_

### TRANSPORTER

Transporter Name \_\_\_\_\_ Driver Name (Print) \_\_\_\_\_  
 Address \_\_\_\_\_ Vehicle License No./State \_\_\_\_\_  
 Truck Number \_\_\_\_\_

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_ Driver Signature \_\_\_\_\_ Delivery Date \_\_\_\_\_

### DESTINATION

Site Name SOIL SAFE, INC. Phone No. 754-246-3310  
 Address 14255 Inverness Blvd, Inverness, FL 33131

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_

Log Number

SOIL SAFE, INC.

NON-HAZARDOUS MATERIAL MANIFEST

GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #28077
Address 14258 Jarrettsville Pike Address 14258 Jarrettsville Pike
Phoenix, MD 21131 Phoenix, MD 21131
Phone No. (703) 846-3510 Phone No. (703) 846-3510

Table with 3 columns: Approval Number (WG-0511), Description of Material (Non-Regulated Petroleum Contaminated Soil, Non DOT/RCRA Regulated), and GROSS TARE NET TONNAGE.

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name [Signature] Signature [Signature] Shipment Date 3/28/06

TRANSPORTER

Transporter Name Briggs & Briggs/KMT Driver Name (Print) DERRICK FRANKLIN
Address 3605 WOLF TRAIL DR Vehicle License No./State F34911D
Abingdon MD 21009 Truck Number 340

I hereby certify that the above named material was picked up at the generator site listed above. I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature [Signature] Shipment Date 3-28-06 Driver Signature [Signature] Delivery Date

DESTINATION

Site Name Soil Safe, Incorporated Phone No. 301-782-3036
Address 16001 Matthews Dr. Brandywine, MD 20613

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent Signature Receipt Date
White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Soil Safe, Inc. Shipping Location Greenville, SC  
 Address 11577 Highway 101, P.O. Box 11577 Address 1125 N. Greenville Pk.  
Greenville, SC 29615 Greenville, SC 29615  
 Phone No. (252) 247-3528 Phone No. (252) 247-1234

Approval Number	Description of Material	GROSS
		TARE
105-4541	Non-Regulated Petroleum Contaminated Soil	NET
	Non-DOT/RCRA Regulated	TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name \_\_\_\_\_ Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_

### TRANSPORTER

Transporter Name Enggert Bros/ KAT Driver Name (Print) Derrick Franklin  
 Address 2905 W. 1st St Vehicle License No./State F 347ND  
Greenville, SC 29604 Truck Number 340

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature Derrick Franklin Shipment Date \_\_\_\_\_ Driver Signature \_\_\_\_\_ Delivery Date \_\_\_\_\_

### DESTINATION

Site Name \_\_\_\_\_ Phone No. \_\_\_\_\_  
 Address \_\_\_\_\_

I hereby certify that the above named material has been accepted and to the best of my knowledge, the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_

00061

# SOIL SAFE, INC.

Log Number
------------

## NON-HAZARDOUS MATERIAL MANIFEST GENERATOR

Generator Name <u>Exxon Mobil Corporation</u>	Shipping Location <u>Exxon #28077</u>
Address <u>14258 Jarrettsville Pike</u>	Address <u>14258 Jarrettsville Pike</u>
<u>Phoenix, MD 21131</u>	<u>Phoenix, MD 21131</u>
Phone No. <u>(703) 846-3510</u>	Phone No. <u>(703) 846-3510</u>

Approval Number <b>W6-0511</b>
-----------------------------------

Description of Material Non-Regulated Petroleum Contaminated Soil Non DOT/RCRA Regulated
---

GROSS
TARE
NET
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

<u>[Signature]</u> Generator Authorized Agent Name	<u>[Signature]</u> Signature	<u>3/28/09</u> Shipment Date
---	---------------------------------	---------------------------------

### TRANSPORTER

Transporter Name <u>KATI</u>	Driver Name (Print) <u>William J. [Signature]</u>
Address <u>Baltimore MD</u>	Vehicle License No./State <u>1405 44</u>
	Truck Number <u>105</u>

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

<u>[Signature]</u> Driver Signature	<u>[Signature]</u> Driver Signature
Shipment Date	Delivery Date

### DESTINATION

Site Name <u>Soil Safe, Incorporated</u>	Phone No. <u>301-782-3036</u>
Address <u>16901 Mattawoman Dr. Brandywine, MD 20613</u>	

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent	Signature	Receipt Date
White - Facility	Green - Facility	Yellow - Generator
Pink - Broker	Goldenrod - Contractor	Blue - Trucking Co.





00027

# SOIL SAFE, INC.

Log Number

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon 288977  
 Address 14258 Lenoirville Pike Address 14258 Lenoirville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (703) 846-1510 Phone No. (703) 846-1510

Approval Number  
**WV5-0574**

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
 TARE  
 NET  
 TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name [Signature] Signature [Signature] Shipment Date 4/27/66

### TRANSPORTER

Transporter Name \_\_\_\_\_ Driver Name (Print) \_\_\_\_\_  
 Address \_\_\_\_\_ Vehicle License No./State \_\_\_\_\_  
 Truck Number \_\_\_\_\_

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_ Driver Signature \_\_\_\_\_ Delivery Date \_\_\_\_\_

### DESTINATION

Site Name Soil Safe, Incorporated Phone No. 701-782-2036  
 Address 16001 Matteson Dr. Frankfort, MD 20617

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_

White - Facility    Green - Facility    Yellow - Generator    Pink - Broker    Goldenrod - Contractor    Blue - Trucking Co.

00028

Log Number
------------

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name <u>Exxon Mobil Corporation</u>	Shipping Location <u>Exxon 288977</u>
Address <u>14258 Jarrattsville Pike</u>	Address <u>14258 Jarrattsville Pike</u>
<u>Frederick, MD 21731</u>	<u>Frederick, MD 21731</u>
Phone No. <u>(301) 246-1510</u>	Phone No. <u>(301) 246-3330</u>

Approval Number  005-0591
---------------------------------

Description of Material  Non-Regulated Petroleum Contaminated Soil  Non DOT/RCRA Regulated
---

<b>GROSS</b>
<b>TARE</b>
<b>NET</b>
<b>TONNAGE</b>

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

<u>[Signature]</u>	Signature	<u>4/21/06</u>	Shipment Date
--------------------	-----------	----------------	---------------

### TRANSPORTER

Transporter Name _____	Driver Name (Print) _____
Address _____	Vehicle License No./State _____
_____	Truck Number _____

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

<u>[Signature]</u>	Driver Signature	<u>[Signature]</u>	Driver Signature
<u>[Date]</u>	Shipment Date	<u>[Date]</u>	Delivery Date

### DESTINATION

Site Name <u>Gold Star, Inc. operated</u>	Phone No. <u>301-792-3070</u>
Address <u>16001 Eastwooden Dr. Ellicott City, MD 21037</u>	

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent _____	Signature _____	Receipt Date _____
--------------------------------	-----------------	--------------------

White - Facility    Green - Facility    Yellow - Generator    Pink - Broker    Goldenrod - Contractor    Blue - Trucking Co.

Log Number
------------

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name \_\_\_\_\_ Shipping Location \_\_\_\_\_  
 Address \_\_\_\_\_ Address \_\_\_\_\_  
 Phone No. \_\_\_\_\_ Phone No. \_\_\_\_\_

Approval Number
-----------------

Description of Material
Non-Regulated Petroleum Contaminated Soil
Non DOT/RCRA Regulated

GROSS TARE NET TONNAGE
------------------------

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name \_\_\_\_\_ Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_

### TRANSPORTER

Transporter Name \_\_\_\_\_ Driver Name (Print) \_\_\_\_\_  
 Address \_\_\_\_\_ Vehicle License No./State \_\_\_\_\_  
 Truck Number \_\_\_\_\_

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_ Driver Signature \_\_\_\_\_ Delivery Date \_\_\_\_\_

### DESTINATION

Site Name \_\_\_\_\_ Phone No. \_\_\_\_\_  
 Address \_\_\_\_\_

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_

White - Facility    Green - Facility    Yellow - Generator    Pink - Broker    Goldenrod - Contractor    Blue - Trucking Co.

Log Number

### SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name \_\_\_\_\_ Shipping Location \_\_\_\_\_  
 Address \_\_\_\_\_ Address \_\_\_\_\_  
 Phone No. \_\_\_\_\_ Phone No. \_\_\_\_\_

Approval Number  
088 0801

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
 TARE  
 NET  
 TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name \_\_\_\_\_ Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_

### TRANSPORTER

Transporter Name \_\_\_\_\_ Driver Name (Print) \_\_\_\_\_  
 Address \_\_\_\_\_ Vehicle License No./State \_\_\_\_\_  
 Truck Number \_\_\_\_\_

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_ Driver Signature \_\_\_\_\_ Delivery Date \_\_\_\_\_

### DESTINATION

Site Name \_\_\_\_\_ Phone No. \_\_\_\_\_  
 Address \_\_\_\_\_

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_  
White - Facility    Green - Facility    Yellow - Generator    Pink - Broker    Goldenrod - Contractor    Blue - Trucking Co.

Log Number

### SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name \_\_\_\_\_ Shipping Location \_\_\_\_\_  
 Address \_\_\_\_\_ Address \_\_\_\_\_  
 Phone No. \_\_\_\_\_ Phone No. \_\_\_\_\_

Approval  
 Number  
 100-0011

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
 TARE  
 NET  
 TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name \_\_\_\_\_ Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_

### TRANSPORTER

Transporter Name \_\_\_\_\_ Driver Name (Print) \_\_\_\_\_  
 Address \_\_\_\_\_ Vehicle License No./State \_\_\_\_\_  
 Truck Number \_\_\_\_\_

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_ Driver Signature \_\_\_\_\_ Delivery Date \_\_\_\_\_

### DESTINATION

Site Name \_\_\_\_\_ Phone No. \_\_\_\_\_  
 Address \_\_\_\_\_

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_  
 White - Facility    Green - Facility    Yellow - Generator    Pink - Broker    Goldenrod - Contractor    Blue - Trucking Co.

Log Number

SOIL SAFE, INC.

NON-HAZARDOUS MATERIAL MANIFEST

GENERATOR

Generator Name, Shipping Location, Address, Phone No. for both generator and shipping location.

Approval Number W6-0511

Description of Material: Non-Regulated Petroleum Contaminated Soil, Non DOT/RCRA Regulated

GROSS TARE NET TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name, Signature, Shipment Date

TRANSPORTER

Transporter Name, Driver Name (Print), Address, Vehicle License No./State, Truck Number

I hereby certify that the above named material was picked up at the generator site listed above. I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature, Shipment Date, Driver Signature, Delivery Date

DESTINATION

Site Name, Phone No., Address

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent, Signature, Receipt Date

- White - Facility, Green - Facility, Yellow - Generator, Pink - Broker, Goldenrod - Contractor, Blue - Trucking Co.

00030

Log Number
------------

### SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name <u>Escon Mobile Generation</u>	Shipping Location <u>Escon MD 21037</u>
Address <u>10258 Jarrattsville Pike</u>	Address <u>10258 Jarrattsville Pike</u>
<u>Escon, MD 21111</u>	<u>Escon, MD 21111</u>
Phone No. <u>(703) 646-3510</u>	Phone No. <u>(703) 646-3510</u>

Approval Number  <b>W5-0511</b>	Description of Material	GROSS  TARE  NET  TONNAGE
	Non-Regulated Petroleum Contaminated Soil	
	Non DOT/RCRA Regulated	

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

<u>[Signature]</u> Generator Authorized Agent Name	<u>[Signature]</u> Signature	<u>5/22/06</u> Shipment Date
---	---------------------------------	---------------------------------

### TRANSPORTER

Transporter Name <u>[Signature]</u>	Driver Name (Print) <u>[Signature]</u>
Address <u>[Signature]</u>	Vehicle License No./State <u>MD</u>
	Truck Number <u>1259</u>

I hereby certify that the above named material was picked up at the generator site listed above. I hereby certify that the above named material was delivered without incident to the destination listed below.

<u>[Signature]</u> Driver Signature	<u>5/22/06</u> Shipment Date	<u>[Signature]</u> Driver Signature	<u>5/22/06</u> Delivery Date
--	---------------------------------	--	---------------------------------

### DESTINATION

Site Name <u>Soil Safe, unaccompanied</u>	Phone No. <u>301-782-3030</u>
Address <u>16001 Matthewswood Dr. Laurel, MD 20641</u>	

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent	Signature	Receipt Date
White - Facility	Green - Facility	Yellow - Generator
Pink - Broker	Goldenrod - Contractor	Blue - Trucking Co.

Log Number

SOIL SAFE, INC.

NON-HAZARDOUS MATERIAL MANIFEST

GENERATOR

Generator Name, Shipping Location, Address, Phone No.

Approval Number

Description of Material: Non-Regulated Petroleum Contaminated Soil, Non DOT/RCRA Regulated

GROSS TARE NET TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name, Signature, Shipment Date

TRANSPORTER

Transporter Name, Driver Name (Print), Address, Vehicle License No./State, Truck Number

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature, Shipment Date, Driver Signature, Delivery Date

DESTINATION

Site Name, Address, Phone No.

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent, Signature, Receipt Date

White - Facility, Green - Facility, Yellow - Generator, Pink - Broker, Goldenrod - Contractor, Blue - Trucking Co.



00031

# SOIL SAFE, INC.

Log Number
------------

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Soil Safe, Inc. Shipping Location Exxon #23077  
 Address 14258 Jarrosville Pike Address 14258 Jarrosville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (706) 846-3310 Phone No. (706) 846-3310

Approval Number
<b>WS-0511</b>

Description of Material
Non-Regulated Petroleum Contaminated Soil
Non DOT/RCRA Regulated

GROSS TARE NET TONNAGE
------------------------

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

[Signature] Generator Authorized Agent Name [Signature] Signature 3/21/06 Shipment Date

### TRANSPORTER

Transporter Name KMT Driver Name (Print) SHELDON GREEN  
 Address BACTO, MD Vehicle License No./State 13ZE/L 08 MD  
 Truck Number 103

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

[Signature] Driver Signature 3-27-06 Shipment Date [Signature] Driver Signature 3-27-06 Delivery Date

### DESTINATION

Site Name Soil Safe, Inc. approved Phone No. 301-782-3036  
 Address 16001 Mathesonway Dr. Hanover, MD 21076

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_

White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Environmental Services Shipping Location Rocky Hill  
 Address 14211 Corporate Blvd Address 10111 Corporate Blvd  
Rocky Hill, CT 06067 Rocky Hill, CT 06067  
 Phone No. 860-261-7110 Phone No. 860-261-7110

Approval  
Number  
**003-0011**

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
TARE  
NET  
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name \_\_\_\_\_ Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_

### TRANSPORTER

Transporter Name Kurt Driver Name (Print) Shawn Case  
 Address 1300 W. ... Vehicle License No./State 1-2 E N 08 MW  
 Truck Number 102

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_ Driver Signature \_\_\_\_\_ Delivery Date \_\_\_\_\_

### DESTINATION

Site Name \_\_\_\_\_ Phone No. \_\_\_\_\_  
 Address \_\_\_\_\_

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_  
 White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.

00032

Log Number
------------

### SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name <u>Exxon Mobil Corporation</u>	Shipping Location <u>Exxon 400977</u>
Address <u>14250 Jarroville Pike</u>	Address <u>14250 Jarroville Pike</u>
<u>Phoenix, MD 21131</u>	<u>Phoenix, MD 21131</u>
Phone No. <u>(703) 946-3510</u>	Phone No. <u>(703) 946-3510</u>

Approval Number <b>WV5-0511</b>
------------------------------------

Description of Material Non-Regulated Petroleum Contaminated Soil Non DOT/RCRA Regulated
---

GROSS TARE NET TONNAGE
---------------------------------

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

<u>[Signature]</u>	<u>[Signature]</u>	<u>3/27/06</u>
Generator Authorized Agent Name	Signature	Shipment Date

### TRANSPORTER

Transporter Name <u>KMT</u>	Driver Name (Print) <u>Antwan Mackey</u>
Address <u>Balt Md</u>	Vehicle License No./State <u>MD E347251</u>
	Truck Number <u>246</u>

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

<u>[Signature]</u>	<u>3/27/06</u>	<u>[Signature]</u>	<u>3/27/06</u>
Driver Signature	Shipment Date	Driver Signature	Delivery Date

### DESTINATION

Site Name <u>Red State Supermarket</u>	Phone No. <u>501-782-1926</u>
Address <u>16001 Metzer Road Dr. Springfield, MD 20610</u>	

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent	Signature	Receipt Date
White - Facility	Green - Facility	Yellow - Generator
Pink - Broker	Goldrod - Contractor	Blue - Trucking Co.

Log Number
------------

### SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name SOIL SAFE, INC. Shipping Location 10000  
 Address 11000 Address 11000  
 Phone No. 11000 Phone No. 11000

Approval Number <u>11000</u>	Description of Material	GROSS
	Non-Regulated Petroleum Contaminated Soil	TARE
	Non DOT/RCRA Regulated	NET
		TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name [Signature] Signature [Signature] Shipment Date [Date]

### TRANSPORTER

Transporter Name KMT Driver Name (Print) Adrian M. [Signature]  
 Address Balt Md Vehicle License No./State [License]  
 Truck Number 244

I hereby certify that the above named material was picked up at the generator site listed above. I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature [Signature] Shipment Date 3/27/06 Driver Signature [Signature] Delivery Date 3/27/06

### DESTINATION

Site Name [Site Name] Phone No. [Phone No.]  
 Address [Address]

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent [Name] Signature [Signature] Receipt Date [Date]

- White - Facility
- Green - Facility
- Yellow - Generator
- Pink - Broker
- Goldenrod - Contractor
- Blue - Trucking Co.

Log Number
------------

00033

### SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name <u>Exxon Mobil Corporation</u>	Shipping Location <u>Exxon 788077</u>
Address <u>1155 Jarrattville Pike</u>	Address <u>1155 Jarrattville Pike</u>
<u>Pheasant, MD 21151</u>	<u>Pheasant, MD 21151</u>
Phone No. <u>(301) 546-3310</u>	Phone No. <u>(301) 546-3310</u>

Approval Number <b>W5-0511</b>
-----------------------------------

Description of Material Non-Regulated Petroleum Contaminated Soil Non DOT/RCRA Regulated
---

GROSS TARE NET TONNAGE
---------------------------------

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

<u>[Signature]</u> Generator Authorized Agent Name	<u>[Signature]</u> Signature	<u>5/23/06</u> Shipment Date
---	---------------------------------	---------------------------------

### TRANSPORTER

Transporter Name <u>ADM</u>	Driver Name (Print) <u>Kenneth W Adams</u>
Address <u>Baltimore MD</u>	Vehicle License No./State <u>147-524/MD</u>
	Truck Number <u>922</u>

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

<u>[Signature]</u> Driver Signature	<u>[Signature]</u> Driver Signature
<u>[Date]</u> Shipment Date	<u>[Date]</u> Delivery Date

### DESTINATION

Site Name <u>Soil Safe International</u>	Phone No. <u>101 782-2034</u>
Address <u>14001 Mustardwood Ln. Derwood MD 20848</u>	

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent	Signature	Receipt Date
White - Facility	Green - Facility	Yellow - Generator
Pink - Broker	Goldenrod - Contractor	Blue - Trucking Co.

Log Number

SOIL SAFE, INC.

NON-HAZARDOUS MATERIAL MANIFEST

GENERATOR

Generator Name, Shipping Location, Address, Phone No.

Approval Number

Description of Material: Non-Regulated Petroleum Contaminated Soil, Non DOT/RCRA Regulated

GROSS TARE NET TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name, Signature, Shipment Date

TRANSPORTER

Transporter Name, Driver Name (Print), Address, Vehicle License No./State, Truck Number

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature, Shipment Date, Driver Signature, Delivery Date

DESTINATION

Site Name, Address, Phone No.

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent, Signature, Receipt Date

White - Facility, Green - Facility, Yellow - Generator, Pink - Broker, Goldenrod - Contractor, Blue - Trucking Co.

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Seven Steel Corporation Shipping Location NEW YORK  
 Address 11259 Jarrattville Pike Address 11259 Jarrattville Pike  
Phoenix, NY 11751 Phoenix, NY 11751  
 Phone No. (708) 840-1110 Phone No. (708) 840-1110

Approval Number  
**W5-0511**

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
 TARE  
 NET  
 TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

[Signature] Generator Authorized Agent Name [Signature] Signature 3/21/06 Shipment Date

### TRANSPORTER

Transporter Name RFO Driver Name (Print) [Signature]  
 Address [Signature] Vehicle License No./State [Signature]  
 Truck Number [Signature]

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

[Signature] Driver Signature [Signature] Shipment Date [Signature] Driver Signature [Signature] Delivery Date

### DESTINATION

Site Name Rock Safe, Incorporated Phone No. 301-782-3076  
18001 Matthews Dr. Nantux, Md, 21052

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_  
 White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.

Log Number
------------

### SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name _____	Shipping Location _____
Address _____	Address _____
Phone No. _____	Phone No. _____

Approval Number  718-9811
---------------------------------

Description of Material  Non-Regulated Petroleum Contaminated Soil  Non DOT/RCRA Regulated
--

GROSS  TARE  NET  TONNAGE
---

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name _____	Signature _____	Shipment Date _____
---------------------------------------	-----------------	---------------------

### TRANSPORTER

Transporter Name _____	Driver Name (Print) _____
Address _____	Vehicle License No./State _____
	Truck Number _____

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature _____	Shipment Date _____	Driver Signature _____	Delivery Date _____
------------------------	---------------------	------------------------	---------------------

### DESTINATION

Site Name _____	Phone No. _____
Address _____	

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent _____	Signature _____	Receipt Date _____
--------------------------------	-----------------	--------------------

White - Facility    Green - Facility    Yellow - Generator    Pink - Broker    Goldenroc - Contractor    Blue - Trucking Co.



00036

# SOIL SAFE, INC.

Log Number

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #28077  
 Address 14258 Jarrettsville Pike Address 14258 Jarrettsville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (703) 846-3510 Phone No. (703) 846-3510

Approval Number  
**W5-0511**

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
TARE  
NET  
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

[Signature] Generator Authorized Agent Name [Signature] Signature 3/27/06 Shipment Date

### TRANSPORTER

Transporter Name KMT Driver Name (Print) TERRY MEWNER  
 Address BA170, MD Vehicle License No./State E 388053A  
 Truck Number 104

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

[Signature] Driver Signature 3-27-06 Shipment Date [Signature] Driver Signature 3-27-06 Delivery Date

### DESTINATION

Site Name Soil Safe, Incorporated Phone No. 301-782-3036  
 Address 16001 Mattawoman Dr. Brandywine, MD 20613

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_  
 White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.

2-10-06  
D.L.

00036

# SOIL SAFE, INC.

Log Number
------------

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name <u>Exxon Mobil Corporation</u>	Shipping Location <u>EXXON #28077</u>
Address <u>14258 Jarrettsville Pike</u>	Address <u>14258 Jarrettsville Pike</u>
<u>Phoenix, MD 21131</u>	<u>Phoenix, MD 21131</u>
Phone No. <u>(703) 846-3510</u>	Phone No. <u>(703) 846-3510</u>

Approval Number <b>MS-0811</b>
-----------------------------------

Description of Material Non-Regulated Petroleum Contaminated Soil Non DOT/RCRA Regulated
--

GROSS TARE NET TONNAGE
------------------------

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

<u>[Signature]</u> Generator Authorized Agent Name	<u>[Signature]</u> Signature	<u>3/27/06</u> Shipment Date
---	---------------------------------	---------------------------------

### TRANSPORTER

Transporter Name <u>KMT</u>	Driver Name (Print) <u>TERRY MENDRIZ</u>
Address <u>BAITO, MD</u>	Vehicle License No./State <u>E 388053D</u>
	Truck Number <u>104</u>

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

<u>[Signature]</u> Driver Signature	<u>3-27-06</u> Shipment Date	<u>[Signature]</u> Driver Signature	<u>3-27-06</u> Delivery Date
--	---------------------------------	--	---------------------------------

### DESTINATION

Site Name <u>Soil Safe, Incorporated</u>	Phone No. <u>301-782-3036</u>
Address <u>1001 Matthews Dr. Brandywine, MD 20613</u>	

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent	Signature	Receipt Date
White - Facility	Green - Facility	Yellow - Generator
Pink - Broker	Goldenrod - Contractor	Blue - Trucking Co.

Log Number

SOIL SAFE, INC.

00037

NON-HAZARDOUS MATERIAL MANIFEST

GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #28077
Address 14258 Jarrettsville Pike Address 14258 Jarrettsville Pike
Phoenix, MD 21131 Phoenix, MD 21131
Phone No. (703) 846-3510 Phone No. (703) 846-3510

Approval Number WS-0511

Description of Material Non-Regulated Petroleum Contaminated Soil Non DOT/RCRA Regulated

GROSS TARE NET TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name [Signature] Signature [Signature] Shipment Date 2/27/06

TRANSPORTER

Transporter Name KMT Driver Name (Print) William [Signature]
Address Balt + MD Vehicle License No./State 110 547
Truck Number 105

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature [Signature] Shipment Date Driver Signature [Signature] Delivery Date

DESTINATION

Site Name Soil Safe, Incorporated Phone No. 301-782-3036
Address 16001 Mattawoman Dr. Brandywine, MD 20613

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent Signature Receipt Date
White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name: Eastwood Corporation Shipping Location: Eastwood  
 Address: 14237 Janss Road, P.O. Box 114 Address: 14237 Janss Road, P.O. Box 114  
Frederick, MD 21734 Frederick, MD 21734  
 Phone No: (301) 842-2210 Phone No: (301) 842-2210

Approval Number	Description of Material	GROSS TARE NET TONNAGE
001051	Non-Regulated Petroleum Contaminated Soil Non-DOT/PCRA Regulated	

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 268.40 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator/Authorized Agent Name: [Signature] Signature: [Signature] Ship Date: [Date]

### TRANSPORTER

Transporter Name: [Signature] Driver Name (Print): [Signature]  
 Address: [Signature] Vehicle License No./State: [Signature]  
 Truck Number: [Signature]

I hereby certify that the above named material was picked up at the generator site listed above. I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature: [Signature] Ship Date: [Date] Driver Signature: [Signature] Delivery Date: [Date]

### DESTINATION

Site Name: Eastwood Corporation Phone No: [Signature]  
 Address: 14237 Janss Road, P.O. Box 114, Frederick, MD 21734

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent: [Signature] Signature: [Signature] Receipt Date: [Date]

00038

# SOIL SAFE, INC.

Log Number

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #28077  
 Address 14258 Jarrettsville Pike Address 14258 Jarrettsville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (703) 846-3510 Phone No. (703) 846-3510

Approval Number  
**W6-0511**

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
TARE  
NET  
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

[Signature] Generator/Authorized Agent Name Signature 3/27/06 Shipment Date

### TRANSPORTER

Transporter Name Jenkins/KMT Driver Name (Print) E. Nelson  
 Address [Signature] Vehicle License No./State M.D.  
 Truck Number 1339

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

[Signature] Driver Signature 3/27 Shipment Date [Signature] Driver Signature 3/27 Delivery Date

### DESTINATION

Site Name Soil Safe, Incorporated Phone No. 301-782-3036  
 Address 16001 Mattawoman Dr. Brandywine, MD 20612

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_  
 White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Soil Safe, Inc.

Shipping Location 1333

Address 1333  
Parsons, NC 28131

Address 1333  
Parsons, NC 28131

Phone No. 704-246-2110

Phone No. 704-246-2110

Approval Number	Description of Material	GROSS
		TARE
		NET
		TONNAGE
00011	Non-Regulated Petroleum Contaminated Soil Non DOT/ICRA Regulated	

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.40 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 of any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name

Signature

Signature Date

### TRANSPORTER

Transporter Name

Driver Name (Print)

Address

Vehicle License No./State

Truck Number

I hereby certify that the above named material was picked up at the generator as listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature

Signature Date

Driver Signature

Delivery Date

### DESTINATION

Site Name

Phone No.

Address

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent

Signature

Receipt Date

00039

# SOIL SAFE, INC.

Log Number

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #29077  
 Address 14258 Jarrettsville Pike Address 14258 Jarrettsville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (703) 846-3510 Phone No. (703) 846-3510

Approval Number  
**W5-0511**

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
TARE  
NET  
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name [Signature] Signature [Signature] Shipment Date 3/27/06

### TRANSPORTER

Transporter Name [Signature] Driver Name (Print) Tawn Hopkins  
 Address [Signature] Vehicle License No./State 128510  
 Truck Number 101

I hereby certify that the above named material was picked up at the generator site listed above. I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature [Signature] Shipment Date 3-27-06 Driver Signature [Signature] Delivery Date 3-27-06

### DESTINATION

Site Name Soil Safe, Incorporated Phone No. 301-782-3036  
 Address 16001 Matthewsman Dr. Branchville, MD 20613

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_  
White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.

Log Number

# SOIL SAFE, INC

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name: Soil Safe, Inc Shipping Location: Soil Safe, Inc  
 Address: 14215 James Rd, IL Address: 14215 James Rd, IL  
 Phone No: (708) 440-1100 Phone No: (708) 440-1100

Approval Number	Description of Material	GROSS TARE NET TONNAGE
SOIL SAFE	Non-Regulated Petroleum Contaminated Soil	
	Non-DOT/RCRA Regulated	

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name: \_\_\_\_\_ Signature: \_\_\_\_\_ Shipment Date: \_\_\_\_\_

### TRANSPORTER

Transporter Name: \_\_\_\_\_ Driver Name (Print): \_\_\_\_\_  
 Address: \_\_\_\_\_ Vehicle License No./State: \_\_\_\_\_  
 Truck Number: \_\_\_\_\_

I hereby certify that the above named material was picked up at the generator site listed above. I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature: \_\_\_\_\_ Shipment Date: \_\_\_\_\_ Driver Signature: \_\_\_\_\_ Delivery Date: \_\_\_\_\_

### DESTINATION

Site Name: Soil Safe, Inc Phone No: (708) 440-1100  
 Address: 14215 James Rd, IL

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent: \_\_\_\_\_ Signature: \_\_\_\_\_ Receipt Date: \_\_\_\_\_



00040

# SOIL SAFE, INC.

Log Number

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #28077  
 Address 14258 Jarrettsville Pike Address 14258 Jarrettsville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (703) 846-3510 Phone No. (703) 846-3510

Approval Number  
**WB-0511**

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
TARE  
NET  
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

[Signature] on behalf of rom 3/27/06  
 Generator Authorized Agent Name Signature Shipment Date

### TRANSPORTER

Transporter Name KMT/K+D Driver Name (Print) Carter Thomas  
 Address 12911 Sheridan Ave Vehicle License No./State E35744D  
Baltimore MD 21239 Truck Number #20

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Carter Thomas 3-27-06  
 Driver Signature Shipment Date

Carter Thomas 3-27-06  
 Driver Signature Delivery Date

### DESTINATION

Site Name Soil Safe, Incorporated Phone No. 301-783-3036  
 Address 16001 Mattawoman Dr. Brandywine, MD 20613

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent Signature Receipt Date

White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.

Log Number

60040

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name: Soil Safe, Inc. Shipping Location: Rocky Hill, CT  
 Address: 1000 Somerville Pike Address: 1000 Somerville Pike  
Rocky Hill, MD 21131 Rocky Hill, MD 21131  
 Phone No: 410-245-2310 Phone No: 410-245-2310

Approval Number <u>10000001</u>	Description of Material Non-Regulated Petroleum Contaminated Soil Not HON/RCRA Regulated	GROSS
		TARE
		NET
		TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, is properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name: [Signature] Signature: [Signature] Ship Date: 1/25/04

### TRANSPORTER

Transporter Name: [Signature] Driver Name (Print): [Signature]  
 Address: [Signature] Vehicle License No./State: [Signature]  
[Signature] Truck Number: [Signature]

I hereby certify that the above named material was picked up at the generator site listed above. I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature: [Signature] Ship Date: 1/25/04 Driver Signature: [Signature] Delivery Date: 1/25/04

### DESTINATION

Site Name: Rocky Hill, MD 21131 Phone No: 410-245-2310  
 Address: 1000 Somerville Pike, Rocky Hill, MD 21131

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent: [Signature] Signature: [Signature] Receipt Date: 1/25/04

00041

# SOIL SAFE, INC.

Log Number

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #28077  
 Address 14258 Jarrettsville Pike Address 14258 Jarrettsville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (703) 846-3510 Phone No. (703) 846-3510

Approval Number  
**MS-0511**

Description of Material  
 Non-Regulated Petroleum Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
TARE  
NET  
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

[Signature] Generator Authorized Agent Name [Signature] Signature 3/27/06 Shipment Date

### TRANSPORTER

Transporter Name ADM Driver Name (Print) K. Adams  
 Address Baltimore MD Vehicle License No./State 147D24 Maryland  
 Truck Number 922

I hereby certify that the above named material was picked up at the generator site listed above.  
[Signature] Driver Signature 3-27-06 Shipment Date

I hereby certify that the above named material was delivered without incident to the destination listed below.  
[Signature] Driver Signature 3-27-06 Delivery Date

### DESTINATION

Site Name Soil Safe, Incorporated Phone No. 301-782-3036  
 Address 16001 Mattawoman Dr. Brandywine, MD 20613

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_  
White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST GENERATOR

Generator Name East Hill Corporation Shipping Location Rockville, MD  
 Address 4425 Arundell Pike Address 4425 Arundell Pike  
Rockville, MD 20854 Rockville, MD 20854  
 Phone No. 301-441-8000 Phone No. 301-441-5370

Approval Number	Description of Material	GROSS
		TARE
YES/NO	Non-Regulated Petroleum Contaminated Soil	NET
		TONNAGE
	Non DOT/RCRA Regulated	

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name [Signature] Signature [Signature] Shipment Date [Date]

### TRANSPORTER

Transporter Name [Signature] Driver Name (Print) [Signature]  
 Address [Signature] Vehicle License No./State [Signature]  
 Truck Number [Signature]

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature [Signature] Shipment Date [Date] Driver Signature [Signature] Delivery Date [Date]

### DESTINATION

Site Name East Hill Corporation Phone No. 301-441-8000  
 Address 4425 Arundell Pike, Rockville, MD 20854

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent [Signature] Signature [Signature] Receipt Date [Date]

00042

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #28877  
 Address 14258 Jagrettsville Pike Address 14258 Jagrettsville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (703) 846-3510 Phone No. (703) 846-3510

Approval Number  
**W6-0511**

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
TARE  
NET  
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name [Signature] or behalf of Exxon Signature [Signature] Shipment Date 3/27/06

### TRANSPORTER

Transporter Name KMT Driver Name (Print) Andrew Mackey  
 Address Beth Md Vehicle License No./State 21216 MD 88467D  
 Truck Number ADM 46

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature [Signature] Shipment Date 3/27/06 Driver Signature [Signature] Delivery Date 3/27/06

### DESTINATION

Site Name Soil Safe, Incorporated Phone No. 301-782-3036  
 Address 16001 Mattawoman Dr. Brandywine, MD 20613

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_  
White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name: SOIL SAFE, INC. Shipping Location: 12345 Main St  
 Address: 12345 Main St Address: 12345 Main St  
Hamers, MD 21131 Hamers, MD 21131  
 Phone No: 703-440-3110 Phone No: 703-440-3110

Approval Number	Description of Material	GROSS
		TARE
		NET
		TONNAGE
00000000	Non-Regulated Petroleum Contaminated Soil Non-DOT RCRA Regulated	

I hereby certify that the above named material does not contain free liquids as defined by 40 CFR Part 268.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name: \_\_\_\_\_ Signature: \_\_\_\_\_ Shipment Date: \_\_\_\_\_

### TRANSPORTER

Transporter Name: KDOT Driver Name (Print): John A. Miller  
 Address: PA, MD Vehicle License No./State: 4832 PA  
 Truck Number: 46

I hereby certify that the above named material was picked up at the generator site listed above. I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature: \_\_\_\_\_ Shipment Date: \_\_\_\_\_ Driver Signature: \_\_\_\_\_ Delivery Date: \_\_\_\_\_

### DESTINATION

Site Name: SOIL SAFE, INC. Phone No: 703-440-3110  
 Address: 12345 Main St, Hamers, MD 21131

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent: \_\_\_\_\_ Signature: \_\_\_\_\_ Receipt Date: \_\_\_\_\_

000 93

# SOIL SAFE, INC.

Log Number

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #28077  
 Address 14238 Jarrettsville Pike Address 14238 Jarrettsville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (703) 846-3510 Phone No. (703) 846-3510

Approval Number  
**W5-0511**

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
TARE  
NET  
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

[Signature] Generator Authorized Agent Name Signature 3/27/06 Shipment Date

### TRANSPORTER

Transporter Name KMT/K&D Driver Name (Print) Carter Thayer  
 Address 12411 Skeridan Ave Vehicle License No./State E 3570000  
Baltimore, MD 21239 Truck Number 420

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

[Signature] Driver Signature 3-27-06 Shipment Date [Signature] Driver Signature 3-27-06 Delivery Date

### DESTINATION

Site Name Soil Safe, Incorporated Phone No. 301-782-3036  
 Address 16001 Mattawoman Dr. Brandywine, MD 20613

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_  
White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Robert M. Hill Corporation Shipping Location 2477 Jagers Mill Rd  
 Address 1427 Jagers Mill Rd Address 2477 Jagers Mill Rd  
Sumner, MD 21151 Sumner, MD 21151  
 Phone No. 410-642-5311 Phone No. 410-642-5311

Approval Number	Description of Material	GROSS TARE NET TONNAGE
<u>100-0000</u>	<u>Non-Regulated Petroleum Contaminated Soil</u> <u>Non DOT/RCRA Regulated</u>	

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

Generator Authorized Agent Name \_\_\_\_\_ Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_

### TRANSPORTER

Transporter Name R.M.T. Inc. Driver Name (Print) \_\_\_\_\_  
 Address 1427 Jagers Mill Rd Vehicle License No./State \_\_\_\_\_  
 \_\_\_\_\_ Truck Number \_\_\_\_\_

I hereby certify that the above named material was picked up at the generator site listed above. I hereby certify that the above named material was delivered without incident to the destination listed below.

Driver Signature \_\_\_\_\_ Shipment Date \_\_\_\_\_ Driver Signature \_\_\_\_\_ Delivery Date \_\_\_\_\_

### DESTINATION

Site Name Robert M. Hill Corporation Phone No. 410-642-5311  
 Address 1427 Jagers Mill Rd, Sumner, MD 21151

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_



00044

Log Number

# SOIL SAFE, INC.

## NON-HAZARDOUS MATERIAL MANIFEST

### GENERATOR

Generator Name Exxon Mobil Corporation Shipping Location Exxon #28077  
 Address 14258 Jarrettsville Pike Address 14258 Jarrettsville Pike  
Phoenix, MD 21131 Phoenix, MD 21131  
 Phone No. (703) 846-3310 Phone No. (703) 846-3310

Approval Number  
**WS-0511**

Description of Material  
 Non-Regulated Petroleum  
 Contaminated Soil  
 Non DOT/RCRA Regulated

GROSS  
TARE  
NET  
TONNAGE

I hereby certify that the above named material does not contain free liquid as defined by 40 CFR Part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations.

[Signature] on behalf of Exxon Generator Authorized Agent Name Signature 3/27/06 Shipment Date

### TRANSPORTER

Transporter Name Jenkins (Kmi) Trucking Driver Name (Print) Vernard Jones  
 Address 1304 E 36 ST Vehicle License No./State 143560 MD  
 Truck Number 1338

I hereby certify that the above named material was picked up at the generator site listed above.

I hereby certify that the above named material was delivered without incident to the destination listed below.

[Signature] Driver Signature 3-27-06 Shipment Date

[Signature] Driver Signature 3-27-06 Delivery Date

### DESTINATION

Site Name Soil Safe, Incorporated Phone No. 301-782-3036  
 Address 16001 Mattawoman Dr, Brandywine, MD 20613

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

Name of Authorized Agent \_\_\_\_\_ Signature \_\_\_\_\_ Receipt Date \_\_\_\_\_  
 White - Facility Green - Facility Yellow - Generator Pink - Broker Goldenrod - Contractor Blue - Trucking Co.

**APPENDIX E**  
**Backfill Documentation**

\*408.42 TONS

# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 4-4-6 DELIVERY TIME \_\_\_\_\_

JOB# Exxon Jaxcocksville CONTACT NAME Joe

PO# 6788 PHONE NUMBER \_\_\_\_\_

CUSTOMER NAME Petroleum Services

JOB ADDRESS 14258 Jaxcocksville Pike

DUCT #7

# OF LOADS	<u>7</u>
GROSS WEIGHT	<u>69,540</u>
TARE WEIGHT	<u>23,300</u>
NET WEIGHT	<u>46,240</u>
TONS	<u>23.12</u>

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1777 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY: Paul Potter

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

MI - 07

Paul Potter 65965  
1549.62 TONS



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 4-4-06 DELIVERY TIME \_\_\_\_\_  
JOB# EXX01 CONTACT NAME Joe  
PO# 6788 PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME Petroleum Services  
JOB ADDRESS 14258 Sarrettsville Pike

PRODUCT # 7 stone

# OF LOADS \_\_\_\_\_  
GROSS WEIGHT 69600  
TARE WEIGHT 24320  
NET WEIGHT 45280  
TONS 22.64

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____


**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 17860 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07

69436



2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
 301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 4-4-6 DELIVERY TIME \_\_\_\_\_  
 JOB# Exxon Jarrattsville CONTACT NAME Joe  
 PO# 6788 PHONE NUMBER \_\_\_\_\_  
 CUSTOMER NAME Petroleum Services  
 JOB ADDRESS 14258 Jarrattsville Rly

PRODUCT #7

# OF LOADS \_\_\_\_\_  
 GROSS WEIGHT 69840  
 TARE WEIGHT 23300  
 NET WEIGHT 46540  
 TONS 2327

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1777 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY \_\_\_\_\_

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

MI - 07

65966



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 < 410-793-0503 < 410-956-2338 < 1-800-628-4942

DATE 7-11-06 DELIVERY TIME \_\_\_\_\_  
JOB# Jantstville 2470 CONTACT NAME \_\_\_\_\_  
PO# 6788 PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME Petig Ser.  
JOB ADDRESS 14258 Jantstville Pkwy

# 7

### PRODUCT

# OF LOADS

GROSS WEIGHT

TARE WEIGHT

NET WEIGHT

TONS

DIRECTIONS

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

69560  
21970  
114610  
2232

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1775 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07

76518



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 11-17-06 DELIVERY TIME \_\_\_\_\_  
JOB# Jarrettsville EXYON CONTACT NAME \_\_\_\_\_  
PO# 6788 PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME Petro Ser.  
JOB ADDRESS 11258 Jarrettsville Pike

#7



# OF LOADS	_____
GROSS WEIGHT	<u>69 886</u>
TARE WEIGHT	<u>21920</u>
NET WEIGHT	<u>47966</u>
TONS	<u>27.518</u>

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

DIRECTIONS \_\_\_\_\_

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_


TRUCK # 1775 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07

76519



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 4-4-06 DELIVERY TIME \_\_\_\_\_  
JOB# 6788 CONTACT NAME John  
PO# 6788 PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME Potomac Service  
JOB ADDRESS 14258 Janettsville Lake



# OF LOADS # 17

GROSS WEIGHT 69.440

TARE WEIGHT 24.200

NET WEIGHT 44.740

TONS 22.37

DIRECTIONS 13/E/11

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1784 ARRIVE JOBSITE [Signature] DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY \_\_\_\_\_

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

BMI-07

77547





# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 4-4-06 DELIVERY TIME \_\_\_\_\_  
JOB# EXXON CONTACT NAME Joe  
PO# 6788 PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME Petroleum Services  
JOB ADDRESS Jarrettsville Pike  
14358

PRODUCT #7 Stone

# OF LOADS \_\_\_\_\_

GROSS WEIGHT 69,660

TARE WEIGHT 24,320

NET WEIGHT 45,340

TONS 22.67

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor-site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1786 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

BMI - 07

69435

# PMI Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 < 410-793-0503 < 410-956-2338 < 1-800-628-4942

DATE 4-4-6 DELIVERY TIME \_\_\_\_\_  
JOB# Exxon Jarrettsville CONTACT NAME Joc  
PO# 6788 PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME Petroleum Services  
JOB ADDRESS 14258 Jarrettsville Pike

PRODUCT #7

# OF LOADS \_\_\_\_\_

GROSS WEIGHT 69,960

TARE WEIGHT 23,300

NET WEIGHT 46,660

TONS 23.33

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1777 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07

65967



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 < 410-793-0503 < 410-956-2338 < 1-800-628-4942

DATE 4-4-06 DELIVERY TIME \_\_\_\_\_  
 JOB# 444 CONTACT NAME \_\_\_\_\_  
 PO# 6788 PHONE NUMBER \_\_\_\_\_  
 CUSTOMER NAME Potomac Sea  
 JOB ADDRESS Jonestownville Pike

### PRODUCT

# OF LOADS 47  
 GROSS WEIGHT 69.260  
 TARE WEIGHT 24.700  
 NET WEIGHT 44.560  
 TONS 22.28  
 DIRECTIONS \_\_\_\_\_

### C.O.D. SHIPMENTS

MATERIAL \_\_\_\_\_  
 SALES TAX \_\_\_\_\_  
 HAUL CHARGE \_\_\_\_\_  
 TOTAL \$ \_\_\_\_\_

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_


TRUCK # 1284 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY \_\_\_\_\_

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI-07

77548



2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
 301-261-3683 < 410-793-0503 < 410-956-2338 < 1-800-628-4942

DATE 11-4-06 DELIVERY TIME \_\_\_\_\_  
 JOB# Saintsbk exys CONTACT NAME \_\_\_\_\_  
 PO# 6788 PHONE NUMBER \_\_\_\_\_  
 CUSTOMER NAME Actio Services  
 JOB ADDRESS 11258 Saintsbk Pike

#7

PRODUCT \_\_\_\_\_

# OF LOADS \_\_\_\_\_  
 GROSS WEIGHT 69680  
 TARE WEIGHT 21970  
 NET WEIGHT 47710  
 TONS 2238  
 DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1775 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
 RECEIVED BY D. Hickey

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07

76517



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 4-4-06 DELIVERY TIME \_\_\_\_\_  
 JOB# EXXON CONTACT NAME Joe  
 PO# 6788 PHONE NUMBER \_\_\_\_\_  
 CUSTOMER NAME Petroleum Services  
 JOB ADDRESS 14258 Jarrettsville Pike

PRODUCT # 7 stone

# OF LOADS	
GROSS WEIGHT	<u>69,500</u>
TARE WEIGHT	<u>24,320</u>
NET WEIGHT	<u>45,180</u>
TONS	<u>22.59</u>
DIRECTIONS	

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1786 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
 RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

# PMI Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 < 410-793-0503 < 410-956-2338 < 1-800-628-4942

DATE 4-4-06 DELIVERY TIME \_\_\_\_\_  
JOB# Edson CONTACT NAME \_\_\_\_\_  
PO# 6788 PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME Petroleum Sec  
JOB ADDRESS Janettsville Pike

PRODUCT #7

# OF LOADS \_\_\_\_\_  
GROSS WEIGHT 69.360  
TARE WEIGHT 24.700  
NET WEIGHT 44.660  
TONS 22.33

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

TOW ACKNOWLEDGMENT: Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1784 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI-07

77549



2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
 301-261-3683 < 410-793-0503 < 410-956-2338 < 1-800-628-4942

DATE 11-11-06 DELIVERY TIME \_\_\_\_\_  
 JOB# Jarrettsville Pxyon CONTACT NAME \_\_\_\_\_  
 PO# 67 ft PHONE NUMBER \_\_\_\_\_  
 CUSTOMER NAME Pedro Serv.  
 JOB ADDRESS 1056 Jarrettsville Ave

PRODUCT #7

# OF LOADS \_\_\_\_\_  
 GROSS WEIGHT 69,100  
 TARE WEIGHT 21,926  
 NET WEIGHT 47,174  
 TONS 22.09

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1775 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY \_\_\_\_\_

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

SMI - 07

76520



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 4-4-6 DELIVERY TIME \_\_\_\_\_  
 JOB# Exxon-Jarrettsville CONTACT NAME Joe  
 PO# 6788 PHONE NUMBER \_\_\_\_\_  
 CUSTOMER NAME Petroleum Services  
 JOB ADDRESS 14258 Jarrettsville Pike

PRODUCT #7

# OF LOADS \_\_\_\_\_

GROSS WEIGHT 68,960

TARE WEIGHT 23,300

NET WEIGHT 45,660

TONS 22.83

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1777 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY \_\_\_\_\_

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

DMF - 07

65968





# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 4-1-06 DELIVERY TIME \_\_\_\_\_  
JOB# Jarrettsville Pylon CONTACT NAME \_\_\_\_\_  
PO# 6788 PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME Petro Serv.  
JOB ADDRESS 1928 Jarrettsville Pike



PRODUCT #7

# OF LOADS \_\_\_\_\_

GROSS WEIGHT 69580  
TARE WEIGHT 24700  
NET WEIGHT 44880  
TONS 22.44

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 775 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

DMI - 07

76521



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 < 410-793-0503 < 410-956-2338 < 1-800-628-4942

DATE 4-4-6 DELIVERY TIME \_\_\_\_\_  
JOB# Exxon Jarroville CONTACT NAME Joe  
PO# 6788 PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME Petroleum Services  
JOB ADDRESS 14258 Jarroville Pk

PRODUCT #7  
# OF LOADS \_\_\_\_\_  
GROSS WEIGHT 69,960  
TARE WEIGHT 23,300  
NET WEIGHT 46,660  
TONS 23.33  
DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOWACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1777 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

RMH - 07

65969



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 4-4-06 DELIVERY TIME \_\_\_\_\_

JOB# EXXON CONTACT NAME \_\_\_\_\_

PO# 6788 PHONE NUMBER \_\_\_\_\_

CUSTOMER NAME Peter Lee

JOB ADDRESS Janettsville Pike

PRODUCT # 7

# OF LOADS	<u>69,240</u>
GROSS WEIGHT	<u>24,700</u>
TARE WEIGHT	<u>44,540</u>
NET WEIGHT	<u>22.27</u>
TONS	

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

TOW ACKNOWLEDGMENT: Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1784 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 4-4-00 DELIVERY TIME \_\_\_\_\_  
JOB# FXX04 CONTACT NAME Joe  
PO# 6788 PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME Petroleum Services  
JOB ADDRESS 14258 Jarrettsville Pike

PRODUCT # 7 Stone

# OF LOADS	<u>69,600</u>
GROSS WEIGHT	<u>24,320</u>
TARE WEIGHT	<u>45,360</u>
NET WEIGHT	<u>22.68</u>
TONS	

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

DIRECTIONS \_\_\_\_\_

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1786 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY D. H. [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE.

FORM - 07

69438



\*305

# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 • 410-793-0503 • 410-956-2338 • 1-800-628-4942

DATE 4-5-06 DELIVERY TIME \_\_\_\_\_  
JOB# JARRETSVILLE EXO CONTACT NAME JOHN  
PO# 6788 PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME PETROLEUM SERVICES  
JOB ADDRESS 14258 JARRETSVILLE PIKE

PRODUCT #7 STONE

# OF LOADS \_\_\_\_\_  
GROSS WEIGHT 69380  
TARE WEIGHT 22080  
NET WEIGHT 47300  
TONS 23.65

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

DIRECTIONS \_\_\_\_\_

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1759 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY P. Hester

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07

004531



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 • 410-793-0503 • 410-956-2338 • 1-800-628-4942

DATE 4/5/6 DELIVERY TIME \_\_\_\_\_

JOB# \_\_\_\_\_ CONTACT NAME \_\_\_\_\_

PO# 6788 PHONE NUMBER \_\_\_\_\_

CUSTOMER NAME Patr Service

JOB ADDRESS Exxon 14258

Jacksonville

7#

PRODUCT \_\_\_\_\_

# OF LOADS 15

GROSS WEIGHT 69,980

TARE WEIGHT 24,780

NET WEIGHT 45,200

TONS 82.63

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # D72 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY D. H. [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07



018866



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 • 410-793-0503 • 410-956-2338 • 1-800-628-4942

DATE 4-5-06 DELIVERY TIME \_\_\_\_\_  
JOB# JARRETSVILLE EXON CONTACT NAME JOHN  
PO# 6788 PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME PETROLEUM SERVICES  
JOB ADDRESS 14258 JARRETSVILLE PIKE

PRODUCT #7 STONE

# OF LOADS \_\_\_\_\_

GROSS WEIGHT 69020

TARE WEIGHT 22080

NET WEIGHT 46940

TONS 23.47

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1759 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY D. Wolfe

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07

004530



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 • 410-793-0503 • 410-956-2338 • 1-800-628-4942

DATE 4-5-06 DELIVERY TIME \_\_\_\_\_  
JOB# JARRETSVILLE EXON CONTACT NAME JOHN  
PO# 6788 PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME DEIROLEUM SERVICES  
JOB ADDRESS 14258 JARRETSVILLE PIKE

PRODUCT #7 STONE

# OF LOADS	_____
GROSS WEIGHT	<u>69800</u>
TARE WEIGHT	<u>22080</u>
NET WEIGHT	<u>47720</u>
TONS	<u>23.86</u>

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1759 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY \_\_\_\_\_

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07



004524





2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
 301-261-3683 • 410-793-0503 • 410-956-2338 • 1-800-628-4942

DATE 4-5-06 DELIVERY TIME \_\_\_\_\_

JOB# JARRETTSVILLE EXON CONTACT NAME JOHN

PO# 6788 PHONE NUMBER \_\_\_\_\_

CUSTOMER NAME PETROLEUM SERVICES

JOB ADDRESS 4258 JARRETTSVILLE DIKE

PRODUCT # 7 STONE

# OF LOADS \_\_\_\_\_

GROSS WEIGHT 69480

TARE WEIGHT 22080

NET WEIGHT 47400

TONS 2370

DIRECTIONS \_\_\_\_\_


C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1759 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE



**Patuxent Materials Inc.**  
 2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
 301-261-3683 • 410-793-0503 • 410-956-2338 • 1-800-628-4942

DATE 4/5/6 DELIVERY TIME \_\_\_\_\_  
 JOB# Jacksonville CONTACT NAME \_\_\_\_\_  
 PO# 6788 PHONE NUMBER \_\_\_\_\_  
 CUSTOMER NAME Pat Service  
 JOB ADDRESS Exxon 14258  
JACKSONVILLE

PRODUCT \_\_\_\_\_  
 # OF LOADS 4  
 GROSS WEIGHT 70.000  
 TARE WEIGHT 24.720  
 NET WEIGHT 45.280  
 TONS 22.64  
 DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_


TRUCK # 1778 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
 RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07



018863



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
 301-261-3683 • 410-793-0503 • 410-956-2338 • 1-800-628-4942

DATE 4/5/6 DELIVERY TIME \_\_\_\_\_  
 JOB# Jacksonville CONTACT NAME \_\_\_\_\_  
 PO# 6788 PHONE NUMBER \_\_\_\_\_  
 CUSTOMER NAME POTR Service  
 JOB ADDRESS Exxon 14258 Jacksonville

PRODUCT 7 #

# OF LOADS 3  
 GROSS WEIGHT 69,780  
 TARE WEIGHT 24,780  
 NET WEIGHT 45,060  
 TONS 22.53

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW/ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1772 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY P. Heston

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 • 410-793-0503 • 410-956-2338 • 1-800-628-4942

DATE 4-5-06 DELIVERY TIME \_\_\_\_\_  
JOB# JARRETSVILLE EXON CONTACT NAME JOHN  
PO# 6788 PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME PETROLEUM SERVICES  
JOB ADDRESS 14558 JARRETSVILLE PIKE

PRODUCT #7 STONE

# OF LOADS	_____
GROSS WEIGHT	<u>70000</u>
TARE WEIGHT	<u>22080</u>
NET WEIGHT	<u>47920</u>
TONS	<u>23.96</u>

C.O.D. SHIPMENTS

MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

DIRECTIONS \_\_\_\_\_

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_


TRUCK # 1759 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY D. H. [Signature]

Please read the back of ticket before signing. PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07



004528



2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
 301-261-3683 • 410-793-0503 • 410-956-2338 • 1-800-628-4942

DATE 4-5-06 DELIVERY TIME \_\_\_\_\_  
 JOB# JARRETSVILLE EXON CONTACT NAME JOHN  
 PO# 6788 PHONE NUMBER \_\_\_\_\_  
 CUSTOMER NAME PETROLEUM SERVICES  
 JOB ADDRESS 14258 JARRETSVILLE PIKE

PRODUCT #7 STONE

# OF LOADS \_\_\_\_\_  
 GROSS WEIGHT 70000  
 TARE WEIGHT 22080  
 NET WEIGHT 47920  
 TONS 23.96

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1759 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
 RECEIVED BY D. Hurley

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07

004529

# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 • 410-793-0503 • 410-956-2338 • 1-800-628-4942

DATE 4/5/6 DELIVERY TIME \_\_\_\_\_

JOB# \_\_\_\_\_ CONTACT NAME JONE

PO# 6788 PHONE NUMBER \_\_\_\_\_

CUSTOMER NAME Pot Swear

JOB ADDRESS Exxon 14258

Jacksonville

7#

### PRODUCT

# OF LOADS

GROSS WEIGHT

TARE WEIGHT

NET WEIGHT

TONS

DIRECTIONS

### C.O.D. SHIPMENTS

MATERIAL

SALES TAX

HAUL CHARGE

TOTAL \$

1  
69,220  
24,720  
44,500  
22.05

13-R-11

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1772 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY Patuxent

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07

018859



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 • 410-793-0503 • 410-956-2388 • 1-800-628-4942

DATE 4/5/6 DELIVERY TIME \_\_\_\_\_  
JOB# Jacksonville CONTACT NAME Jones  
PO# 6788 PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME Patux Service  
JOB ADDRESS Exxon 14258  
Jacksonville

PRODUCT \_\_\_\_\_ # OF LOADS 2

GROSS WEIGHT 70,000  
TARE WEIGHT 24,780  
NET WEIGHT 45,200  
TONS 22.64

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor-site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_


TRUCK # 078 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY D. Harty

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07



018861



2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
 301-261-3683 • 410-793-0503 • 410-956-2338 • 1-800-628-4942

DATE 4.5.06 DELIVERY TIME \_\_\_\_\_

JOB# JARRETSVILLE EXON CONTACT NAME JOHN

PO# 6788 PHONE NUMBER \_\_\_\_\_

CUSTOMER NAME PETROLEUM SERVICES

JOB ADDRESS 14258 JARRETSVILLE PIKE

PRODUCT #7 STONE

# OF LOADS \_\_\_\_\_

GROSS WEIGHT 69980

TARE WEIGHT 22080

NET WEIGHT 47900

TONS 23.95

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1759 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY D. Harty

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07



004526





2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
 301-261-3683 • 410-793-0503 • 410-956-2338 • 1-800-628-4942

DATE 4-5-06 DELIVERY TIME \_\_\_\_\_  
 JOB# JARRETSVILLE EXON CONTACT NAME JOHN  
 PO# 6788 PHONE NUMBER \_\_\_\_\_  
 CUSTOMER NAME PETROLEUM SERVICES  
 JOB ADDRESS 4258 JARRETSVILLE PIKE

PRODUCT #7 Stone

# OF LOADS \_\_\_\_\_

GROSS WEIGHT 70000  
 TARE WEIGHT 22080  
 NET WEIGHT 47920  
 TONS 2396

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1759 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
 RECEIVED BY P. Hickey

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07



004525

89.29



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 • 410-793-0503 • 410-956-2338 • 1-800-628-4942

DATE 4-6-06 DELIVERY TIME \_\_\_\_\_  
JOB# JARRETSVILLE EXON CONTACT NAME JOHN  
PO# 60788 PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME PETROLEUM SERVICES  
JOB ADDRESS 14258 JARRETSVILLE PIKE

PRODUCT #7 STONE

# OF LOADS \_\_\_\_\_  
GROSS WEIGHT 70000  
TARE WEIGHT 22080  
NET WEIGHT 47920  
TONS 2396

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____


**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1759 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07

004540



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 • 410-793-0503 • 410-956-2338 • 1-800-628-4942

DATE 4-6-06 DELIVERY TIME \_\_\_\_\_

JOB# JARRETSVILLE EXON CONTACT NAME JOHN

PO# 6788 PHONE NUMBER \_\_\_\_\_

CUSTOMER NAME PETROLEUM SERVICES

JOB ADDRESS 4258 JARRETSVILLE PIKE

PRODUCT # 7 STONE

# OF LOADS \_\_\_\_\_

GROSS WEIGHT 69940

TARE WEIGHT 22080

NET WEIGHT 47860

TONS 23.93

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_


TRUCK # 1759 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY [Signature]

Please read the back of ticket before signing. PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

MI - 07

004535



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 • 410-793-0503 • 410-956-2338 • 1-800-628-4942

DATE 4-6-06 DELIVERY TIME \_\_\_\_\_  
JOB# JARRETSVILLE EXON CONTACT NAME JOHN  
PO# 6788 PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME PETROLEUM SERVICES  
JOB ADDRESS 14258 JARRETSVILLE PIKE

PRODUCT # 7 STONE

# OF LOADS \_\_\_\_\_  
GROSS WEIGHT 69920  
TARE WEIGHT 22080  
NET WEIGHT 47840  
TONS 23.92

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1759 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

MI - 07

004536

# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 • 410-793-0503 • 410-956-2338 • 1-800-628-4942

DATE 4-6-06 DELIVERY TIME \_\_\_\_\_  
JOB# JARRETSVILLE EXON CONTACT NAME JOHN  
PO# 6788 PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME PETROLEUM SERVICES  
JOB ADDRESS 14258 JARRETSVILLE PIKE

PRODUCT # 7 STONE

# OF LOADS \_\_\_\_\_

GROSS WEIGHT 69680  
TARE WEIGHT 22080  
NET WEIGHT 47600  
TONS 23.80

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1759 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07



004538



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 • 410-793-0503 • 410-956-2338 • 1-800-628-4942

DATE 4-6-06 DELIVERY TIME \_\_\_\_\_  
JOB# JARRETTVILLE EXON CONTACT NAME JOHN  
PO# 6788 PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME PETROLEUM SERVICES  
JOB ADDRESS 14258 JARRETTVILLE PIRE

PRODUCT #7 STONE

# OF LOADS \_\_\_\_\_  
GROSS WEIGHT 69720  
TARE WEIGHT 22080  
NET WEIGHT 47640  
TONS 23.82  
DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1759 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY [Signature]  
Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE



004539



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 • 410-793-0503 • 410-956-2338 • 1-800-628-4942

DATE 4-6-06 DELIVERY TIME \_\_\_\_\_  
JOB# JARRETSVILLE EXON CONTACT NAME JOHN  
PO# 6788 PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME PETROLEUM SERVICES  
JOB ADDRESS 14258 JARRETSVILLE PIKE

PRODUCT # 7 STONE

# OF LOADS \_\_\_\_\_

GROSS WEIGHT 69680

TARE WEIGHT 22080

NET WEIGHT 47600

TONS 23.80

DIRECTIONS \_\_\_\_\_

### C.O.D. SHIPMENTS

MATERIAL \_\_\_\_\_  
SALES TAX \_\_\_\_\_  
HAUL CHARGE \_\_\_\_\_  
TOTAL \$ \_\_\_\_\_

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1459 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

MMI - 07

004533



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 • 410-793-0503 • 410-956-2338 • 1-800-628-4942

DATE 5/5/6 DELIVERY TIME \_\_\_\_\_

JOB# \_\_\_\_\_ CONTACT NAME \_\_\_\_\_

PO# 6788 PHONE NUMBER \_\_\_\_\_

CUSTOMER NAME PSF Service

JOB ADDRESS Exxon 14258

Jaffa Sawville

PRODUCT 7#

# OF LOADS 6

GROSS WEIGHT 69,200

TARE WEIGHT 24,720

NET WEIGHT 44,480

TONS 22.24

DIRECTIONS \_\_\_\_\_

### C.O.D. SHIPMENTS

MATERIAL \_\_\_\_\_

SALES TAX \_\_\_\_\_

HAUL CHARGE \_\_\_\_\_

TOTAL \$ \_\_\_\_\_

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 772 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07

018867





2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
 301-261-3683 • 410-793-0503 • 410-956-2338 • 1-800-628-4942

DATE 4-6-06 DELIVERY TIME \_\_\_\_\_  
 JOB# JARRETSVILLE EXON CONTACT NAME JOHN  
 PO# 6788 PHONE NUMBER \_\_\_\_\_  
 CUSTOMER NAME PETROLEUM SERVICES  
 JOB ADDRESS 4058 JARRETSVILLE PIKE

PRODUCT #7 STONE  
 # OF LOADS \_\_\_\_\_  
 GROSS WEIGHT 69720  
 NET WEIGHT 47640  
 TONS 23.82  
 DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions; and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1759 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
 RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07

004537

60840



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 < 410-793-0503 < 410-956-2338 < 1-800-628-4942

DATE 4-7-06 DELIVERY TIME \_\_\_\_\_

JOB# EXX01 CONTACT NAME Joe

PO# Joe PHONE NUMBER \_\_\_\_\_

CUSTOMER NAME Petroleum Services

OB ADDRESS 1458 Jarrettville Pike

PRODUCT # 7 stone

# OF LOADS \_\_\_\_\_

GROSS WEIGHT 69300

TARE WEIGHT 24300

NET WEIGHT 45000

TONS 22.50

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1780 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY P. Hickey

Please read the back of ticket before signing. PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07

69449

# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 < 410-793-0503 < 410-956-2338 < 1-800-628-4942

DATE 4/17/06 DELIVERY TIME \_\_\_\_\_  
JOB# Jarrettsville Exxon CONTACT NAME Joe  
PO# Joe PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME Petroleum Ser.  
JOB ADDRESS 147258 Jarrettsville Rd

PRODUCT #7 Stone  
# OF LOADS \_\_\_\_\_  
GROSS WEIGHT 69460  
TARE WEIGHT 23940  
NET WEIGHT 45520  
TONS 22.76  
DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 14 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY R. Hurley

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07

63054

# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 / 410-793-0503 / 410-956-2338 / 1-800-628-4942

DATE 4-7-06 DELIVERY TIME \_\_\_\_\_  
JOB# EXXON CONTACT NAME Joe  
PO# Joe PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME Petroleum Services  
JOB ADDRESS 14258 Jarettsville Pike

PRODUCT # 7 stone

# OF LOADS \_\_\_\_\_

GROSS WEIGHT 69,980  
TARE WEIGHT 24,320  
NET WEIGHT 45,660  
TONS 22.83

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow-charges. INITIALS \_\_\_\_\_

TRUCK # 1786 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY R. Hark

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07

69650

# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 4-07-06 DELIVERY TIME \_\_\_\_\_

JOB# Exxon Jaxect CONTACT NAME Jac

PO# Jac PHONE NUMBER \_\_\_\_\_

CUSTOMER NAME Porterhouse Sec.

JOB ADDRESS 14218 Jaxect Trail Rd

PRODUCT #7 STONE

# OF LOADS \_\_\_\_\_

GROSS WEIGHT 69300

TARE WEIGHT 24640

NET WEIGHT 44660

TONS 22.57

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1287 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07 **69945**



2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
 301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 4-02-06 DELIVERY TIME \_\_\_\_\_  
 JOB# Essex/Smartwick CONTACT NAME Joe  
 PO# Joe PHONE NUMBER \_\_\_\_\_  
 CUSTOMER NAME P. Jackson Sea  
 JOB ADDRESS 14250 Jansettville

PRODUCT 777 STONE

# OF LOADS \_\_\_\_\_  
 GROSS WEIGHT 69820  
 TARE WEIGHT 24690  
 NET WEIGHT 45130  
 TONS 1 22.59

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

DIRECTIONS \_\_\_\_\_

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to \_\_\_\_\_  
 \_\_\_\_\_ and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1782 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
 RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS 044

# PATUXENT MATERIALS INC.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 4-7-06 DELIVERY TIME \_\_\_\_\_  
JOB# EMM CONTACT NAME \_\_\_\_\_  
PO# Joe PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME Peter Ser.  
JOB ADDRESS Janetville Pike

# 17

PRODUCT \_\_\_\_\_

# OF LOADS \_\_\_\_\_

GROSS WEIGHT 69.940

TARE WEIGHT 24.760

NET WEIGHT 45.240

TONS 22.62

DIRECTIONS \_\_\_\_\_

## C.O.D. SHIPMENTS

MATERIAL \_\_\_\_\_

SALES TAX \_\_\_\_\_

HAUL CHARGE \_\_\_\_\_

TOTAL \$ \_\_\_\_\_

TOW ACKNOWLEDGMENT: Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1784 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY J. M. [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07

62459

# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 < 410-793-0503 < 410-956-2338 < 1-800-628-4942

DATE 4-7-06 DELIVERY TIME \_\_\_\_\_  
JOB# EXX01 CONTACT NAME Joe  
PO# Joe PHONE NUMBER \_\_\_\_\_

CUSTOMER NAME Petroleum Services  
JOB ADDRESS 14258 Jarrettsville Pike

PRODUCT # 7 Stone

# OF LOADS	
GROSS WEIGHT	<u>69720</u>
TARE WEIGHT	<u>24320</u>
NET WEIGHT	<u>45400</u>
TONS	<u>22.70</u>
DIRECTIONS	

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 17860 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE  
MI - 07

69448



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 < 410-793-0503 < 410-956-2338 < 1-800-628-4942

DATE 4-7-06 DELIVERY TIME \_\_\_\_\_  
JOB# EXXON / JARRETTSVILLE CONTACT NAME JOE  
PO# JOE PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME PETROLEUM SERVICES  
JOB ADDRESS 14258 JARRETTSVILLE RD.

PRODUCT # 7 STONE

# OF LOADS \_\_\_\_\_  
GROSS WEIGHT 69,040  
TARE WEIGHT 24,420  
NET WEIGHT 44,620  
TONS 22.31

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

DIRECTIONS \_\_\_\_\_

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1785 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY [Signature]

Please read the back of ticket before signing. PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07

69108

# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 4/17/06

DELIVERY TIME \_\_\_\_\_

JOB# Jame Hsville Exton

CONTACT NAME Joe

PO# Joe

PHONE NUMBER \_\_\_\_\_

CUSTOMER NAME Petroleum Sec

JOB ADDRESS 14258 Jarrettsville Rd

PRODUCT # 7 Stone

# OF LOADS \_\_\_\_\_

GROSS WEIGHT 69700

TARE WEIGHT 23940

NET WEIGHT 45760

TONS 22.88

DIRECTIONS \_\_\_\_\_

## C.O.D. SHIPMENTS

MATERIAL \_\_\_\_\_

SALES TAX \_\_\_\_\_

HAUL CHARGE \_\_\_\_\_

TOTAL \$ \_\_\_\_\_

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 14 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07

63052

# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 4-07-06 DELIVERY TIME \_\_\_\_\_  
JOB# Exxon/SAARTRAIL CONTACT NAME Jac  
PO# Jac PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME Patuxent Sea  
JOB ADDRESS 1921F Jaccobsville Rd

PRODUCT #17 STEEL

# OF LOADS \_\_\_\_\_  
GROSS WEIGHT 65960  
TARE WEIGHT 24440  
NET WEIGHT 41520  
TONS 20.66

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1788 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07

69942



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 < 410-793-0503 < 410-956-2338 < 1-800-628-4942

DATE 4-7-06 DELIVERY TIME \_\_\_\_\_  
JOB# EXXON CONTACT NAME Joe  
PO# Joe PHONE NUMBER \_\_\_\_\_

CUSTOMER NAME Petroleum Services  
JOB ADDRESS 14258 Jarrettsville Pike

PRODUCT # 7 stone

# OF LOADS \_\_\_\_\_  
GROSS WEIGHT 69,940  
TARE WEIGHT 24,320  
NET WEIGHT 45,620  
TONS 22.81

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1756 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY [Signature]

Please read the back of ticket before signing. PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI-07

69447

# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 4-7-06 DELIVERY TIME \_\_\_\_\_  
JOB# Edson CONTACT NAME \_\_\_\_\_  
PO# Joe PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME Peter  
JOB ADDRESS Parrettsville Pike

PRODUCT \_\_\_\_\_ # 7

# OF LOADS \_\_\_\_\_  
GROSS WEIGHT 69.520  
TARE WEIGHT 24.700  
NET WEIGHT 44.820  
TONS 22.36

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

DIRECTIONS \_\_\_\_\_

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1784 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY [Signature]

Please read the back of ticket before signing. PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07

62458

# PATUXENT MATERIALS INC.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 < 410-793-0503 < 410-956-2338 < 1-800-628-4942

DATE 4-7-06 DELIVERY TIME \_\_\_\_\_  
JOB# Exxon / JARRETSVILLE CONTACT NAME JOE  
PO# JOE PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME PETROLEUM SERVICES  
JOB ADDRESS 14258 JARRETSVILLE RD.

PRODUCT # 7 STONE

# OF LOADS \_\_\_\_\_  
GROSS WEIGHT 69760  
TARE WEIGHT 24420  
NET WEIGHT 45340  
TONS 22.67

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1785 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI-07

69110



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 < 410-793-0503 < 410-956-2338 < 1-800-628-4942

DATE 4/17/06 DELIVERY TIME \_\_\_\_\_  
JOB# Jarre Hwy / Kason CONTACT NAME Joe  
PO# Joe PHONE NUMBER \_\_\_\_\_

CUSTOMER NAME Petroleum Ser  
JOB ADDRESS 14758 Jarre Hsville Rd

PRODUCT #7 Stone

# OF LOADS \_\_\_\_\_  
GROSS WEIGHT 68740  
TARE WEIGHT 23940  
NET WEIGHT 44800  
TONS 22.40

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 14 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY D. H. [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE  
MI - 07

63055



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 4-7-06 DELIVERY TIME \_\_\_\_\_  
JOB# EXXON/JARRETTSVILLE CONTACT NAME JOE  
PO# JOE PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME PETROLEUM SERVICES  
JOB ADDRESS 14258 JARRETTSVILLE RD.

PRODUCT # 7 STONE

# OF LOADS \_\_\_\_\_  
GROSS WEIGHT 69,660  
TARE WEIGHT 24,420  
NET WEIGHT 45,240  
TONS 22.62

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

DIRECTIONS \_\_\_\_\_

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor-site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1785 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY D. Hurley

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

MI - 07

69106



# PATUXENT MATERIALS INC.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 < 410-793-0503 < 410-956-2338 < 1-800-628-4942

DATE 4/17/06 DELIVERY TIME \_\_\_\_\_  
JOB# 53608 Jarrettsville CONTACT NAME Joe  
PO# Joe PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME Petroleum Services  
JOB ADDRESS 14258 Jarrettsville Rd

PRODUCT #7 Stone  
# OF LOADS \_\_\_\_\_  
GROSS WEIGHT 69120  
TARE WEIGHT 23940  
NET WEIGHT 45180  
TONS 22.59  
DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 14 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY: D. Hester

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE  
PMI - 07  
**63050**

# PAUXENT MATERIALS INC.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 4-7-06 DELIVERY TIME \_\_\_\_\_  
JOB# EXXON/JARRETSVILLE CONTACT NAME JOE  
PO# JOE PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME PETROLEUM SERVICES  
JOB ADDRESS 14258 JARRETSVILLE RD

PRODUCT #7 STONE

# OF LOADS \_\_\_\_\_  
GROSS WEIGHT 69,240  
TARE WEIGHT 24,420  
NET WEIGHT 44,820  
TONS 22.41

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1785 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY P. Hickey

Please read the back of ticket before signing. PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

RMI - 07

69109

# PATUXENT MATERIALS INC.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 < 410-793-0503 < 410-956-2338 < 1-800-628-4942

DATE 4-7-06 DELIVERY TIME \_\_\_\_\_  
JOB# EXXON / JARRETSVILLE CONTACT NAME JOE  
PO# JOE PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME PETROLEUM SERVICES  
JOB ADDRESS 14258 JARRETSVILLE RD.

PRODUCT #7 STONE  
# OF LOADS \_\_\_\_\_  
GROSS WEIGHT 69,940  
TARE WEIGHT 24,420  
NET WEIGHT 45,520  
TONS 22.76  
DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1785 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY D. Hanley

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI-07

69107

# PAUXENT MATERIALS INC.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 407-06 DELIVERY TIME \_\_\_\_\_  
JOB# Excel/Joese's 14 CONTACT NAME Joe  
PO# Joe PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME P. Jackson S.A.  
JOB ADDRESS 19258 Joese's Tr. Wk 30

PRODUCT 17 Stone

# OF LOADS \_\_\_\_\_  
GROSS WEIGHT 69820  
TARE WEIGHT 24690  
NET WEIGHT 45130  
TONS 22.59

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1287 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY D. Hickey

Please read the back of ticket before signing - PAUXENT'S RESPONSIBILITY ENDS AT CURB LINE

BMI - 07 69943



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 4/7/06 DELIVERY TIME \_\_\_\_\_

JOB# Jarrettsville Exxco CONTACT NAME Joe

PO# Joe PHONE NUMBER \_\_\_\_\_

CUSTOMER NAME Petrodelim Services

JOB ADDRESS 14756 Jarrettsville Rd

TO \_\_\_\_\_

PRODUCT # 7 Stone

# OF LOADS \_\_\_\_\_

GROSS WEIGHT 69940

TARE WEIGHT 23940

NET WEIGHT 46000

TONS 23.00

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 14 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY D. Hickey

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

MI - 07 63051



# Pawxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 4-7-08 DELIVERY TIME \_\_\_\_\_  
JOB# Exxon CONTACT NAME \_\_\_\_\_  
PO# Joe PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME Peter Ser  
JOB ADDRESS Janetowne Pike

PRODUCT \_\_\_\_\_ # 7

# OF LOADS	_____
GROSS WEIGHT	<u>69,100</u>
TARE WEIGHT	<u>24,700</u>
NET WEIGHT	<u>44,400</u>
TONS	<u>22.20</u>

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

TOW ACKNOWLEDGMENT: Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1784 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY [Signature]  
Please read the back of ticket before signing - PATIENT'S RESPONSIBILITY ENDS AT CURB LINE

MI-07  
62457

# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 < 410-793-0503 < 410-956-2338 < 1-800-628-4942

DATE 4/17/06 DELIVERY TIME \_\_\_\_\_  
JOB# Jarrettsville Exton CONTACT NAME Joe  
PO# Joe PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME Petroleum Ser  
TAB ADDRESS 14258 Jarrettsville Rd

TO PRODUCT #7 Stone

# OF LOADS \_\_\_\_\_

GROSS WEIGHT 69260  
TARE WEIGHT 23940  
NET WEIGHT 45320  
TONS 22.66

DIRECTIONS \_\_\_\_\_

## C.O.D. SHIPMENTS

MATERIAL \_\_\_\_\_  
SALES TAX \_\_\_\_\_  
HAUL CHARGE \_\_\_\_\_  
TOTAL \$ \_\_\_\_\_

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 14 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_

RECEIVED BY D. Hurley

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI - 07

63053

# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 4-7-06 DELIVERY TIME \_\_\_\_\_  
JOB# EXX01 CONTACT NAME Joe  
PO# Joe PHONE NUMBER \_\_\_\_\_

CUSTOMER NAME Petrochem Services  
JOB ADDRESS 14258 Javetteville Pike

PRODUCT # 7 Stone

# OF LOADS \_\_\_\_\_  
GROSS WEIGHT 69,440  
TARE WEIGHT 24,320  
NET WEIGHT 45,120  
TONS 22.56

DIRECTIONS \_\_\_\_\_

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1786 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY [Signature]

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

MI - 07  
69446



# PATUXENT MATERIALS INC.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 < 410-793-0503 < 410-956-2338 < 1-800-628-4942

DATE 4-07-06 DELIVERY TIME \_\_\_\_\_  
JOB# Exxon/Jacobs CONTACT NAME Joc  
PO# Joc PHONE NUMBER \_\_\_\_\_  
CUSTOMER NAME Patuxent Sew.  
BILLING ADDRESS 14259 JACOBSON RD

PRODUCT # 7 STONE  
# OF LOADS \_\_\_\_\_  
GROSS WEIGHT 69360  
TARE WEIGHT 24840  
NET WEIGHT 44200  
TONS 22.36  
DIRECTIONS Heap 14 D 11

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

**TOWACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 5787 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
RECEIVED BY D. Kelly

Please read the back of ticket before signing. PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

PMI-07

69941



2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
 301-261-3683 < 410-793-0503 < 410-956-2338 < 1-800-628-4942

DATE 4-7-06 DELIVERY TIME \_\_\_\_\_  
 JOB# Edson CONTACT NAME \_\_\_\_\_  
 PO# Joe PHONE NUMBER \_\_\_\_\_  
 CUSTOMER NAME Petro Services  
 JOB ADDRESS Jarrettsville Pike

PRODUCT \_\_\_\_\_ # 7

# OF LOADS \_\_\_\_\_  
 GROSS WEIGHT 68,780  
 TARE WEIGHT 24,700  
 NET WEIGHT 44,080  
 TONS 22.04

C.O.D. SHIPMENTS	
MATERIAL	_____
SALES TAX	_____
HAUL CHARGE	_____
TOTAL	\$ _____

DIRECTIONS \_\_\_\_\_

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1284 ARRIVE JOBSITE \_\_\_\_\_ DEPART JOBSITE \_\_\_\_\_  
 RECEIVED BY [Signature]

Please read the back of ticket before signing - PAUXENT'S RESPONSIBILITY ENDS AT CURB LINE

62461



# Patuxent Materials Inc.

2124 Priest Bridge Drive, Suite #18, Crofton, MD 21114  
301-261-3683 ( 410-793-0503 ( 410-956-2338 ( 1-800-628-4942

DATE 4-7-06

DELIVERY TIME \_\_\_\_\_

JOB# EXXON / JARRETSVILLE

CONTACT NAME JOE

PO# JOE

PHONE NUMBER \_\_\_\_\_

CUSTOMER NAME PETROLEUM SERVICES

JOB ADDRESS 14258 JARRETSVILLE RD.

(IRE)

PRODUCT # 7 STONE

# OF LOADS \_\_\_\_\_

GROSS WEIGHT 68,660

TARE WEIGHT 24,420

NET WEIGHT 44,240

TONS 22.12

DIRECTIONS \_\_\_\_\_

### C.O.D. SHIPMENTS

MATERIAL \_\_\_\_\_

SALES TAX \_\_\_\_\_

HAUL CHARGE \_\_\_\_\_

TOTAL \$ \_\_\_\_\_

**TOW ACKNOWLEDGMENT:** Customer assumes all responsibility if delivery truck gets stuck due to poor site conditions and agrees to pay all associated tow charges. INITIALS \_\_\_\_\_

TRUCK # 1785 ARRIVE JOBSITE \_\_\_\_\_

DEPART JOBSITE \_\_\_\_\_

RECEIVED BY \_\_\_\_\_

Please read the back of ticket before signing - PATUXENT'S RESPONSIBILITY ENDS AT CURB LINE

MI-07

69111

**LAB APPENDIX I**

**Accutest Laboratory Soil Analytical Data**



Technical Report for

ExxonMobil Corporation

GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD

GSC PO#MD63560

Accutest Job Number: J25991

Sampling Date: 03/25/06

Report to:

GSC-Kleinfelder

aharris@kleinfelder.com

ATTN: Ann Smaka

Total number of pages in report: **11**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

Vincent J. Pugliese  
President

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.



# Table of Contents

-1-

<b>Section 1: Sample Summary</b> .....	<b>3</b>
<b>Section 2: Sample Results</b> .....	<b>4</b>
<b>2.1: J25991-1: 12K NORTH(11.0)</b> .....	<b>5</b>
<b>Section 3: Misc. Forms</b> .....	<b>10</b>
<b>3.1: Chain of Custody</b> .....	<b>11</b>



## Sample Summary

ExxonMobil Corporation

**Job No:** J25991

GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD  
Project No: GSC PO#MD63560

Sample Number	Collected		Matrix			Client Sample ID
	Date	Time By	Received	Code	Type	
J25991-1	03/25/06	15:09	ASH	03/25/06	SO Soil	12K NORTH(11.0)

---

Soil samples reported on a dry weight basis unless otherwise indicated on result page.



## Sample Results

---

## Report of Analysis

---



## Report of Analysis

<b>Client Sample ID:</b>	12K NORTH(11.0)		
<b>Lab Sample ID:</b>	J25991-1	<b>Date Sampled:</b>	03/25/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/25/06
<b>Method:</b>	SW846 8260B SW846 5035	<b>Percent Solids:</b>	79.6
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87745.D	1	04/05/06	NDJ	03/27/06 07:00	n/a	VS3338
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.0 g	5.0 ml	100 ul
Run #2			

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	760	220	ug/kg	
71-43-2	Benzene	ND	76	36	ug/kg	
108-86-1	Bromobenzene	ND	380	36	ug/kg	
74-97-5	Bromochloromethane	ND	380	31	ug/kg	
75-27-4	Bromodichloromethane	ND	380	34	ug/kg	
75-25-2	Bromoform	ND	380	33	ug/kg	
74-83-9	Bromomethane	ND	380	28	ug/kg	
78-93-3	2-Butanone (MEK)	ND	760	210	ug/kg	
104-51-8	n-Butylbenzene	ND	380	43	ug/kg	
135-98-8	sec-Butylbenzene	ND	380	34	ug/kg	
98-06-6	tert-Butylbenzene	ND	380	38	ug/kg	
56-23-5	Carbon tetrachloride	ND	380	72	ug/kg	
108-90-7	Chlorobenzene	ND	380	33	ug/kg	
75-00-3	Chloroethane	ND	380	130	ug/kg	
67-66-3	Chloroform	ND	380	44	ug/kg	
74-87-3	Chloromethane	ND	380	35	ug/kg	
95-49-8	o-Chlorotoluene	ND	380	50	ug/kg	
106-43-4	p-Chlorotoluene	ND	380	46	ug/kg	
108-20-3	Di-Isopropyl ether	ND	380	31	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	760	160	ug/kg	
124-48-1	Dibromochloromethane	ND	380	42	ug/kg	
106-93-4	1,2-Dibromoethane	ND	76	43	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	380	34	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	380	37	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	380	35	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	380	60	ug/kg	
75-34-3	1,1-Dichloroethane	ND	380	36	ug/kg	
107-06-2	1,2-Dichloroethane	ND	76	41	ug/kg	
75-35-4	1,1-Dichloroethene	ND	380	52	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	380	51	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	380	52	ug/kg	
78-87-5	1,2-Dichloropropane	ND	380	42	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	12K NORTH(11.0)	<b>Date Sampled:</b>	03/25/06
<b>Lab Sample ID:</b>	J25991-1	<b>Date Received:</b>	03/25/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	79.6
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

### MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	380	35	ug/kg	
594-20-7	2,2-Dichloropropane	ND	380	41	ug/kg	
563-58-6	1,1-Dichloropropene	ND	380	41	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	380	31	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	380	30	ug/kg	
100-41-4	Ethylbenzene	ND	76	34	ug/kg	
87-68-3	Hexachlorobutadiene	ND	380	63	ug/kg	
98-82-8	Isopropylbenzene	ND	380	35	ug/kg	
99-87-6	p-Isopropyltoluene	ND	380	37	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	76	42	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	380	150	ug/kg	
74-95-3	Methylene bromide	ND	380	37	ug/kg	
75-09-2	Methylene chloride	ND	380	52	ug/kg	
91-20-3	Naphthalene	ND	380	34	ug/kg	
103-65-1	n-Propylbenzene	ND	380	34	ug/kg	
100-42-5	Styrene	ND	380	25	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	1900	560	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	380	32	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	380	32	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	380	35	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	380	43	ug/kg	
127-18-4	Tetrachloroethene	ND	380	62	ug/kg	
108-88-3	Toluene	ND	76	41	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	380	43	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	380	26	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	380	45	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	380	41	ug/kg	
79-01-6	Trichloroethene	ND	380	39	ug/kg	
75-69-4	Trichlorofluoromethane	ND	380	55	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	380	190	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	380	37	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	380	38	ug/kg	
75-01-4	Vinyl chloride	ND	380	49	ug/kg	
	m,p-Xylene	ND	150	66	ug/kg	
95-47-6	o-Xylene	ND	76	37	ug/kg	
1330-20-7	Xylene (total)	ND	150	37	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		70-120%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 12K NORTH(11.0)	
<b>Lab Sample ID:</b> J25991-1	<b>Date Sampled:</b> 03/25/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 03/25/06
<b>Method:</b> SW846 8260B SW846 5035	<b>Percent Solids:</b> 79.6
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

### MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	96%		61-133%
2037-26-5	Toluene-D8	113%		75-123%
460-00-4	4-Bromofluorobenzene	115%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	12K NORTH(11.0)		
<b>Lab Sample ID:</b>	J25991-1	<b>Date Sampled:</b>	03/25/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/25/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b>	79.6
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41058.D	1	03/29/06	RKK	03/27/06 07:00	n/a	GUV1932
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	4.6 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	ND	16	3.3	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	74%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12K NORTH(11.0)		
<b>Lab Sample ID:</b>	J25991-1	<b>Date Sampled:</b>	03/25/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/25/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b>	79.6
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ34886.D	1	04/06/06	OYA	04/04/06	OP23153	GZZ1036
Run #2							

	Initial Weight	Final Volume
Run #1	15.0 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	8.4	2.4	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
84-15-1	o-Terphenyl	79%		32-146%		
16416-32-3	Tetracosane-d50	113%		40-149%		
438-22-2	5a-Androstane	90%		35-152%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



## Misc. Forms

---

### Custody Documents and Other Forms

---

Includes the following where applicable:

- Chain of Custody

Accutest Job #: 525991

Client Information		Facility Information		Analytical Information											
<b>EXXONMOBIL CORPORATION - Regional Laboratory Program (MD, DE, DC)</b>															
Consultant Company Name: <u>ACC/Kranfelder</u>		Project Name: <u>EXXON 28077</u>													
Address: <u>8350 BRISTOL COURT</u>		Street: <u>14259 TARDIFFS MILK PIKE</u>													
City: <u>JESSUP MD 20794</u>		City: <u>PHENIX MD</u>													
Project Contact: <u>Ann Harris</u>		ExxonMobil Contact: <u>Stephanie McQueen</u>													
Sampler's Name: <u>Ann Harris</u>		ExxonMobil Contact's Phone #: <u>303 846 3510</u>													
Phone #: <u>604 477 3378</u>		Location ID#: <u>28077</u>													
APR #:		WB#:													
		Line#:													
		PO#: <u>MDL63560</u>													
				<input checked="" type="checkbox"/> Naphthalene <input type="checkbox"/> MTBE <input type="checkbox"/> BTEX <input type="checkbox"/> TPH-GRO 8015B <input type="checkbox"/> TPH-DRO 8015B <input type="checkbox"/> Lead 6010 <input type="checkbox"/> 200.9 <input type="checkbox"/> Total <input type="checkbox"/> Disolved <input type="checkbox"/> Air - VTO8BTEX <input type="checkbox"/> TPHF <input type="checkbox"/> TO14 <input type="checkbox"/> BTEX <input type="checkbox"/> FULLO <input type="checkbox"/> ExxonMobil Grass Roots <input type="checkbox"/> Soil Disposal Criteria <input type="checkbox"/> OH <u>MTBE, TBA, TAME, DPE, ETBE</u>											
				<input checked="" type="checkbox"/> 8280 BTEX <input type="checkbox"/> 824 BTEX <input type="checkbox"/> 824 BTEX <input type="checkbox"/> MTBE <input type="checkbox"/> TPH-GRO 8015B <input type="checkbox"/> TPH-DRO 8015B <input type="checkbox"/> Lead 6010 <input type="checkbox"/> 200.9 <input type="checkbox"/> Total <input type="checkbox"/> Disolved <input type="checkbox"/> Air - VTO8BTEX <input type="checkbox"/> TPHF <input type="checkbox"/> TO14 <input type="checkbox"/> BTEX <input type="checkbox"/> FULLO <input type="checkbox"/> ExxonMobil Grass Roots <input type="checkbox"/> Soil Disposal Criteria <input type="checkbox"/> OH <u>MTBE, TBA, TAME, DPE, ETBE</u>											
				<input checked="" type="checkbox"/> EX57, 19C9, 14A1M											

Turnaround Time (Business days)		Data Deliverable Information		Comments / Remarks											
<input checked="" type="checkbox"/> Std. 10 Business Days <input type="checkbox"/> 8 Day RUSH <input type="checkbox"/> 5 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 1 Day EMERGENCY		<input checked="" type="checkbox"/> Commercial "A" <input type="checkbox"/> Commercial "B" <input type="checkbox"/> Full Deliverables <input type="checkbox"/> Other Commercial "A" = Results only		<input type="checkbox"/> FULL CLP <input type="checkbox"/> State Forms <input type="checkbox"/> Disk Deliverable Format											
Approved By/Date: _____ _____		Approved By/Date: _____ _____		<u>TRIS 3/25/06</u> <u>V4760 MDVO, DRO, G-R</u>											
Emergency T/A is for FAX or Lablink Data															
Sample Custody must be documented below each time samples change possession, including courier delivery.															
Relinquished by: <u>1</u>	Date/Time: <u>3/25/06 1524</u>	Received by: <u>1</u>	Date/Time: <u>3/25/06 1900</u>	Relinquished by: <u>2</u>	Date/Time: <u>3/25/06 1900</u>	Received by: <u>2</u>	Date/Time: <u>3/25/06 1900</u>	Relinquished by: <u>3</u>	Date/Time: <u>3/25/06 1900</u>	Received by: <u>3</u>	Date/Time: <u>3/25/06 1900</u>	Relinquished by: <u>4</u>	Date/Time: <u>3/25/06 1900</u>	Received by: <u>4</u>	
Relinquished by: <u>3</u>	Date/Time: <u>3/25/06 1900</u>	Received by: <u>3</u>	Date/Time: <u>3/25/06 1900</u>	Relinquished by: <u>4</u>	Date/Time: <u>3/25/06 1900</u>	Received by: <u>4</u>	Date/Time: <u>3/25/06 1900</u>	Relinquished by: <u>5</u>	Date/Time: <u>3/25/06 1900</u>	Received by: <u>5</u>	Date/Time: <u>3/25/06 1900</u>	Relinquished by: <u>6</u>	Date/Time: <u>3/25/06 1900</u>	Received by: <u>6</u>	
Preserved where applicable <input type="checkbox"/>												On Ice <input checked="" type="checkbox"/>		Temp: <u>4.0°C</u>	

31  
3



Technical Report for

ExxonMobil Corporation

GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD

GSC PO#MD63560

Accutest Job Number: J26042

Sampling Date: 03/27/06

Report to:

GSC-Kleinfelder

aharris@kleinfelder.com

ATTN: Ann Smaka

Total number of pages in report: **46**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

A handwritten signature in black ink, appearing to read "Vincent J. Pugliese".

Vincent J. Pugliese  
President

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.





# Table of Contents

-1-

<b>Section 1: Sample Summary .....</b>	<b>3</b>
<b>Section 2: Sample Results .....</b>	<b>4</b>
<b>2.1:</b> J26042-1: 8K NORTH(11.0) .....	5
<b>2.2:</b> J26042-2: 8K2 NORTH(11.0) .....	10
<b>2.3:</b> J26042-3: 10K EAST(14.0) .....	15
<b>2.4:</b> J26042-4: 10K NORTH(11.0) .....	20
<b>2.5:</b> J26042-5: 12K WEST(14.0) .....	25
<b>2.6:</b> J26042-6: 12K WEST2(14.0) .....	30
<b>2.7:</b> J26042-7: 12K WEST3(14.0) .....	35
<b>2.8:</b> J26042-8: 12K WEST4(14.0) .....	40
<b>Section 3: Misc. Forms .....</b>	<b>45</b>
<b>3.1:</b> Chain of Custody .....	46

## Sample Summary

ExxonMobil Corporation

Job No: J26042

GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD  
 Project No: GSC PO#MD63560

Sample Number	Collected		Matrix	Received	Code	Type	Client Sample ID
	Date	Time By					
J26042-1	03/27/06	07:50 ASH	03/27/06	SO	Soil	8K NORTH(11.0)	
J26042-2	03/27/06	08:40 ASH	03/27/06	SO	Soil	8K2 NORTH(11.0)	
J26042-3	03/27/06	13:15 ASH	03/27/06	SO	Soil	10K EAST(14.0)	
J26042-4	03/27/06	14:15 ASH	03/27/06	SO	Soil	10K NORTH(11.0)	
J26042-5	03/27/06	15:53 ASH	03/27/06	SO	Soil	12K WEST(14.0)	
J26042-6	03/27/06	16:17 ASH	03/27/06	SO	Soil	12K WEST2(14.0)	
J26042-7	03/27/06	16:28 ASH	03/27/06	SO	Soil	12K WEST3(14.0)	
J26042-8	03/27/06	17:30 ASH	03/27/06	SO	Soil	12K WEST4(14.0)	

---

Soil samples reported on a dry weight basis unless otherwise indicated on result page.



## Sample Results

---

## Report of Analysis

---

**Report of Analysis**

<b>Client Sample ID:</b>	8K NORTH(11.0)		<b>Date Sampled:</b>	03/27/06
<b>Lab Sample ID:</b>	J26042-1		<b>Date Received:</b>	03/27/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	78.5
<b>Method:</b>	SW846 8260B SW846 5035			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87746.D	1	04/05/06	NDJ	03/28/06 09:00	n/a	VS3338
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.6 g	5.0 ml	100 ul
Run #2			

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	830	240	ug/kg	
71-43-2	Benzene	ND	83	40	ug/kg	
108-86-1	Bromobenzene	ND	410	39	ug/kg	
74-97-5	Bromochloromethane	ND	410	34	ug/kg	
75-27-4	Bromodichloromethane	ND	410	38	ug/kg	
75-25-2	Bromoform	ND	410	36	ug/kg	
74-83-9	Bromomethane	ND	410	31	ug/kg	
78-93-3	2-Butanone (MEK)	ND	830	230	ug/kg	
104-51-8	n-Butylbenzene	ND	410	47	ug/kg	
135-98-8	sec-Butylbenzene	ND	410	37	ug/kg	
98-06-6	tert-Butylbenzene	ND	410	41	ug/kg	
56-23-5	Carbon tetrachloride	ND	410	79	ug/kg	
108-90-7	Chlorobenzene	ND	410	36	ug/kg	
75-00-3	Chloroethane	ND	410	140	ug/kg	
67-66-3	Chloroform	ND	410	48	ug/kg	
74-87-3	Chloromethane	ND	410	38	ug/kg	
95-49-8	o-Chlorotoluene	ND	410	55	ug/kg	
106-43-4	p-Chlorotoluene	ND	410	50	ug/kg	
108-20-3	Di-Isopropyl ether	ND	410	34	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	830	180	ug/kg	
124-48-1	Dibromochloromethane	ND	410	46	ug/kg	
106-93-4	1,2-Dibromoethane	ND	83	47	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	410	38	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	410	40	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	410	38	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	410	66	ug/kg	
75-34-3	1,1-Dichloroethane	ND	410	40	ug/kg	
107-06-2	1,2-Dichloroethane	ND	83	45	ug/kg	
75-35-4	1,1-Dichloroethene	ND	410	57	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	410	56	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	410	57	ug/kg	
78-87-5	1,2-Dichloropropane	ND	410	46	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	8K NORTH(11.0)	<b>Date Sampled:</b>	03/27/06
<b>Lab Sample ID:</b>	J26042-1	<b>Date Received:</b>	03/27/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	78.5
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	410	38	ug/kg	
594-20-7	2,2-Dichloropropane	ND	410	45	ug/kg	
563-58-6	1,1-Dichloropropene	ND	410	44	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	410	34	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	410	33	ug/kg	
100-41-4	Ethylbenzene	ND	83	37	ug/kg	
87-68-3	Hexachlorobutadiene	ND	410	69	ug/kg	
98-82-8	Isopropylbenzene	ND	410	39	ug/kg	
99-87-6	p-Isopropyltoluene	ND	410	40	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	8760	83	46	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	410	170	ug/kg	
74-95-3	Methylene bromide	ND	410	40	ug/kg	
75-09-2	Methylene chloride	ND	410	57	ug/kg	
91-20-3	Naphthalene	ND	410	38	ug/kg	
103-65-1	n-Propylbenzene	ND	410	37	ug/kg	
100-42-5	Styrene	ND	410	27	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	2100	610	ug/kg	
994-05-8	tert-Amyl Methyl Ether	143	410	35	ug/kg	J
637-92-3	tert-Butyl Ethyl Ether	49.5	410	35	ug/kg	J
630-20-6	1,1,1,2-Tetrachloroethane	ND	410	39	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	410	48	ug/kg	
127-18-4	Tetrachloroethene	ND	410	68	ug/kg	
108-88-3	Toluene	ND	83	45	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	410	47	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	410	29	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	410	49	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	410	44	ug/kg	
79-01-6	Trichloroethene	ND	410	43	ug/kg	
75-69-4	Trichlorofluoromethane	ND	410	60	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	410	210	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	410	40	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	410	42	ug/kg	
75-01-4	Vinyl chloride	ND	410	54	ug/kg	
	m,p-Xylene	ND	170	73	ug/kg	
95-47-6	o-Xylene	ND	83	41	ug/kg	
1330-20-7	Xylene (total)	ND	170	41	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 8K NORTH(11.0)		<b>Date Sampled:</b> 03/27/06
<b>Lab Sample ID:</b> J26042-1		<b>Date Received:</b> 03/27/06
<b>Matrix:</b> SO - Soil		<b>Percent Solids:</b> 78.5
<b>Method:</b> SW846 8260B SW846 5035		
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	98%		61-133%
2037-26-5	Toluene-D8	112%		75-123%
460-00-4	4-Bromofluorobenzene	114%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	8K NORTH(11.0)	
<b>Lab Sample ID:</b>	J26042-1	<b>Date Sampled:</b> 03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 03/27/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b> 78.5
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	UV41148.D	1	04/03/06	YHY	03/28/06 09:00	n/a	GUV1936
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.2 g	5.0 ml	100 ul
Run #2			

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	15	3.1	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
98-08-8	aaa-Trifluorotoluene	81%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8K NORTH(11.0)	
<b>Lab Sample ID:</b>	J26042-1	<b>Date Sampled:</b> 03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 03/27/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 78.5
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	ZZ34722.D	1	04/01/06	OYA	03/29/06	OP23095	GZZ1031
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>
Run #1	15.1 g	1.0 ml
Run #2		

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-DRO (C10-C28)	ND	8.4	2.4	mg/kg	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
84-15-1	o-Terphenyl	87%		32-146%
16416-32-3	Tetracosane-d50	98%		40-149%
438-22-2	5a-Androstane	92%		35-152%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



**Report of Analysis**

<b>Client Sample ID:</b>	8K2 NORTH(11.0)		<b>Date Sampled:</b>	03/27/06
<b>Lab Sample ID:</b>	J26042-2		<b>Date Received:</b>	03/27/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	83.9
<b>Method:</b>	SW846 8260B SW846 5035			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87747.D	1	04/06/06	NDJ	03/28/06 09:00	n/a	VS3338
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.5 g	5.0 ml	100 ul
Run #2			

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	760	220	ug/kg	
71-43-2	Benzene	ND	76	36	ug/kg	
108-86-1	Bromobenzene	ND	380	36	ug/kg	
74-97-5	Bromochloromethane	ND	380	32	ug/kg	
75-27-4	Bromodichloromethane	ND	380	35	ug/kg	
75-25-2	Bromoform	ND	380	33	ug/kg	
74-83-9	Bromomethane	ND	380	28	ug/kg	
78-93-3	2-Butanone (MEK)	ND	760	210	ug/kg	
104-51-8	n-Butylbenzene	ND	380	43	ug/kg	
135-98-8	sec-Butylbenzene	ND	380	34	ug/kg	
98-06-6	tert-Butylbenzene	ND	380	38	ug/kg	
56-23-5	Carbon tetrachloride	ND	380	72	ug/kg	
108-90-7	Chlorobenzene	ND	380	33	ug/kg	
75-00-3	Chloroethane	ND	380	130	ug/kg	
67-66-3	Chloroform	ND	380	44	ug/kg	
74-87-3	Chloromethane	ND	380	35	ug/kg	
95-49-8	o-Chlorotoluene	ND	380	50	ug/kg	
106-43-4	p-Chlorotoluene	ND	380	46	ug/kg	
108-20-3	Di-Isopropyl ether	ND	380	31	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	760	160	ug/kg	
124-48-1	Dibromochloromethane	ND	380	42	ug/kg	
106-93-4	1,2-Dibromoethane	ND	76	43	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	380	34	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	380	37	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	380	35	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	380	60	ug/kg	
75-34-3	1,1-Dichloroethane	ND	380	36	ug/kg	
107-06-2	1,2-Dichloroethane	ND	76	41	ug/kg	
75-35-4	1,1-Dichloroethene	ND	380	52	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	380	51	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	380	52	ug/kg	
78-87-5	1,2-Dichloropropane	ND	380	42	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8K2 NORTH(11.0)	<b>Date Sampled:</b>	03/27/06
<b>Lab Sample ID:</b>	J26042-2	<b>Date Received:</b>	03/27/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	83.9
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	380	35	ug/kg	
594-20-7	2,2-Dichloropropane	ND	380	41	ug/kg	
563-58-6	1,1-Dichloropropene	ND	380	41	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	380	31	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	380	30	ug/kg	
100-41-4	Ethylbenzene	ND	76	34	ug/kg	
87-68-3	Hexachlorobutadiene	ND	380	63	ug/kg	
98-82-8	Isopropylbenzene	ND	380	35	ug/kg	
99-87-6	p-Isopropyltoluene	ND	380	37	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	4650	76	42	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	380	150	ug/kg	
74-95-3	Methylene bromide	ND	380	37	ug/kg	
75-09-2	Methylene chloride	ND	380	52	ug/kg	
91-20-3	Naphthalene	ND	380	34	ug/kg	
103-65-1	n-Propylbenzene	ND	380	34	ug/kg	
100-42-5	Styrene	ND	380	25	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	1900	560	ug/kg	
994-05-8	tert-Amyl Methyl Ether	57.8	380	32	ug/kg	J
637-92-3	tert-Butyl Ethyl Ether	ND	380	32	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	380	35	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	380	44	ug/kg	
127-18-4	Tetrachloroethene	ND	380	62	ug/kg	
108-88-3	Toluene	ND	76	41	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	380	43	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	380	27	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	380	45	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	380	41	ug/kg	
79-01-6	Trichloroethene	ND	380	39	ug/kg	
75-69-4	Trichlorofluoromethane	ND	380	55	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	380	190	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	380	37	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	380	39	ug/kg	
75-01-4	Vinyl chloride	ND	380	49	ug/kg	
	m,p-Xylene	ND	150	66	ug/kg	
95-47-6	o-Xylene	ND	76	37	ug/kg	
1330-20-7	Xylene (total)	ND	150	37	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 8K2 NORTH(11.0)	
<b>Lab Sample ID:</b> J26042-2	<b>Date Sampled:</b> 03/27/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 03/27/06
<b>Method:</b> SW846 8260B SW846 5035	<b>Percent Solids:</b> 83.9
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

### MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	98%		61-133%
2037-26-5	Toluene-D8	112%		75-123%
460-00-4	4-Bromofluorobenzene	113%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8K2 NORTH(11.0)	
<b>Lab Sample ID:</b>	J26042-2	<b>Date Sampled:</b> 03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 03/27/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b> 83.9
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41149.D	1	04/03/06	YHY	03/28/06 09:00	n/a	GUV1936
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	5.2 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	ND	13	2.7	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	80%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8K2 NORTH(11.0)	
<b>Lab Sample ID:</b>	J26042-2	<b>Date Sampled:</b> 03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 03/27/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 83.9
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ34723.D	1	04/01/06	OYA	03/29/06	OP23095	GZZ1031
Run #2							

	Initial Weight	Final Volume
Run #1	15.1 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.9	2.2	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	80%		32-146%
16416-32-3	Tetracosane-d50	90%		40-149%
438-22-2	5a-Androstane	85%		35-152%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10K EAST(14.0)	
<b>Lab Sample ID:</b>	J26042-3	<b>Date Sampled:</b> 03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 03/27/06
<b>Method:</b>	SW846 8260B SW846 5035	<b>Percent Solids:</b> 86.8
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87748.D	1	04/06/06	NDJ	03/28/06 09:00	n/a	VS3338
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.3 g	5.0 ml	100 ul
Run #2			

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	750	210	ug/kg	
71-43-2	Benzene	ND	75	36	ug/kg	
108-86-1	Bromobenzene	ND	370	35	ug/kg	
74-97-5	Bromochloromethane	ND	370	31	ug/kg	
75-27-4	Bromodichloromethane	ND	370	34	ug/kg	
75-25-2	Bromoform	ND	370	32	ug/kg	
74-83-9	Bromomethane	ND	370	28	ug/kg	
78-93-3	2-Butanone (MEK)	ND	750	200	ug/kg	
104-51-8	n-Butylbenzene	ND	370	42	ug/kg	
135-98-8	sec-Butylbenzene	ND	370	33	ug/kg	
98-06-6	tert-Butylbenzene	ND	370	37	ug/kg	
56-23-5	Carbon tetrachloride	ND	370	71	ug/kg	
108-90-7	Chlorobenzene	ND	370	32	ug/kg	
75-00-3	Chloroethane	ND	370	130	ug/kg	
67-66-3	Chloroform	ND	370	43	ug/kg	
74-87-3	Chloromethane	ND	370	34	ug/kg	
95-49-8	o-Chlorotoluene	ND	370	49	ug/kg	
106-43-4	p-Chlorotoluene	ND	370	45	ug/kg	
108-20-3	Di-Isopropyl ether	ND	370	31	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	750	160	ug/kg	
124-48-1	Dibromochloromethane	ND	370	41	ug/kg	
106-93-4	1,2-Dibromoethane	ND	75	42	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	370	34	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	370	36	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	370	34	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	370	59	ug/kg	
75-34-3	1,1-Dichloroethane	ND	370	36	ug/kg	
107-06-2	1,2-Dichloroethane	ND	75	40	ug/kg	
75-35-4	1,1-Dichloroethene	ND	370	51	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	370	50	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	370	51	ug/kg	
78-87-5	1,2-Dichloropropane	ND	370	41	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	10K EAST(14.0)	<b>Date Sampled:</b>	03/27/06
<b>Lab Sample ID:</b>	J26042-3	<b>Date Received:</b>	03/27/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	86.8
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	370	35	ug/kg	
594-20-7	2,2-Dichloropropane	ND	370	41	ug/kg	
563-58-6	1,1-Dichloropropene	ND	370	40	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	370	31	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	370	29	ug/kg	
100-41-4	Ethylbenzene	ND	75	34	ug/kg	
87-68-3	Hexachlorobutadiene	ND	370	62	ug/kg	
98-82-8	Isopropylbenzene	ND	370	35	ug/kg	
99-87-6	p-Isopropyltoluene	ND	370	36	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	75	42	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	370	150	ug/kg	
74-95-3	Methylene bromide	ND	370	36	ug/kg	
75-09-2	Methylene chloride	ND	370	52	ug/kg	
91-20-3	Naphthalene	ND	370	34	ug/kg	
103-65-1	n-Propylbenzene	ND	370	33	ug/kg	
100-42-5	Styrene	ND	370	24	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	1900	550	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	370	32	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	370	32	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	370	35	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	370	43	ug/kg	
127-18-4	Tetrachloroethene	ND	370	61	ug/kg	
108-88-3	Toluene	ND	75	40	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	370	42	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	370	26	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	370	44	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	370	40	ug/kg	
79-01-6	Trichloroethene	ND	370	39	ug/kg	
75-69-4	Trichlorofluoromethane	ND	370	54	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	370	190	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	370	36	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	370	38	ug/kg	
75-01-4	Vinyl chloride	ND	370	48	ug/kg	
	m,p-Xylene	ND	150	65	ug/kg	
95-47-6	o-Xylene	ND	75	37	ug/kg	
1330-20-7	Xylene (total)	ND	150	37	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	106%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10K EAST(14.0)		
<b>Lab Sample ID:</b>	J26042-3	<b>Date Sampled:</b>	03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/27/06
<b>Method:</b>	SW846 8260B SW846 5035	<b>Percent Solids:</b>	86.8
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	98%		61-133%
2037-26-5	Toluene-D8	112%		75-123%
460-00-4	4-Bromofluorobenzene	113%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



**Report of Analysis**

<b>Client Sample ID:</b>	10K EAST(14.0)	
<b>Lab Sample ID:</b>	J26042-3	<b>Date Sampled:</b> 03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 03/27/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b> 86.8
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	UV41150.D	1	04/03/06	YHY	03/28/06 09:00	n/a	GUV1936
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.2 g	5.0 ml	100 ul
Run #2			

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	13	2.6	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
98-08-8	aaa-Trifluorotoluene	81%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10K EAST(14.0)	
<b>Lab Sample ID:</b>	J26042-3	<b>Date Sampled:</b> 03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 03/27/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 86.8
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ34724.D	1	04/01/06	OYA	03/29/06	OP23095	GZZ1031
Run #2							

	Initial Weight	Final Volume
Run #1	15.3 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.5	2.1	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	81%		32-146%
16416-32-3	Tetracosane-d50	92%		40-149%
438-22-2	5a-Androstane	86%		35-152%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	10K NORTH(11.0)		
<b>Lab Sample ID:</b>	J26042-4	<b>Date Sampled:</b>	03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/27/06
<b>Method:</b>	SW846 8260B SW846 5035	<b>Percent Solids:</b>	88.9
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87749.D	1	04/06/06	NDJ	03/28/06 09:00	n/a	VS3338
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.9 g	5.0 ml	100 ul
Run #2			

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	640	180	ug/kg	
71-43-2	Benzene	ND	64	30	ug/kg	
108-86-1	Bromobenzene	ND	320	30	ug/kg	
74-97-5	Bromochloromethane	ND	320	26	ug/kg	
75-27-4	Bromodichloromethane	ND	320	29	ug/kg	
75-25-2	Bromoform	ND	320	28	ug/kg	
74-83-9	Bromomethane	ND	320	23	ug/kg	
78-93-3	2-Butanone (MEK)	ND	640	170	ug/kg	
104-51-8	n-Butylbenzene	ND	320	36	ug/kg	
135-98-8	sec-Butylbenzene	ND	320	28	ug/kg	
98-06-6	tert-Butylbenzene	ND	320	32	ug/kg	
56-23-5	Carbon tetrachloride	ND	320	60	ug/kg	
108-90-7	Chlorobenzene	ND	320	28	ug/kg	
75-00-3	Chloroethane	ND	320	110	ug/kg	
67-66-3	Chloroform	ND	320	37	ug/kg	
74-87-3	Chloromethane	ND	320	29	ug/kg	
95-49-8	o-Chlorotoluene	ND	320	42	ug/kg	
106-43-4	p-Chlorotoluene	ND	320	38	ug/kg	
108-20-3	Di-Isopropyl ether	ND	320	26	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	640	140	ug/kg	
124-48-1	Dibromochloromethane	ND	320	35	ug/kg	
106-93-4	1,2-Dibromoethane	ND	64	36	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	320	29	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	320	31	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	320	29	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	320	51	ug/kg	
75-34-3	1,1-Dichloroethane	ND	320	30	ug/kg	
107-06-2	1,2-Dichloroethane	ND	64	35	ug/kg	
75-35-4	1,1-Dichloroethene	ND	320	44	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	320	43	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	320	43	ug/kg	
78-87-5	1,2-Dichloropropane	ND	320	35	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10K NORTH(11.0)	<b>Date Sampled:</b>	03/27/06
<b>Lab Sample ID:</b>	J26042-4	<b>Date Received:</b>	03/27/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	88.9
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	320	29	ug/kg	
594-20-7	2,2-Dichloropropane	ND	320	35	ug/kg	
563-58-6	1,1-Dichloropropene	ND	320	34	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	320	26	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	320	25	ug/kg	
100-41-4	Ethylbenzene	ND	64	29	ug/kg	
87-68-3	Hexachlorobutadiene	ND	320	53	ug/kg	
98-82-8	Isopropylbenzene	ND	320	30	ug/kg	
99-87-6	p-Isopropyltoluene	ND	320	31	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	64	36	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	320	130	ug/kg	
74-95-3	Methylene bromide	ND	320	31	ug/kg	
75-09-2	Methylene chloride	ND	320	44	ug/kg	
91-20-3	Naphthalene	ND	320	29	ug/kg	
103-65-1	n-Propylbenzene	ND	320	28	ug/kg	
100-42-5	Styrene	ND	320	21	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	1600	470	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	320	27	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	320	27	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	320	30	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	320	37	ug/kg	
127-18-4	Tetrachloroethene	ND	320	52	ug/kg	
108-88-3	Toluene	ND	64	34	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	320	36	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	320	22	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	320	38	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	320	34	ug/kg	
79-01-6	Trichloroethene	ND	320	33	ug/kg	
75-69-4	Trichlorofluoromethane	ND	320	46	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	320	160	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	320	31	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	320	32	ug/kg	
75-01-4	Vinyl chloride	ND	320	41	ug/kg	
	m,p-Xylene	ND	130	56	ug/kg	
95-47-6	o-Xylene	ND	64	31	ug/kg	
1330-20-7	Xylene (total)	ND	130	31	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	106%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	10K NORTH(11.0)		
<b>Lab Sample ID:</b>	J26042-4	<b>Date Sampled:</b>	03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/27/06
<b>Method:</b>	SW846 8260B SW846 5035	<b>Percent Solids:</b>	88.9
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

### MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	100%		61-133%
2037-26-5	Toluene-D8	111%		75-123%
460-00-4	4-Bromofluorobenzene	114%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10K NORTH(11.0)		
<b>Lab Sample ID:</b>	J26042-4	<b>Date Sampled:</b>	03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/27/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b>	88.9
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41073.D	1	03/30/06	RKK	03/28/06 09:00	n/a	GUV1933
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	5.3 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	ND	12	2.4	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	81%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10K NORTH(11.0)		
<b>Lab Sample ID:</b>	J26042-4	<b>Date Sampled:</b>	03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/27/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b>	88.9
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ34725.D	1	04/01/06	OYA	03/29/06	OP23095	GZZ1031
Run #2							

	Initial Weight	Final Volume
Run #1	15.3 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.4	2.1	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	76%		32-146%
16416-32-3	Tetracosane-d50	86%		40-149%
438-22-2	5a-Androstane	81%		35-152%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	12K WEST(14.0)		
<b>Lab Sample ID:</b>	J26042-5	<b>Date Sampled:</b>	03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/27/06
<b>Method:</b>	SW846 8260B SW846 5035	<b>Percent Solids:</b>	83.1
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87769.D	1	04/06/06	NDJ	03/28/06 09:00	n/a	VS3340
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.9 g	5.0 ml	100 ul
Run #2			

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	720	200	ug/kg	
71-43-2	Benzene	ND	72	34	ug/kg	
108-86-1	Bromobenzene	ND	360	34	ug/kg	
74-97-5	Bromochloromethane	ND	360	30	ug/kg	
75-27-4	Bromodichloromethane	ND	360	33	ug/kg	
75-25-2	Bromoform	ND	360	31	ug/kg	
74-83-9	Bromomethane	ND	360	26	ug/kg	
78-93-3	2-Butanone (MEK)	ND	720	200	ug/kg	
104-51-8	n-Butylbenzene	ND	360	41	ug/kg	
135-98-8	sec-Butylbenzene	ND	360	32	ug/kg	
98-06-6	tert-Butylbenzene	ND	360	36	ug/kg	
56-23-5	Carbon tetrachloride	ND	360	68	ug/kg	
108-90-7	Chlorobenzene	ND	360	31	ug/kg	
75-00-3	Chloroethane	ND	360	120	ug/kg	
67-66-3	Chloroform	ND	360	42	ug/kg	
74-87-3	Chloromethane	ND	360	33	ug/kg	
95-49-8	o-Chlorotoluene	ND	360	47	ug/kg	
106-43-4	p-Chlorotoluene	ND	360	43	ug/kg	
108-20-3	Di-Isopropyl ether	ND	360	30	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	720	150	ug/kg	
124-48-1	Dibromochloromethane	ND	360	39	ug/kg	
106-93-4	1,2-Dibromoethane	ND	72	40	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	360	33	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	360	35	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	360	33	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	360	57	ug/kg	
75-34-3	1,1-Dichloroethane	ND	360	34	ug/kg	
107-06-2	1,2-Dichloroethane	ND	72	39	ug/kg	
75-35-4	1,1-Dichloroethene	ND	360	49	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	360	48	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	360	49	ug/kg	
78-87-5	1,2-Dichloropropane	ND	360	40	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



## Report of Analysis

<b>Client Sample ID:</b>	12K WEST(14.0)	<b>Date Sampled:</b>	03/27/06
<b>Lab Sample ID:</b>	J26042-5	<b>Date Received:</b>	03/27/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	83.1
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	360	33	ug/kg	
594-20-7	2,2-Dichloropropane	ND	360	39	ug/kg	
563-58-6	1,1-Dichloropropene	ND	360	38	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	360	30	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	360	28	ug/kg	
100-41-4	Ethylbenzene	ND	72	32	ug/kg	
87-68-3	Hexachlorobutadiene	ND	360	60	ug/kg	
98-82-8	Isopropylbenzene	ND	360	33	ug/kg	
99-87-6	p-Isopropyltoluene	ND	360	35	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	72	40	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	360	140	ug/kg	
74-95-3	Methylene bromide	ND	360	35	ug/kg	
75-09-2	Methylene chloride	ND	360	49	ug/kg	
91-20-3	Naphthalene	ND	360	33	ug/kg	
103-65-1	n-Propylbenzene	ND	360	32	ug/kg	
100-42-5	Styrene	ND	360	23	ug/kg	
75-65-0	Tert Butyl Alcohol	16600	1800	530	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	360	30	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	360	30	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	360	33	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	360	41	ug/kg	
127-18-4	Tetrachloroethene	ND	360	59	ug/kg	
108-88-3	Toluene	ND	72	39	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	360	41	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	360	25	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	360	42	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	360	38	ug/kg	
79-01-6	Trichloroethene	ND	360	37	ug/kg	
75-69-4	Trichlorofluoromethane	ND	360	52	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	360	180	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	144	360	35	ug/kg	J
108-67-8	1,3,5-Trimethylbenzene	ND	360	36	ug/kg	
75-01-4	Vinyl chloride	ND	360	46	ug/kg	
	m,p-Xylene	ND	140	63	ug/kg	
95-47-6	o-Xylene	ND	72	35	ug/kg	
1330-20-7	Xylene (total)	ND	140	35	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12K WEST(14.0)		
<b>Lab Sample ID:</b>	J26042-5	<b>Date Sampled:</b>	03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/27/06
<b>Method:</b>	SW846 8260B SW846 5035	<b>Percent Solids:</b>	83.1
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	97%		61-133%
2037-26-5	Toluene-D8	112%		75-123%
460-00-4	4-Bromofluorobenzene	114%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12K WEST(14.0)	
<b>Lab Sample ID:</b>	J26042-5	<b>Date Sampled:</b> 03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 03/27/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b> 83.1
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41151.D	1	04/03/06	YHY	03/28/06 09:00	n/a	GUV1936
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	5.0 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	ND	14	2.9	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	79%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12K WEST(14.0)	
<b>Lab Sample ID:</b>	J26042-5	<b>Date Sampled:</b> 03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 03/27/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 83.1
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ34728.D	1	04/01/06	OYA	03/29/06	OP23095	GZZ1031
Run #2							

	Initial Weight	Final Volume
Run #1	15.1 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	8.0	2.2	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	81%		32-146%
16416-32-3	Tetracosane-d50	91%		40-149%
438-22-2	5a-Androstane	86%		35-152%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12K WEST2(14.0)		
<b>Lab Sample ID:</b>	J26042-6	<b>Date Sampled:</b>	03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/27/06
<b>Method:</b>	SW846 8260B SW846 5035	<b>Percent Solids:</b>	86.1
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87770.D	1	04/06/06	NDJ	03/28/06 09:00	n/a	VS3340
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.6 g	5.0 ml	100 ul
Run #2			

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	710	200	ug/kg	
71-43-2	Benzene	ND	71	34	ug/kg	
108-86-1	Bromobenzene	ND	360	34	ug/kg	
74-97-5	Bromochloromethane	ND	360	30	ug/kg	
75-27-4	Bromodichloromethane	ND	360	32	ug/kg	
75-25-2	Bromoform	ND	360	31	ug/kg	
74-83-9	Bromomethane	ND	360	26	ug/kg	
78-93-3	2-Butanone (MEK)	ND	710	190	ug/kg	
104-51-8	n-Butylbenzene	ND	360	40	ug/kg	
135-98-8	sec-Butylbenzene	ND	360	32	ug/kg	
98-06-6	tert-Butylbenzene	ND	360	35	ug/kg	
56-23-5	Carbon tetrachloride	ND	360	68	ug/kg	
108-90-7	Chlorobenzene	ND	360	31	ug/kg	
75-00-3	Chloroethane	ND	360	120	ug/kg	
67-66-3	Chloroform	ND	360	41	ug/kg	
74-87-3	Chloromethane	ND	360	33	ug/kg	
95-49-8	o-Chlorotoluene	ND	360	47	ug/kg	
106-43-4	p-Chlorotoluene	ND	360	43	ug/kg	
108-20-3	Di-Isopropyl ether	ND	360	30	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	710	150	ug/kg	
124-48-1	Dibromochloromethane	ND	360	39	ug/kg	
106-93-4	1,2-Dibromoethane	ND	71	40	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	360	32	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	360	35	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	360	33	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	360	57	ug/kg	
75-34-3	1,1-Dichloroethane	ND	360	34	ug/kg	
107-06-2	1,2-Dichloroethane	ND	71	39	ug/kg	
75-35-4	1,1-Dichloroethene	ND	360	49	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	360	48	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	360	49	ug/kg	
78-87-5	1,2-Dichloropropane	ND	360	39	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	12K WEST2(14.0)	<b>Date Sampled:</b>	03/27/06
<b>Lab Sample ID:</b>	J26042-6	<b>Date Received:</b>	03/27/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	86.1
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

### MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	360	33	ug/kg	
594-20-7	2,2-Dichloropropane	ND	360	39	ug/kg	
563-58-6	1,1-Dichloropropene	ND	360	38	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	360	29	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	360	28	ug/kg	
100-41-4	Ethylbenzene	ND	71	32	ug/kg	
87-68-3	Hexachlorobutadiene	ND	360	59	ug/kg	
98-82-8	Isopropylbenzene	ND	360	33	ug/kg	
99-87-6	p-Isopropyltoluene	ND	360	35	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	71	40	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	360	140	ug/kg	
74-95-3	Methylene bromide	ND	360	35	ug/kg	
75-09-2	Methylene chloride	ND	360	49	ug/kg	
91-20-3	Naphthalene	ND	360	32	ug/kg	
103-65-1	n-Propylbenzene	ND	360	32	ug/kg	
100-42-5	Styrene	ND	360	23	ug/kg	
75-65-0	Tert Butyl Alcohol	8740	1800	530	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	360	30	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	360	30	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	360	33	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	360	41	ug/kg	
127-18-4	Tetrachloroethene	ND	360	59	ug/kg	
108-88-3	Toluene	ND	71	39	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	360	41	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	360	25	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	360	42	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	360	38	ug/kg	
79-01-6	Trichloroethene	ND	360	37	ug/kg	
75-69-4	Trichlorofluoromethane	ND	360	52	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	360	180	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	360	35	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	360	36	ug/kg	
75-01-4	Vinyl chloride	ND	360	46	ug/kg	
	m,p-Xylene	ND	140	62	ug/kg	
95-47-6	o-Xylene	ND	71	35	ug/kg	
1330-20-7	Xylene (total)	ND	140	35	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	106%		70-120%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 12K WEST2(14.0)	
<b>Lab Sample ID:</b> J26042-6	<b>Date Sampled:</b> 03/27/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 03/27/06
<b>Method:</b> SW846 8260B SW846 5035	<b>Percent Solids:</b> 86.1
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	99%		61-133%
2037-26-5	Toluene-D8	112%		75-123%
460-00-4	4-Bromofluorobenzene	114%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12K WEST2(14.0)		
<b>Lab Sample ID:</b>	J26042-6	<b>Date Sampled:</b>	03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/27/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b>	86.1
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41075.D	1	03/30/06	RKK	03/28/06 09:00	n/a	GUV1933
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	5.5 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	ND	12	2.5	mg/kg	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
98-08-8	aaa-Trifluorotoluene	78%		28-154%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



**Report of Analysis**

<b>Client Sample ID:</b>	12K WEST2(14.0)	
<b>Lab Sample ID:</b>	J26042-6	<b>Date Sampled:</b> 03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 03/27/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 86.1
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	ZZ34729.D	1	04/01/06	OYA	03/29/06	OP23095	GZZ1031
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>
Run #1	15.2 g	1.0 ml
Run #2		

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-DRO (C10-C28)	ND	7.6	2.1	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
84-15-1	o-Terphenyl	85%		32-146%		
16416-32-3	Tetracosane-d50	96%		40-149%		
438-22-2	5a-Androstane	90%		35-152%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12K WEST3(14.0)		<b>Date Sampled:</b>	03/27/06
<b>Lab Sample ID:</b>	J26042-7		<b>Date Received:</b>	03/27/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	86.5
<b>Method:</b>	SW846 8260B SW846 5035			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87771.D	1	04/06/06	NDJ	03/28/06 09:00	n/a	VS3340
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.7 g	5.0 ml	100 ul
Run #2			

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	690	200	ug/kg	
71-43-2	Benzene	ND	69	33	ug/kg	
108-86-1	Bromobenzene	ND	350	33	ug/kg	
74-97-5	Bromochloromethane	ND	350	29	ug/kg	
75-27-4	Bromodichloromethane	ND	350	32	ug/kg	
75-25-2	Bromoform	ND	350	30	ug/kg	
74-83-9	Bromomethane	ND	350	26	ug/kg	
78-93-3	2-Butanone (MEK)	ND	690	190	ug/kg	
104-51-8	n-Butylbenzene	ND	350	39	ug/kg	
135-98-8	sec-Butylbenzene	ND	350	31	ug/kg	
98-06-6	tert-Butylbenzene	ND	350	35	ug/kg	
56-23-5	Carbon tetrachloride	ND	350	66	ug/kg	
108-90-7	Chlorobenzene	ND	350	30	ug/kg	
75-00-3	Chloroethane	ND	350	120	ug/kg	
67-66-3	Chloroform	ND	350	40	ug/kg	
74-87-3	Chloromethane	ND	350	32	ug/kg	
95-49-8	o-Chlorotoluene	ND	350	46	ug/kg	
106-43-4	p-Chlorotoluene	ND	350	42	ug/kg	
108-20-3	Di-Isopropyl ether	ND	350	29	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	690	150	ug/kg	
124-48-1	Dibromochloromethane	ND	350	38	ug/kg	
106-93-4	1,2-Dibromoethane	ND	69	39	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	350	32	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	350	34	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	350	32	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	350	55	ug/kg	
75-34-3	1,1-Dichloroethane	ND	350	33	ug/kg	
107-06-2	1,2-Dichloroethane	ND	69	38	ug/kg	
75-35-4	1,1-Dichloroethene	ND	350	48	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	350	46	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	350	47	ug/kg	
78-87-5	1,2-Dichloropropane	ND	350	38	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12K WEST3(14.0)	<b>Date Sampled:</b>	03/27/06
<b>Lab Sample ID:</b>	J26042-7	<b>Date Received:</b>	03/27/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	86.5
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	350	32	ug/kg	
594-20-7	2,2-Dichloropropane	ND	350	38	ug/kg	
563-58-6	1,1-Dichloropropene	ND	350	37	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	350	29	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	350	27	ug/kg	
100-41-4	Ethylbenzene	ND	69	31	ug/kg	
87-68-3	Hexachlorobutadiene	ND	350	58	ug/kg	
98-82-8	Isopropylbenzene	ND	350	32	ug/kg	
99-87-6	p-Isopropyltoluene	ND	350	34	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	69	39	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	350	140	ug/kg	
74-95-3	Methylene bromide	ND	350	34	ug/kg	
75-09-2	Methylene chloride	ND	350	48	ug/kg	
91-20-3	Naphthalene	ND	350	32	ug/kg	
103-65-1	n-Propylbenzene	ND	350	31	ug/kg	
100-42-5	Styrene	ND	350	23	ug/kg	
75-65-0	Tert Butyl Alcohol	8090	1700	510	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	350	29	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	350	29	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	350	32	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	350	40	ug/kg	
127-18-4	Tetrachloroethene	ND	350	57	ug/kg	
108-88-3	Toluene	ND	69	38	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	350	39	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	350	24	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	350	41	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	350	37	ug/kg	
79-01-6	Trichloroethene	ND	350	36	ug/kg	
75-69-4	Trichlorofluoromethane	ND	350	50	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	350	170	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	350	34	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	350	35	ug/kg	
75-01-4	Vinyl chloride	ND	350	45	ug/kg	
	m,p-Xylene	ND	140	61	ug/kg	
95-47-6	o-Xylene	ND	69	34	ug/kg	
1330-20-7	Xylene (total)	ND	140	34	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	106%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12K WEST3(14.0)		
<b>Lab Sample ID:</b>	J26042-7	<b>Date Sampled:</b>	03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/27/06
<b>Method:</b>	SW846 8260B SW846 5035	<b>Percent Solids:</b>	86.5
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	99%		61-133%
2037-26-5	Toluene-D8	113%		75-123%
460-00-4	4-Bromofluorobenzene	113%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12K WEST3(14.0)	
<b>Lab Sample ID:</b>	J26042-7	<b>Date Sampled:</b> 03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 03/27/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b> 86.5
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	UV41077.D	1	03/30/06	RKK	03/28/06 09:00	n/a	GUV1933
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.2 g	5.0 ml	100 ul
Run #2			

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	13	2.6	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
98-08-8	aaa-Trifluorotoluene	82%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 12K WEST3(14.0)	
<b>Lab Sample ID:</b> J26042-7	<b>Date Sampled:</b> 03/27/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 03/27/06
<b>Method:</b> SW846-8015 SW846 3545	<b>Percent Solids:</b> 86.5
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ34730.D	1	04/01/06	OYA	03/29/06	OP23095	GZZ1031
Run #2							

	Initial Weight	Final Volume
Run #1	15.2 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.6	2.1	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	82%		32-146%
16416-32-3	Tetracosane-d50	90%		40-149%
438-22-2	5a-Androstane	87%		35-152%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	12K WEST4(14.0)	<b>Date Sampled:</b>	03/27/06
<b>Lab Sample ID:</b>	J26042-8	<b>Date Received:</b>	03/27/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	76.8
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87772.D	1	04/06/06	NDJ	03/28/06 09:00	n/a	VS3340
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.6 g	5.0 ml	100 ul
Run #2			

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	860	250	ug/kg	
71-43-2	Benzene	ND	86	41	ug/kg	
108-86-1	Bromobenzene	ND	430	41	ug/kg	
74-97-5	Bromochloromethane	ND	430	36	ug/kg	
75-27-4	Bromodichloromethane	ND	430	39	ug/kg	
75-25-2	Bromoform	ND	430	37	ug/kg	
74-83-9	Bromomethane	ND	430	32	ug/kg	
78-93-3	2-Butanone (MEK)	ND	860	230	ug/kg	
104-51-8	n-Butylbenzene	ND	430	49	ug/kg	
135-98-8	sec-Butylbenzene	ND	430	38	ug/kg	
98-06-6	tert-Butylbenzene	ND	430	43	ug/kg	
56-23-5	Carbon tetrachloride	ND	430	81	ug/kg	
108-90-7	Chlorobenzene	ND	430	37	ug/kg	
75-00-3	Chloroethane	ND	430	150	ug/kg	
67-66-3	Chloroform	ND	430	50	ug/kg	
74-87-3	Chloromethane	ND	430	40	ug/kg	
95-49-8	o-Chlorotoluene	ND	430	57	ug/kg	
106-43-4	p-Chlorotoluene	ND	430	52	ug/kg	
108-20-3	Di-Isopropyl ether	ND	430	36	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	860	180	ug/kg	
124-48-1	Dibromochloromethane	ND	430	47	ug/kg	
106-93-4	1,2-Dibromoethane	ND	86	49	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	430	39	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	430	42	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	430	40	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	430	68	ug/kg	
75-34-3	1,1-Dichloroethane	ND	430	41	ug/kg	
107-06-2	1,2-Dichloroethane	ND	86	47	ug/kg	
75-35-4	1,1-Dichloroethene	ND	430	59	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	430	58	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	430	59	ug/kg	
78-87-5	1,2-Dichloropropane	ND	430	48	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12K WEST4(14.0)	<b>Date Sampled:</b>	03/27/06
<b>Lab Sample ID:</b>	J26042-8	<b>Date Received:</b>	03/27/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	76.8
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	430	40	ug/kg	
594-20-7	2,2-Dichloropropane	ND	430	47	ug/kg	
563-58-6	1,1-Dichloropropene	ND	430	46	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	430	36	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	430	34	ug/kg	
100-41-4	Ethylbenzene	ND	86	39	ug/kg	
87-68-3	Hexachlorobutadiene	ND	430	71	ug/kg	
98-82-8	Isopropylbenzene	ND	430	40	ug/kg	
99-87-6	p-Isopropyltoluene	ND	430	42	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	86	48	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	430	170	ug/kg	
74-95-3	Methylene bromide	ND	430	42	ug/kg	
75-09-2	Methylene chloride	ND	430	59	ug/kg	
91-20-3	Naphthalene	ND	430	39	ug/kg	
103-65-1	n-Propylbenzene	ND	430	38	ug/kg	
100-42-5	Styrene	ND	430	28	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	2100	640	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	430	36	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	430	36	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	430	40	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	430	49	ug/kg	
127-18-4	Tetrachloroethene	ND	430	71	ug/kg	
108-88-3	Toluene	ND	86	47	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	430	49	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	430	30	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	430	51	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	430	46	ug/kg	
79-01-6	Trichloroethene	ND	430	45	ug/kg	
75-69-4	Trichlorofluoromethane	ND	430	63	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	430	210	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	430	42	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	430	44	ug/kg	
75-01-4	Vinyl chloride	ND	430	55	ug/kg	
	m,p-Xylene	ND	170	75	ug/kg	
95-47-6	o-Xylene	ND	86	42	ug/kg	
1330-20-7	Xylene (total)	ND	170	42	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	107%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



## Report of Analysis

<b>Client Sample ID:</b> 12K WEST4(14.0)	
<b>Lab Sample ID:</b> J26042-8	<b>Date Sampled:</b> 03/27/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 03/27/06
<b>Method:</b> SW846 8260B SW846 5035	<b>Percent Solids:</b> 76.8
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	101%		61-133%
2037-26-5	Toluene-D8	113%		75-123%
460-00-4	4-Bromofluorobenzene	116%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12K WEST4(14.0)		
<b>Lab Sample ID:</b>	J26042-8	<b>Date Sampled:</b>	03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/27/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b>	76.8
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41076.D	1	03/30/06	RKK	03/28/06 09:00	n/a	GUV1933
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	4.7 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	ND	17	3.5	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	76%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12K WEST4(14.0)		
<b>Lab Sample ID:</b>	J26042-8	<b>Date Sampled:</b>	03/27/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/27/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b>	76.8
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	ZZ34731.D	1	04/01/06	OYA	03/29/06	OP23095	GZZ1031
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>
Run #1	15.1 g	1.0 ml
Run #2		

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-DRO (C10-C28)	ND	8.6	2.4	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
84-15-1	o-Terphenyl	71%		32-146%		
16416-32-3	Tetracosane-d50	77%		40-149%		
438-22-2	5a-Androstane	76%		35-152%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



## Misc. Forms

---

### Custody Documents and Other Forms

---

Includes the following where applicable:

- Chain of Custody





Technical Report for

ExxonMobil Corporation

GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD

GSC PO#MD63560

Accutest Job Number: J26176

Sampling Date: 03/28/06

Report to:

GSC-Kleinfelder

aharris@kleinfelder.com

ATTN: Ann Smaka

Total number of pages in report: **41**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

A handwritten signature in black ink, appearing to read "Vincent J. Pugliese".

Vincent J. Pugliese  
President

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.



# Table of Contents

-1-

<b>Section 1: Sample Summary .....</b>	<b>3</b>
<b>Section 2: Sample Results .....</b>	<b>4</b>
<b>2.1: J26176-1: 12K SOUTH(14.0) .....</b>	<b>5</b>
<b>2.2: J26176-2: 8K1 SOUTH(14.0) .....</b>	<b>10</b>
<b>2.3: J26176-3: 10K EAST2(14.0) .....</b>	<b>15</b>
<b>2.4: J26176-4: 8K2 SOUTH(14.0) .....</b>	<b>20</b>
<b>2.5: J26176-5: 10K EAST3(14.0) .....</b>	<b>25</b>
<b>2.6: J26176-6: 10K EAST4(14.0) .....</b>	<b>30</b>
<b>2.7: J26176-7: 10K SOUTH(14.0) .....</b>	<b>35</b>
<b>Section 3: Misc. Forms .....</b>	<b>40</b>
<b>3.1: Chain of Custody .....</b>	<b>41</b>



## Sample Summary

ExxonMobil Corporation

**Job No:** J26176

GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD  
 Project No: GSC PO#MD63560

Sample Number	Collected		Matrix Received	Code	Type	Client Sample ID
	Date	Time By				
J26176-1	03/28/06	09:13 ASH	03/28/06	SO	Soil	12K SOUTH(14.0)
J26176-2	03/28/06	10:15 ASH	03/28/06	SO	Soil	8K1 SOUTH(14.0)
J26176-3	03/28/06	11:25 ASH	03/28/06	SO	Soil	10K EAST2(14.0)
J26176-4	03/28/06	11:50 ASH	03/28/06	SO	Soil	8K2 SOUTH(14.0)
J26176-5	03/28/06	12:58 ASH	03/28/06	SO	Soil	10K EAST3(14.0)
J26176-6	03/28/06	16:53 ASH	03/28/06	SO	Soil	10K EAST4(14.0)
J26176-7	03/28/06	17:14 ASH	03/28/06	SO	Soil	10K SOUTH(14.0)

---

Soil samples reported on a dry weight basis unless otherwise indicated on result page.





## Sample Results

---

## Report of Analysis

---

**Report of Analysis**

<b>Client Sample ID:</b>	12K SOUTH(14.0)		
<b>Lab Sample ID:</b>	J26176-1	<b>Date Sampled:</b>	03/28/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/28/06
<b>Method:</b>	SW846 8260B SW846 5035	<b>Percent Solids:</b>	82.2
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87738.D	1	04/05/06	NDJ	03/29/06 08:00	n/a	VS3338
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.7 g	5.0 ml	100 ul
Run #2			

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	2940	760	220	ug/kg	
71-43-2	Benzene	ND	76	36	ug/kg	
108-86-1	Bromobenzene	ND	380	36	ug/kg	
74-97-5	Bromochloromethane	ND	380	31	ug/kg	
75-27-4	Bromodichloromethane	ND	380	34	ug/kg	
75-25-2	Bromoform	ND	380	33	ug/kg	
74-83-9	Bromomethane	ND	380	28	ug/kg	
78-93-3	2-Butanone (MEK)	ND	760	210	ug/kg	
104-51-8	n-Butylbenzene	ND	380	43	ug/kg	
135-98-8	sec-Butylbenzene	ND	380	34	ug/kg	
98-06-6	tert-Butylbenzene	ND	380	38	ug/kg	
56-23-5	Carbon tetrachloride	ND	380	72	ug/kg	
108-90-7	Chlorobenzene	ND	380	33	ug/kg	
75-00-3	Chloroethane	ND	380	130	ug/kg	
67-66-3	Chloroform	ND	380	44	ug/kg	
74-87-3	Chloromethane	ND	380	35	ug/kg	
95-49-8	o-Chlorotoluene	ND	380	50	ug/kg	
106-43-4	p-Chlorotoluene	ND	380	46	ug/kg	
108-20-3	Di-Isopropyl ether	ND	380	31	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	760	160	ug/kg	
124-48-1	Dibromochloromethane	ND	380	41	ug/kg	
106-93-4	1,2-Dibromoethane	ND	76	43	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	380	34	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	380	37	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	380	35	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	380	60	ug/kg	
75-34-3	1,1-Dichloroethane	ND	380	36	ug/kg	
107-06-2	1,2-Dichloroethane	ND	76	41	ug/kg	
75-35-4	1,1-Dichloroethene	ND	380	52	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	380	51	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	380	52	ug/kg	
78-87-5	1,2-Dichloropropane	ND	380	42	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12K SOUTH(14.0)	<b>Date Sampled:</b>	03/28/06
<b>Lab Sample ID:</b>	J26176-1	<b>Date Received:</b>	03/28/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	82.2
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	380	35	ug/kg	
594-20-7	2,2-Dichloropropane	ND	380	41	ug/kg	
563-58-6	1,1-Dichloropropene	ND	380	40	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	380	31	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	380	30	ug/kg	
100-41-4	Ethylbenzene	ND	76	34	ug/kg	
87-68-3	Hexachlorobutadiene	ND	380	63	ug/kg	
98-82-8	Isopropylbenzene	ND	380	35	ug/kg	
99-87-6	p-Isopropyltoluene	ND	380	37	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	76	42	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	380	150	ug/kg	
74-95-3	Methylene bromide	ND	380	37	ug/kg	
75-09-2	Methylene chloride	ND	380	52	ug/kg	
91-20-3	Naphthalene	ND	380	34	ug/kg	
103-65-1	n-Propylbenzene	ND	380	33	ug/kg	
100-42-5	Styrene	ND	380	25	ug/kg	
75-65-0	Tert Butyl Alcohol	13000	1900	560	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	380	32	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	380	32	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	380	35	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	380	43	ug/kg	
127-18-4	Tetrachloroethene	ND	380	62	ug/kg	
108-88-3	Toluene	ND	76	41	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	380	43	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	380	26	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	380	45	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	380	40	ug/kg	
79-01-6	Trichloroethene	ND	380	39	ug/kg	
75-69-4	Trichlorofluoromethane	ND	380	55	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	380	190	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	380	37	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	380	38	ug/kg	
75-01-4	Vinyl chloride	ND	380	49	ug/kg	
	m,p-Xylene	ND	150	66	ug/kg	
95-47-6	o-Xylene	ND	76	37	ug/kg	
1330-20-7	Xylene (total)	ND	150	37	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	12K SOUTH(14.0)		
<b>Lab Sample ID:</b>	J26176-1	<b>Date Sampled:</b>	03/28/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/28/06
<b>Method:</b>	SW846 8260B SW846 5035	<b>Percent Solids:</b>	82.2
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

### MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	94%		61-133%
2037-26-5	Toluene-D8	112%		75-123%
460-00-4	4-Bromofluorobenzene	114%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12K SOUTH(14.0)	
<b>Lab Sample ID:</b>	J26176-1	<b>Date Sampled:</b> 03/28/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 03/28/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b> 82.2
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	UV41096.D	1	03/30/06	RKK	03/29/06 08:00	n/a	GUV1934
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.8 g	5.0 ml	100 ul
Run #2			

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	15	3.0	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
98-08-8	aaa-Trifluorotoluene	82%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 12K SOUTH(14.0)		<b>Date Sampled:</b> 03/28/06
<b>Lab Sample ID:</b> J26176-1		<b>Date Received:</b> 03/28/06
<b>Matrix:</b> SO - Soil		<b>Percent Solids:</b> 82.2
<b>Method:</b> SW846-8015 SW846 3545		
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ34733.D	1	04/01/06	OYA	03/29/06	OP23095	GZZ1031
Run #2							

Run #	Initial Weight	Final Volume
Run #1	15.1 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	8.1	2.3	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	74%		32-146%
16416-32-3	Tetracosane-d50	80%		40-149%
438-22-2	5a-Androstane	78%		35-152%

---

ND = Not detected	MDL - Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8K1 SOUTH(14.0)		
<b>Lab Sample ID:</b>	J26176-2	<b>Date Sampled:</b>	03/28/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/28/06
<b>Method:</b>	SW846 8260B SW846 5035	<b>Percent Solids:</b>	84.0
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87739.D	1	04/05/06	NDJ	03/29/06 08:00	n/a	VS3338
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.4 g	5.0 ml	100 ul
Run #2			

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1010	770	220	ug/kg	
71-43-2	Benzene	ND	77	37	ug/kg	
108-86-1	Bromobenzene	ND	390	37	ug/kg	
74-97-5	Bromochloromethane	ND	390	32	ug/kg	
75-27-4	Bromodichloromethane	ND	390	35	ug/kg	
75-25-2	Bromoform	ND	390	33	ug/kg	
74-83-9	Bromomethane	ND	390	28	ug/kg	
78-93-3	2-Butanone (MEK)	608	770	210	ug/kg	J
104-51-8	n-Butylbenzene	ND	390	44	ug/kg	
135-98-8	sec-Butylbenzene	ND	390	34	ug/kg	
98-06-6	tert-Butylbenzene	ND	390	38	ug/kg	
56-23-5	Carbon tetrachloride	ND	390	73	ug/kg	
108-90-7	Chlorobenzene	ND	390	33	ug/kg	
75-00-3	Chloroethane	ND	390	130	ug/kg	
67-66-3	Chloroform	ND	390	45	ug/kg	
74-87-3	Chloromethane	ND	390	36	ug/kg	
95-49-8	o-Chlorotoluene	ND	390	51	ug/kg	
106-43-4	p-Chlorotoluene	ND	390	47	ug/kg	
108-20-3	Di-Isopropyl ether	ND	390	32	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	770	170	ug/kg	
124-48-1	Dibromochloromethane	ND	390	42	ug/kg	
106-93-4	1,2-Dibromoethane	ND	77	44	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	390	35	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	390	38	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	390	35	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	390	61	ug/kg	
75-34-3	1,1-Dichloroethane	ND	390	37	ug/kg	
107-06-2	1,2-Dichloroethane	ND	77	42	ug/kg	
75-35-4	1,1-Dichloroethene	ND	390	53	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	390	52	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	390	53	ug/kg	
78-87-5	1,2-Dichloropropane	ND	390	43	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8K1 SOUTH(14.0)	<b>Date Sampled:</b>	03/28/06
<b>Lab Sample ID:</b>	J26176-2	<b>Date Received:</b>	03/28/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	84.0
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	390	36	ug/kg	
594-20-7	2,2-Dichloropropane	ND	390	42	ug/kg	
563-58-6	1,1-Dichloropropene	ND	390	41	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	390	32	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	390	30	ug/kg	
100-41-4	Ethylbenzene	ND	77	35	ug/kg	
87-68-3	Hexachlorobutadiene	ND	390	64	ug/kg	
98-82-8	Isopropylbenzene	ND	390	36	ug/kg	
99-87-6	p-Isopropyltoluene	ND	390	38	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	77	43	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	390	150	ug/kg	
74-95-3	Methylene bromide	ND	390	38	ug/kg	
75-09-2	Methylene chloride	ND	390	53	ug/kg	
91-20-3	Naphthalene	ND	390	35	ug/kg	
103-65-1	n-Propylbenzene	ND	390	34	ug/kg	
100-42-5	Styrene	ND	390	25	ug/kg	
75-65-0	Tert Butyl Alcohol	12500	1900	570	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	390	33	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	390	33	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	390	36	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	390	44	ug/kg	
127-18-4	Tetrachloroethene	ND	390	64	ug/kg	
108-88-3	Toluene	ND	77	42	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	390	44	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	390	27	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	390	46	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	390	41	ug/kg	
79-01-6	Trichloroethene	ND	390	40	ug/kg	
75-69-4	Trichlorofluoromethane	ND	390	56	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	390	190	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	390	38	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	390	39	ug/kg	
75-01-4	Vinyl chloride	ND	390	50	ug/kg	
	m,p-Xylene	ND	150	68	ug/kg	
95-47-6	o-Xylene	ND	77	38	ug/kg	
1330-20-7	Xylene (total)	ND	150	38	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



## Report of Analysis

<b>Client Sample ID:</b>	8K1 SOUTH(14.0)		
<b>Lab Sample ID:</b>	J26176-2	<b>Date Sampled:</b>	03/28/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/28/06
<b>Method:</b>	SW846 8260B SW846 5035	<b>Percent Solids:</b>	84.0
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

### MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	94%		61-133%
2037-26-5	Toluene-D8	111%		75-123%
460-00-4	4-Bromofluorobenzene	114%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 8K1 SOUTH(14.0)	
<b>Lab Sample ID:</b> J26176-2	<b>Date Sampled:</b> 03/28/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 03/28/06
<b>Method:</b> SW846 8015 SW846 5035	<b>Percent Solids:</b> 84.0
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	UV41152.D	1	04/03/06	YHY	03/29/06 08:00	n/a	GUV1936
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.0 g	5.0 ml	100 ul
Run #2			

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	14	2.8	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
98-08-8	aaa-Trifluorotoluene	79%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 8K1 SOUTH(14.0)	
<b>Lab Sample ID:</b> J26176-2	<b>Date Sampled:</b> 03/28/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 03/28/06
<b>Method:</b> SW846-8015 SW846 3545	<b>Percent Solids:</b> 84.0
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ34734.D	1	04/01/06	OYA	03/29/06	OP23095	GZZ1031
Run #2							

	Initial Weight	Final Volume
Run #1	15.0 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.9	2.2	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	82%		32-146%
16416-32-3	Tetracosane-d50	91%		40-149%
438-22-2	5a-Androstane	88%		35-152%

---

ND = Not detected	MDL - Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	10K EAST2(14.0)	<b>Date Sampled:</b>	03/28/06
<b>Lab Sample ID:</b>	J26176-3	<b>Date Received:</b>	03/28/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	86.0
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87740.D	1	04/05/06	NDJ	03/29/06 08:00	n/a	VS3338
Run #2							

Run #1	Initial Weight	Final Volume	Methanol Aliquot
Run #1	3.9 g	5.0 ml	100 ul
Run #2			

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	830	240	ug/kg	
71-43-2	Benzene	ND	83	40	ug/kg	
108-86-1	Bromobenzene	ND	410	39	ug/kg	
74-97-5	Bromochloromethane	ND	410	34	ug/kg	
75-27-4	Bromodichloromethane	ND	410	38	ug/kg	
75-25-2	Bromoform	ND	410	36	ug/kg	
74-83-9	Bromomethane	ND	410	31	ug/kg	
78-93-3	2-Butanone (MEK)	ND	830	230	ug/kg	
104-51-8	n-Butylbenzene	ND	410	47	ug/kg	
135-98-8	sec-Butylbenzene	ND	410	37	ug/kg	
98-06-6	tert-Butylbenzene	ND	410	41	ug/kg	
56-23-5	Carbon tetrachloride	ND	410	78	ug/kg	
108-90-7	Chlorobenzene	ND	410	36	ug/kg	
75-00-3	Chloroethane	ND	410	140	ug/kg	
67-66-3	Chloroform	ND	410	48	ug/kg	
74-87-3	Chloromethane	ND	410	38	ug/kg	
95-49-8	o-Chlorotoluene	ND	410	54	ug/kg	
106-43-4	p-Chlorotoluene	ND	410	50	ug/kg	
108-20-3	Di-Isopropyl ether	ND	410	34	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	830	180	ug/kg	
124-48-1	Dibromochloromethane	ND	410	45	ug/kg	
106-93-4	1,2-Dibromoethane	ND	83	47	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	410	38	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	410	40	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	410	38	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	410	66	ug/kg	
75-34-3	1,1-Dichloroethane	ND	410	40	ug/kg	
107-06-2	1,2-Dichloroethane	ND	83	45	ug/kg	
75-35-4	1,1-Dichloroethene	ND	410	57	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	410	55	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	410	56	ug/kg	
78-87-5	1,2-Dichloropropane	ND	410	46	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	10K EAST2(14.0)		
<b>Lab Sample ID:</b>	J26176-3	<b>Date Sampled:</b>	03/28/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/28/06
<b>Method:</b>	SW846 8260B SW846 5035	<b>Percent Solids:</b>	86.0
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	410	38	ug/kg	
594-20-7	2,2-Dichloropropane	ND	410	45	ug/kg	
563-58-6	1,1-Dichloropropene	ND	410	44	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	410	34	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	410	32	ug/kg	
100-41-4	Ethylbenzene	ND	83	37	ug/kg	
87-68-3	Hexachlorobutadiene	ND	410	69	ug/kg	
98-82-8	Isopropylbenzene	ND	410	38	ug/kg	
99-87-6	p-Isopropyltoluene	ND	410	40	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	75.7	83	46	ug/kg	J
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	410	160	ug/kg	
74-95-3	Methylene bromide	ND	410	40	ug/kg	
75-09-2	Methylene chloride	ND	410	57	ug/kg	
91-20-3	Naphthalene	ND	410	38	ug/kg	
103-65-1	n-Propylbenzene	ND	410	37	ug/kg	
100-42-5	Styrene	ND	410	27	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	2100	610	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	410	35	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	410	35	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	410	39	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	410	47	ug/kg	
127-18-4	Tetrachloroethene	ND	410	68	ug/kg	
108-88-3	Toluene	ND	83	45	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	410	47	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	410	29	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	410	49	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	410	44	ug/kg	
79-01-6	Trichloroethene	ND	410	43	ug/kg	
75-69-4	Trichlorofluoromethane	ND	410	60	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	410	210	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	410	40	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	410	42	ug/kg	
75-01-4	Vinyl chloride	ND	410	53	ug/kg	
	m,p-Xylene	ND	170	73	ug/kg	
95-47-6	o-Xylene	ND	83	41	ug/kg	
1330-20-7	Xylene (total)	ND	170	41	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 10K EAST2(14.0)	
<b>Lab Sample ID:</b> J26176-3	<b>Date Sampled:</b> 03/28/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 03/28/06
<b>Method:</b> SW846 8260B SW846 5035	<b>Percent Solids:</b> 86.0
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

### MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	92%		61-133%
2037-26-5	Toluene-D8	111%		75-123%
460-00-4	4-Bromofluorobenzene	113%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10K EAST2(14.0)	
<b>Lab Sample ID:</b>	J26176-3	<b>Date Sampled:</b> 03/28/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 03/28/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b> 86.0
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41091.D	1	03/30/06	RKK	03/29/06 08:00	n/a	GUV1934
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	4.7 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	ND	14	2.9	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	82%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10K EAST2(14.0)		
<b>Lab Sample ID:</b>	J26176-3	<b>Date Sampled:</b>	03/28/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/28/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b>	86.0
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ34735.D	1	04/01/06	OYA	03/29/06	OP23095	GZZ1031
Run #2							

	Initial Weight	Final Volume
Run #1	15.2 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.6	2.1	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	87%		32-146%
16416-32-3	Tetracosane-d50	96%		40-149%
438-22-2	5a-Androstane	91%		35-152%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



## Report of Analysis

<b>Client Sample ID:</b>	8K2 SOUTH(14.0)		<b>Date Sampled:</b>	03/28/06
<b>Lab Sample ID:</b>	J26176-4		<b>Date Received:</b>	03/28/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	90.9
<b>Method:</b>	SW846 8260B SW846 5035			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87741.D	1	04/05/06	NDJ	03/29/06 08:00	n/a	VS3338
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.7 g	5.0 ml	100 ul
Run #2			

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	242	640	180	ug/kg	J
71-43-2	Benzene	ND	64	30	ug/kg	
108-86-1	Bromobenzene	ND	320	30	ug/kg	
74-97-5	Bromochloromethane	ND	320	26	ug/kg	
75-27-4	Bromodichloromethane	ND	320	29	ug/kg	
75-25-2	Bromoform	ND	320	28	ug/kg	
74-83-9	Bromomethane	ND	320	23	ug/kg	
78-93-3	2-Butanone (MEK)	ND	640	170	ug/kg	
104-51-8	n-Butylbenzene	ND	320	36	ug/kg	
135-98-8	sec-Butylbenzene	ND	320	28	ug/kg	
98-06-6	tert-Butylbenzene	ND	320	32	ug/kg	
56-23-5	Carbon tetrachloride	ND	320	60	ug/kg	
108-90-7	Chlorobenzene	ND	320	28	ug/kg	
75-00-3	Chloroethane	ND	320	110	ug/kg	
67-66-3	Chloroform	ND	320	37	ug/kg	
74-87-3	Chloromethane	ND	320	29	ug/kg	
95-49-8	o-Chlorotoluene	ND	320	42	ug/kg	
106-43-4	p-Chlorotoluene	ND	320	38	ug/kg	
108-20-3	Di-Isopropyl ether	ND	320	26	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	640	140	ug/kg	
124-48-1	Dibromochloromethane	ND	320	35	ug/kg	
106-93-4	1,2-Dibromoethane	ND	64	36	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	320	29	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	320	31	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	320	29	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	320	50	ug/kg	
75-34-3	1,1-Dichloroethane	ND	320	30	ug/kg	
107-06-2	1,2-Dichloroethane	ND	64	34	ug/kg	
75-35-4	1,1-Dichloroethene	ND	320	44	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	320	43	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	320	43	ug/kg	
78-87-5	1,2-Dichloropropane	ND	320	35	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8K2 SOUTH(14.0)	<b>Date Sampled:</b>	03/28/06
<b>Lab Sample ID:</b>	J26176-4	<b>Date Received:</b>	03/28/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	90.9
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	320	29	ug/kg	
594-20-7	2,2-Dichloropropane	ND	320	35	ug/kg	
563-58-6	1,1-Dichloropropene	ND	320	34	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	320	26	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	320	25	ug/kg	
100-41-4	Ethylbenzene	ND	64	29	ug/kg	
87-68-3	Hexachlorobutadiene	ND	320	53	ug/kg	
98-82-8	Isopropylbenzene	ND	320	30	ug/kg	
99-87-6	p-Isopropyltoluene	ND	320	31	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	64	36	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	320	130	ug/kg	
74-95-3	Methylene bromide	ND	320	31	ug/kg	
75-09-2	Methylene chloride	ND	320	44	ug/kg	
91-20-3	Naphthalene	ND	320	29	ug/kg	
103-65-1	n-Propylbenzene	ND	320	28	ug/kg	
100-42-5	Styrene	ND	320	21	ug/kg	
75-65-0	Tert Butyl Alcohol	26600	1600	470	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	320	27	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	320	27	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	320	30	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	320	36	ug/kg	
127-18-4	Tetrachloroethene	ND	320	52	ug/kg	
108-88-3	Toluene	ND	64	34	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	320	36	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	320	22	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	320	38	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	320	34	ug/kg	
79-01-6	Trichloroethene	ND	320	33	ug/kg	
75-69-4	Trichlorofluoromethane	ND	320	46	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	320	160	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	320	31	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	320	32	ug/kg	
75-01-4	Vinyl chloride	ND	320	41	ug/kg	
	m,p-Xylene	ND	130	56	ug/kg	
95-47-6	o-Xylene	ND	64	31	ug/kg	
1330-20-7	Xylene (total)	ND	130	31	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	103%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	8K2 SOUTH(14.0)		
<b>Lab Sample ID:</b>	J26176-4	<b>Date Sampled:</b>	03/28/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/28/06
<b>Method:</b>	SW846 8260B SW846 5035	<b>Percent Solids:</b>	90.9
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

### MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	93%		61-133%
2037-26-5	Toluene-D8	112%		75-123%
460-00-4	4-Bromofluorobenzene	114%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8K2 SOUTH(14.0)	
<b>Lab Sample ID:</b>	J26176-4	<b>Date Sampled:</b> 03/28/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 03/28/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b> 90.9
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41092.D	1	03/30/06	RKK	03/29/06 08:00	n/a	GUV1934
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	5.0 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	ND	12	2.5	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	77%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8K2 SOUTH(14.0)	
<b>Lab Sample ID:</b>	J26176-4	<b>Date Sampled:</b> 03/28/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 03/28/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 90.9
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ34736.D	1	04/01/06	OYA	03/29/06	OP23095	GZZ1031
Run #2							

	Initial Weight	Final Volume
Run #1	15.2 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.2	2.0	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	83%		32-146%
16416-32-3	Tetracosane-d50	89%		40-149%
438-22-2	5a-Androstane	87%		35-152%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	10K EAST3(14.0)		<b>Date Sampled:</b>	03/28/06
<b>Lab Sample ID:</b>	J26176-5		<b>Date Received:</b>	03/28/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	88.4
<b>Method:</b>	SW846 8260B SW846 5035			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87742.D	1	04/05/06	NDJ	03/29/06 08:00	n/a	VS3338
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.1 g	5.0 ml	100 ul
Run #2			

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	620	180	ug/kg	
71-43-2	Benzene	ND	62	30	ug/kg	
108-86-1	Bromobenzene	ND	310	29	ug/kg	
74-97-5	Bromochloromethane	ND	310	26	ug/kg	
75-27-4	Bromodichloromethane	ND	310	28	ug/kg	
75-25-2	Bromoform	ND	310	27	ug/kg	
74-83-9	Bromomethane	ND	310	23	ug/kg	
78-93-3	2-Butanone (MEK)	ND	620	170	ug/kg	
104-51-8	n-Butylbenzene	ND	310	35	ug/kg	
135-98-8	sec-Butylbenzene	ND	310	28	ug/kg	
98-06-6	tert-Butylbenzene	ND	310	31	ug/kg	
56-23-5	Carbon tetrachloride	ND	310	59	ug/kg	
108-90-7	Chlorobenzene	ND	310	27	ug/kg	
75-00-3	Chloroethane	ND	310	110	ug/kg	
67-66-3	Chloroform	ND	310	36	ug/kg	
74-87-3	Chloromethane	ND	310	29	ug/kg	
95-49-8	o-Chlorotoluene	ND	310	41	ug/kg	
106-43-4	p-Chlorotoluene	ND	310	38	ug/kg	
108-20-3	Di-Isopropyl ether	ND	310	26	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	620	130	ug/kg	
124-48-1	Dibromochloromethane	ND	310	34	ug/kg	
106-93-4	1,2-Dibromoethane	ND	62	35	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	310	28	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	310	30	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	310	29	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	310	49	ug/kg	
75-34-3	1,1-Dichloroethane	ND	310	30	ug/kg	
107-06-2	1,2-Dichloroethane	ND	62	34	ug/kg	
75-35-4	1,1-Dichloroethene	ND	310	43	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	310	42	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	310	42	ug/kg	
78-87-5	1,2-Dichloropropane	ND	310	34	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	10K EAST3(14.0)	<b>Date Sampled:</b>	03/28/06
<b>Lab Sample ID:</b>	J26176-5	<b>Date Received:</b>	03/28/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	88.4
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	310	29	ug/kg	
594-20-7	2,2-Dichloropropane	ND	310	34	ug/kg	
563-58-6	1,1-Dichloropropene	ND	310	33	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	310	26	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	310	24	ug/kg	
100-41-4	Ethylbenzene	ND	62	28	ug/kg	
87-68-3	Hexachlorobutadiene	ND	310	52	ug/kg	
98-82-8	Isopropylbenzene	ND	310	29	ug/kg	
99-87-6	p-Isopropyltoluene	ND	310	30	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	62	35	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	310	120	ug/kg	
74-95-3	Methylene bromide	ND	310	30	ug/kg	
75-09-2	Methylene chloride	ND	310	43	ug/kg	
91-20-3	Naphthalene	ND	310	28	ug/kg	
103-65-1	n-Propylbenzene	ND	310	27	ug/kg	
100-42-5	Styrene	ND	310	20	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	1600	460	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	310	26	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	310	26	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	310	29	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	310	36	ug/kg	
127-18-4	Tetrachloroethene	ND	310	51	ug/kg	
108-88-3	Toluene	ND	62	34	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	310	35	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	310	22	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	310	37	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	310	33	ug/kg	
79-01-6	Trichloroethene	ND	310	32	ug/kg	
75-69-4	Trichlorofluoromethane	ND	310	45	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	310	150	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	310	30	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	310	32	ug/kg	
75-01-4	Vinyl chloride	ND	310	40	ug/kg	
	m,p-Xylene	ND	120	54	ug/kg	
95-47-6	o-Xylene	ND	62	31	ug/kg	
1330-20-7	Xylene (total)	ND	120	31	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10K EAST3(14.0)		
<b>Lab Sample ID:</b>	J26176-5	<b>Date Sampled:</b>	03/28/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/28/06
<b>Method:</b>	SW846 8260B SW846 5035	<b>Percent Solids:</b>	88.4
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	95%		61-133%
2037-26-5	Toluene-D8	113%		75-123%
460-00-4	4-Bromofluorobenzene	115%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



**Report of Analysis**

<b>Client Sample ID:</b>	10K EAST3(14.0)	
<b>Lab Sample ID:</b>	J26176-5	<b>Date Sampled:</b> 03/28/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 03/28/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b> 88.4
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41093.D	1	03/30/06	RKK	03/29/06 08:00	n/a	GUV1934
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	4.7 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	ND	13	2.7	mg/kg	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
98-08-8	aaa-Trifluorotoluene	78%		28-154%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 10K EAST3(14.0)	
<b>Lab Sample ID:</b> J26176-5	<b>Date Sampled:</b> 03/28/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 03/28/06
<b>Method:</b> SW846-8015 SW846 3545	<b>Percent Solids:</b> 88.4
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ34737.D	1	04/01/06	OYA	03/29/06	OP23095	GZZ1031
Run #2							

	Initial Weight	Final Volume
Run #1	15.0 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.5	2.1	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	82%		32-146%
16416-32-3	Tetracosane-d50	92%		40-149%
438-22-2	5a-Androstane	88%		35-152%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	10K EAST4(14.0)		<b>Date Sampled:</b>	03/28/06
<b>Lab Sample ID:</b>	J26176-6		<b>Date Received:</b>	03/28/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	90.0
<b>Method:</b>	SW846 8260B SW846 5035			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87743.D	1	04/05/06	NDJ	03/29/06 08:00	n/a	VS3338
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.8 g	5.0 ml	100 ul
Run #2			

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	630	180	ug/kg	
71-43-2	Benzene	ND	63	30	ug/kg	
108-86-1	Bromobenzene	ND	320	30	ug/kg	
74-97-5	Bromochloromethane	ND	320	26	ug/kg	
75-27-4	Bromodichloromethane	ND	320	29	ug/kg	
75-25-2	Bromoform	ND	320	28	ug/kg	
74-83-9	Bromomethane	ND	320	23	ug/kg	
78-93-3	2-Butanone (MEK)	ND	630	170	ug/kg	
104-51-8	n-Butylbenzene	ND	320	36	ug/kg	
135-98-8	sec-Butylbenzene	ND	320	28	ug/kg	
98-06-6	tert-Butylbenzene	ND	320	32	ug/kg	
56-23-5	Carbon tetrachloride	ND	320	60	ug/kg	
108-90-7	Chlorobenzene	ND	320	27	ug/kg	
75-00-3	Chloroethane	ND	320	110	ug/kg	
67-66-3	Chloroform	ND	320	37	ug/kg	
74-87-3	Chloromethane	ND	320	29	ug/kg	
95-49-8	o-Chlorotoluene	ND	320	42	ug/kg	
106-43-4	p-Chlorotoluene	ND	320	38	ug/kg	
108-20-3	Di-Isopropyl ether	ND	320	26	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	630	140	ug/kg	
124-48-1	Dibromochloromethane	ND	320	35	ug/kg	
106-93-4	1,2-Dibromoethane	ND	63	36	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	320	29	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	320	31	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	320	29	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	320	50	ug/kg	
75-34-3	1,1-Dichloroethane	ND	320	30	ug/kg	
107-06-2	1,2-Dichloroethane	ND	63	34	ug/kg	
75-35-4	1,1-Dichloroethene	ND	320	44	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	320	43	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	320	43	ug/kg	
78-87-5	1,2-Dichloropropane	ND	320	35	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	10K EAST4(14.0)	<b>Date Sampled:</b>	03/28/06
<b>Lab Sample ID:</b>	J26176-6	<b>Date Received:</b>	03/28/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	90.0
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	320	29	ug/kg	
594-20-7	2,2-Dichloropropane	ND	320	35	ug/kg	
563-58-6	1,1-Dichloropropene	ND	320	34	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	320	26	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	320	25	ug/kg	
100-41-4	Ethylbenzene	ND	63	29	ug/kg	
87-68-3	Hexachlorobutadiene	ND	320	53	ug/kg	
98-82-8	Isopropylbenzene	ND	320	29	ug/kg	
99-87-6	p-Isopropyltoluene	ND	320	31	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	84.4	63	35	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	320	130	ug/kg	
74-95-3	Methylene bromide	ND	320	31	ug/kg	
75-09-2	Methylene chloride	ND	320	44	ug/kg	
91-20-3	Naphthalene	ND	320	29	ug/kg	
103-65-1	n-Propylbenzene	ND	320	28	ug/kg	
100-42-5	Styrene	ND	320	21	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	1600	470	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	320	27	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	320	27	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	320	30	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	320	36	ug/kg	
127-18-4	Tetrachloroethene	ND	320	52	ug/kg	
108-88-3	Toluene	ND	63	34	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	320	36	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	320	22	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	320	38	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	320	34	ug/kg	
79-01-6	Trichloroethene	ND	320	33	ug/kg	
75-69-4	Trichlorofluoromethane	ND	320	46	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	320	160	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	320	31	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	320	32	ug/kg	
75-01-4	Vinyl chloride	ND	320	41	ug/kg	
	m,p-Xylene	ND	130	56	ug/kg	
95-47-6	o-Xylene	ND	63	31	ug/kg	
1330-20-7	Xylene (total)	ND	130	31	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	10K EAST4(14.0)		
<b>Lab Sample ID:</b>	J26176-6	<b>Date Sampled:</b>	03/28/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/28/06
<b>Method:</b>	SW846 8260B SW846 5035	<b>Percent Solids:</b>	90.0
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

### MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	95%		61-133%
2037-26-5	Toluene-D8	112%		75-123%
460-00-4	4-Bromofluorobenzene	111%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10K EAST4(14.0)		
<b>Lab Sample ID:</b>	J26176-6	<b>Date Sampled:</b>	03/28/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/28/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b>	90.0
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41138.D	1	04/03/06	YHY	03/29/06 08:00	n/a	GUV1936
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	5.1 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	ND	12	2.5	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	82%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10K EAST4(14.0)		
<b>Lab Sample ID:</b>	J26176-6	<b>Date Sampled:</b>	03/28/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/28/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b>	90.0
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ34740.D	1	04/01/06	OYA	03/29/06	OP23095	GZZ1031
Run #2							

	Initial Weight	Final Volume
Run #1	15.1 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.4	2.1	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	91%		32-146%
16416-32-3	Tetracosane-d50	98%		40-149%
438-22-2	5a-Androstane	96%		35-152%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	10K SOUTH(14.0)		
<b>Lab Sample ID:</b>	J26176-7	<b>Date Sampled:</b>	03/28/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/28/06
<b>Method:</b>	SW846 8260B SW846 5035	<b>Percent Solids:</b>	90.8
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87744.D	1	04/05/06	NDJ	03/29/06 08:00	n/a	VS3338
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.9 g	5.0 ml	100 ul
Run #2			

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	610	180	ug/kg	
71-43-2	Benzene	ND	61	29	ug/kg	
108-86-1	Bromobenzene	ND	310	29	ug/kg	
74-97-5	Bromochloromethane	ND	310	25	ug/kg	
75-27-4	Bromodichloromethane	ND	310	28	ug/kg	
75-25-2	Bromoform	ND	310	27	ug/kg	
74-83-9	Bromomethane	ND	310	23	ug/kg	
78-93-3	2-Butanone (MEK)	ND	610	170	ug/kg	
104-51-8	n-Butylbenzene	ND	310	35	ug/kg	
135-98-8	sec-Butylbenzene	ND	310	27	ug/kg	
98-06-6	tert-Butylbenzene	ND	310	31	ug/kg	
56-23-5	Carbon tetrachloride	ND	310	58	ug/kg	
108-90-7	Chlorobenzene	ND	310	27	ug/kg	
75-00-3	Chloroethane	ND	310	110	ug/kg	
67-66-3	Chloroform	ND	310	36	ug/kg	
74-87-3	Chloromethane	ND	310	28	ug/kg	
95-49-8	o-Chlorotoluene	ND	310	40	ug/kg	
106-43-4	p-Chlorotoluene	ND	310	37	ug/kg	
108-20-3	Di-Isopropyl ether	ND	310	25	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	610	130	ug/kg	
124-48-1	Dibromochloromethane	ND	310	34	ug/kg	
106-93-4	1,2-Dibromoethane	ND	61	35	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	310	28	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	310	30	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	310	28	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	310	49	ug/kg	
75-34-3	1,1-Dichloroethane	ND	310	29	ug/kg	
107-06-2	1,2-Dichloroethane	ND	61	33	ug/kg	
75-35-4	1,1-Dichloroethene	ND	310	42	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	310	41	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	310	42	ug/kg	
78-87-5	1,2-Dichloropropane	ND	310	34	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



**Report of Analysis**

<b>Client Sample ID:</b>	10K SOUTH(14.0)	<b>Date Sampled:</b>	03/28/06
<b>Lab Sample ID:</b>	J26176-7	<b>Date Received:</b>	03/28/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	90.8
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	310	28	ug/kg	
594-20-7	2,2-Dichloropropane	ND	310	33	ug/kg	
563-58-6	1,1-Dichloropropene	ND	310	33	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	310	25	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	310	24	ug/kg	
100-41-4	Ethylbenzene	ND	61	28	ug/kg	
87-68-3	Hexachlorobutadiene	ND	310	51	ug/kg	
98-82-8	Isopropylbenzene	ND	310	28	ug/kg	
99-87-6	p-Isopropyltoluene	ND	310	30	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	72.4	61	34	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	310	120	ug/kg	
74-95-3	Methylene bromide	ND	310	30	ug/kg	
75-09-2	Methylene chloride	ND	310	42	ug/kg	
91-20-3	Naphthalene	ND	310	28	ug/kg	
103-65-1	n-Propylbenzene	ND	310	27	ug/kg	
100-42-5	Styrene	ND	310	20	ug/kg	
75-65-0	Tert Butyl Alcohol	7630	1500	450	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	310	26	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	310	26	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	310	29	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	310	35	ug/kg	
127-18-4	Tetrachloroethene	ND	310	50	ug/kg	
108-88-3	Toluene	ND	61	33	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	310	35	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	310	21	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	310	36	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	310	33	ug/kg	
79-01-6	Trichloroethene	ND	310	32	ug/kg	
75-69-4	Trichlorofluoromethane	ND	310	45	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	310	150	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	310	30	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	310	31	ug/kg	
75-01-4	Vinyl chloride	ND	310	40	ug/kg	
	m,p-Xylene	ND	120	54	ug/kg	
95-47-6	o-Xylene	ND	61	30	ug/kg	
1330-20-7	Xylene (total)	ND	120	30	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	10K SOUTH(14.0)		
<b>Lab Sample ID:</b>	J26176-7	<b>Date Sampled:</b>	03/28/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/28/06
<b>Method:</b>	SW846 8260B SW846 5035	<b>Percent Solids:</b>	90.8
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

### MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	96%		61-133%
2037-26-5	Toluene-D8	114%		75-123%
460-00-4	4-Bromofluorobenzene	113%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10K SOUTH(14.0)		
<b>Lab Sample ID:</b>	J26176-7	<b>Date Sampled:</b>	03/28/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/28/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b>	90.8
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41095.D	1	03/30/06	RKK	03/29/06 08:00	n/a	GUV1934
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	4.9 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	ND	12	2.5	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	79%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10K SOUTH(14.0)		
<b>Lab Sample ID:</b>	J26176-7	<b>Date Sampled:</b>	03/28/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	03/28/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b>	90.8
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ34741.D	1	04/01/06	OYA	03/29/06	OP23095	GZZ1031
Run #2							

	Initial Weight	Final Volume
Run #1	15.2 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.2	2.0	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	79%		32-146%
16416-32-3	Tetracosane-d50	84%		40-149%
438-22-2	5a-Androstane	83%		35-152%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



## Misc. Forms

---

### Custody Documents and Other Forms

---

Includes the following where applicable:

- Chain of Custody





Technical Report for

ExxonMobil Corporation

GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD

Accutest Job Number: J26597

Sampling Date: 04/01/06

Report to:

GSC-Kleinfelder

aharris@kleinfelder.com

ATTN: Ann Smaka

Total number of pages in report: **129**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

A handwritten signature in black ink, appearing to read "Vincent J. Pugliese".

Vincent J. Pugliese  
President

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.



# Table of Contents

-1-

<b>Section 1: Sample Summary .....</b>	<b>3</b>
<b>Section 2: Sample Results .....</b>	<b>5</b>
<b>2.1:</b> J26597-1: 10KB1 (14.5-15) .....	6
<b>2.2:</b> J26597-2: 10KB2 (14.5-15) .....	11
<b>2.3:</b> J26597-3: 10KB3 (14.5-15) .....	16
<b>2.4:</b> J26597-4: 10KB4 (14.5-15) .....	21
<b>2.5:</b> J26597-5: 10KB5 (14.5-15) .....	26
<b>2.6:</b> J26597-6: 10KB6 (14.5-15) .....	31
<b>2.7:</b> J26597-7: 8K2B1 (14.5-15) .....	36
<b>2.8:</b> J26597-8: 8K2B2 (14.5-15) .....	41
<b>2.9:</b> J26597-9: 8K2B3 (14.5-15) .....	46
<b>2.10:</b> J26597-10: 8K2B4 (14.5-15) .....	51
<b>2.11:</b> J26597-11: 8K2B5 (14.5-15) .....	56
<b>2.12:</b> J26597-12: 8KB1 (14.5-15) .....	61
<b>2.13:</b> J26597-13: 8KB2 (14.5-15) .....	66
<b>2.14:</b> J26597-14: 8KB3 (14.5-15) .....	71
<b>2.15:</b> J26597-15: 8KB4 (14.5-15) .....	76
<b>2.16:</b> J26597-16: 8KB5 (14.5-15) .....	81
<b>2.17:</b> J26597-17: 12KB1 (14.5-15) .....	86
<b>2.18:</b> J26597-18: 12KB2 (14.5-15) .....	91
<b>2.19:</b> J26597-19: 12KB3 (14.5-15) .....	96
<b>2.20:</b> J26597-20: 12KB4 (14.5-15) .....	101
<b>2.21:</b> J26597-21: 12KB5 (14.5-15) .....	106
<b>2.22:</b> J26597-22: 12KB6 (14.5-15) .....	111
<b>2.23:</b> J26597-23: 12KB7 (14.5-15) .....	116
<b>2.24:</b> J26597-24: 12KB8 (14.5-15) .....	121
<b>Section 3: Misc. Forms .....</b>	<b>126</b>
<b>3.1:</b> Chain of Custody .....	127



## Sample Summary

ExxonMobil Corporation

Job No: J26597

GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
J26597-1	04/01/06	09:09 JC	04/01/06	SO	Soil	10KB1 (14.5-15)
J26597-2	04/01/06	09:17 JC	04/01/06	SO	Soil	10KB2 (14.5-15)
J26597-3	04/01/06	09:24 JC	04/01/06	SO	Soil	10KB3 (14.5-15)
J26597-4	04/01/06	09:30 JC	04/01/06	SO	Soil	10KB4 (14.5-15)
J26597-5	04/01/06	09:35 JC	04/01/06	SO	Soil	10KB5 (14.5-15)
J26597-6	04/01/06	09:43 JC	04/01/06	SO	Soil	10KB6 (14.5-15)
J26597-7	04/01/06	10:53 JC	04/01/06	SO	Soil	8K2B1 (14.5-15)
J26597-8	04/01/06	11:01 JC	04/01/06	SO	Soil	8K2B2 (14.5-15)
J26597-9	04/01/06	11:08 JC	04/01/06	SO	Soil	8K2B3 (14.5-15)
J26597-10	04/01/06	11:14 JC	04/01/06	SO	Soil	8K2B4 (14.5-15)
J26597-11	04/01/06	11:20 JC	04/01/06	SO	Soil	8K2B5 (14.5-15)
J26597-12	04/01/06	12:07 JC	04/01/06	SO	Soil	8KB1 (14.5-15)
J26597-13	04/01/06	12:13 JC	04/01/06	SO	Soil	8KB2 (14.5-15)

---

Soil samples reported on a dry weight basis unless otherwise indicated on result page.

## Sample Summary

(continued)

ExxonMobil Corporation

Job No: J26597

GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
J26597-14	04/01/06	12:17 JC	04/01/06	SO	Soil	8KB3 (14.5-15)
J26597-15	04/01/06	12:25 JC	04/01/06	SO	Soil	8KB4 (14.5-15)
J26597-16	04/01/06	12:30 JC	04/01/06	SO	Soil	8KB5 (14.5-15)
J26597-17	04/01/06	13:31 JC	04/01/06	SO	Soil	12KB1 (14.5-15)
J26597-18	04/01/06	13:34 JC	04/01/06	SO	Soil	12KB2 (14.5-15)
J26597-19	04/01/06	13:40 JC	04/01/06	SO	Soil	12KB3 (14.5-15)
J26597-20	04/01/06	13:48 JC	04/01/06	SO	Soil	12KB4 (14.5-15)
J26597-21	04/01/06	13:53 JC	04/01/06	SO	Soil	12KB5 (14.5-15)
J26597-22	04/01/06	13:57 JC	04/01/06	SO	Soil	12KB6 (14.5-15)
J26597-23	04/01/06	14:03 JC	04/01/06	SO	Soil	12KB7 (14.5-15)
J26597-24	04/01/06	14:12 JC	04/01/06	SO	Soil	12KB8 (14.5-15)

---

Soil samples reported on a dry weight basis unless otherwise indicated on result page.



## Sample Results

---

## Report of Analysis

---

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	10KB1 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-1	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	91.5
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87768.D	1	04/06/06	NDJ	04/03/06 07:00	n/a	VS3340
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.5 g	5.0 ml	100 ul
Run #2			

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	650	190	ug/kg	
71-43-2	Benzene	ND	65	31	ug/kg	
108-86-1	Bromobenzene	ND	330	31	ug/kg	
74-97-5	Bromochloromethane	ND	330	27	ug/kg	
75-27-4	Bromodichloromethane	ND	330	30	ug/kg	
75-25-2	Bromoform	ND	330	28	ug/kg	
74-83-9	Bromomethane	ND	330	24	ug/kg	
78-93-3	2-Butanone (MEK)	ND	650	180	ug/kg	
104-51-8	n-Butylbenzene	ND	330	37	ug/kg	
135-98-8	sec-Butylbenzene	ND	330	29	ug/kg	
98-06-6	tert-Butylbenzene	ND	330	33	ug/kg	
56-23-5	Carbon tetrachloride	ND	330	62	ug/kg	
108-90-7	Chlorobenzene	ND	330	28	ug/kg	
75-00-3	Chloroethane	ND	330	110	ug/kg	
67-66-3	Chloroform	ND	330	38	ug/kg	
74-87-3	Chloromethane	ND	330	30	ug/kg	
95-49-8	o-Chlorotoluene	ND	330	43	ug/kg	
106-43-4	p-Chlorotoluene	ND	330	40	ug/kg	
108-20-3	Di-Isopropyl ether	ND	330	27	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	650	140	ug/kg	
124-48-1	Dibromochloromethane	ND	330	36	ug/kg	
106-93-4	1,2-Dibromoethane	ND	65	37	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	330	30	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	330	32	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	330	30	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	330	52	ug/kg	
75-34-3	1,1-Dichloroethane	ND	330	31	ug/kg	
107-06-2	1,2-Dichloroethane	ND	65	35	ug/kg	
75-35-4	1,1-Dichloroethene	ND	330	45	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	330	44	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	330	45	ug/kg	
78-87-5	1,2-Dichloropropane	ND	330	36	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10KB1 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-1	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	91.5
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	330	30	ug/kg	
594-20-7	2,2-Dichloropropane	ND	330	36	ug/kg	
563-58-6	1,1-Dichloropropene	ND	330	35	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	330	27	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	330	26	ug/kg	
100-41-4	Ethylbenzene	ND	65	29	ug/kg	
87-68-3	Hexachlorobutadiene	ND	330	54	ug/kg	
98-82-8	Isopropylbenzene	ND	330	30	ug/kg	
99-87-6	p-Isopropyltoluene	ND	330	32	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	65	37	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	330	130	ug/kg	
74-95-3	Methylene bromide	ND	330	32	ug/kg	
75-09-2	Methylene chloride	ND	330	45	ug/kg	
91-20-3	Naphthalene	ND	330	30	ug/kg	
103-65-1	n-Propylbenzene	ND	330	29	ug/kg	
100-42-5	Styrene	ND	330	21	ug/kg	
75-65-0	Tert Butyl Alcohol	24800	1600	480	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	330	28	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	330	28	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	330	31	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	330	38	ug/kg	
127-18-4	Tetrachloroethene	ND	330	54	ug/kg	
108-88-3	Toluene	ND	65	35	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	330	37	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	330	23	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	330	39	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	330	35	ug/kg	
79-01-6	Trichloroethene	ND	330	34	ug/kg	
75-69-4	Trichlorofluoromethane	ND	330	48	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	330	160	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	330	32	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	330	33	ug/kg	
75-01-4	Vinyl chloride	ND	330	42	ug/kg	
	m,p-Xylene	ND	130	57	ug/kg	
95-47-6	o-Xylene	ND	65	32	ug/kg	
1330-20-7	Xylene (total)	ND	130	32	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	106%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 10KB1 (14.5-15)	
<b>Lab Sample ID:</b> J26597-1	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b> SW846 8260B SW846 5035	<b>Percent Solids:</b> 91.5
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

### MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	97%		61-133%
2037-26-5	Toluene-D8	111%		75-123%
460-00-4	4-Bromofluorobenzene	113%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10KB1 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-1	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b> 91.5
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41167.D	1	04/04/06	YHY	04/03/06 07:00	n/a	GUV1937
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	4.8 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	ND	12	2.5	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	79%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10KB1 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-1	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 91.5
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35088.D	1	04/13/06	OYA	04/10/06	OP23231	GZZ1040
Run #2							

	Initial Weight	Final Volume
Run #1	15.2 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.2	2.0	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	76%		32-146%
16416-32-3	Tetracosane-d50	106%		40-149%
438-22-2	5a-Androstane	85%		35-152%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



**Report of Analysis**

<b>Client Sample ID:</b>	10KB2 (14.5-15)		<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-2		<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	93.5
<b>Method:</b>	SW846 8260B SW846 5035			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87773.D	1	04/06/06	NDJ	04/03/06 07:00	n/a	VS3340
Run #2	1B23636.D	1	04/12/06	NDJ	04/03/06 07:00	n/a	V1B968

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.6 g	5.0 ml	100 ul
Run #2	4.6 g	5.0 ml	20.0 ul

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	620	180	ug/kg	
71-43-2	Benzene	ND	62	30	ug/kg	
108-86-1	Bromobenzene	ND	310	29	ug/kg	
74-97-5	Bromochloromethane	ND	310	26	ug/kg	
75-27-4	Bromodichloromethane	ND	310	28	ug/kg	
75-25-2	Bromoform	ND	310	27	ug/kg	
74-83-9	Bromomethane	ND	310	23	ug/kg	
78-93-3	2-Butanone (MEK)	ND	620	170	ug/kg	
104-51-8	n-Butylbenzene	ND	310	35	ug/kg	
135-98-8	sec-Butylbenzene	ND	310	27	ug/kg	
98-06-6	tert-Butylbenzene	ND	310	31	ug/kg	
56-23-5	Carbon tetrachloride	ND	310	58	ug/kg	
108-90-7	Chlorobenzene	ND	310	27	ug/kg	
75-00-3	Chloroethane	ND	310	110	ug/kg	
67-66-3	Chloroform	ND	310	36	ug/kg	
74-87-3	Chloromethane	ND	310	28	ug/kg	
95-49-8	o-Chlorotoluene	ND	310	41	ug/kg	
106-43-4	p-Chlorotoluene	ND	310	37	ug/kg	
108-20-3	Di-Isopropyl ether	ND	310	26	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	620	130	ug/kg	
124-48-1	Dibromochloromethane	ND	310	34	ug/kg	
106-93-4	1,2-Dibromoethane	ND	62	35	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	310	28	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	310	30	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	310	28	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	310	49	ug/kg	
75-34-3	1,1-Dichloroethane	ND	310	30	ug/kg	
107-06-2	1,2-Dichloroethane	ND	62	33	ug/kg	
75-35-4	1,1-Dichloroethene	ND	310	42	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	310	41	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	310	42	ug/kg	
78-87-5	1,2-Dichloropropane	ND	310	34	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10KB2 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-2	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	93.5
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	310	29	ug/kg	
594-20-7	2,2-Dichloropropane	ND	310	34	ug/kg	
563-58-6	1,1-Dichloropropene	ND	310	33	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	310	26	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	310	24	ug/kg	
100-41-4	Ethylbenzene	ND	62	28	ug/kg	
87-68-3	Hexachlorobutadiene	ND	310	51	ug/kg	
98-82-8	Isopropylbenzene	ND	310	29	ug/kg	
99-87-6	p-Isopropyltoluene	ND	310	30	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	62	34	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	310	120	ug/kg	
74-95-3	Methylene bromide	ND	310	30	ug/kg	
75-09-2	Methylene chloride	ND	310	43	ug/kg	
91-20-3	Naphthalene	ND	310	28	ug/kg	
103-65-1	n-Propylbenzene	ND	310	27	ug/kg	
100-42-5	Styrene	ND	310	20	ug/kg	
75-65-0	Tert Butyl Alcohol	67000 <sup>a</sup>	7700	2300	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	310	26	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	310	26	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	310	29	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	310	35	ug/kg	
127-18-4	Tetrachloroethene	ND	310	51	ug/kg	
108-88-3	Toluene	ND	62	33	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	310	35	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	310	22	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	310	36	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	310	33	ug/kg	
79-01-6	Trichloroethene	ND	310	32	ug/kg	
75-69-4	Trichlorofluoromethane	ND	310	45	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	310	150	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	310	30	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	310	31	ug/kg	
75-01-4	Vinyl chloride	ND	310	40	ug/kg	
	m,p-Xylene	ND	120	54	ug/kg	
95-47-6	o-Xylene	ND	62	30	ug/kg	
1330-20-7	Xylene (total)	ND	120	30	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%	118%	70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	10KB2 (14.5-15)		
<b>Lab Sample ID:</b>	J26597-2	<b>Date Sampled:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	04/01/06
<b>Method:</b>	SW846 8260B SW846 5035	<b>Percent Solids:</b>	93.5
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

### MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	102%	120%	61-133%
2037-26-5	Toluene-D8	112%	103%	75-123%
460-00-4	4-Bromofluorobenzene	113%	107%	65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

(a) Result is from Run# 2

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10KB2 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-2	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b> 93.5
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41168.D	1	04/04/06	YHY	04/03/06 07:00	n/a	GUV1937
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	5.0 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	ND	11	2.3	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	84%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	10KB2 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-2	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 93.5
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35089.D	1	04/13/06	OYA	04/10/06	OP23231	GZZ1040
Run #2							

	Initial Weight	Final Volume
Run #1	15.2 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.0	2.0	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	82%		32-146%
16416-32-3	Tetracosane-d50	110%		40-149%
438-22-2	5a-Androstane	90%		35-152%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	10KB3 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-3	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	85.6
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87774.D	1	04/06/06	NDJ	04/03/06 07:00	n/a	VS3340
Run #2							

Run #1	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.4 g	5.0 ml	100 ul
Run #2			

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	750	210	ug/kg	
71-43-2	Benzene	ND	75	36	ug/kg	
108-86-1	Bromobenzene	ND	370	35	ug/kg	
74-97-5	Bromochloromethane	ND	370	31	ug/kg	
75-27-4	Bromodichloromethane	ND	370	34	ug/kg	
75-25-2	Bromoform	ND	370	32	ug/kg	
74-83-9	Bromomethane	ND	370	28	ug/kg	
78-93-3	2-Butanone (MEK)	ND	750	200	ug/kg	
104-51-8	n-Butylbenzene	ND	370	42	ug/kg	
135-98-8	sec-Butylbenzene	ND	370	33	ug/kg	
98-06-6	tert-Butylbenzene	ND	370	37	ug/kg	
56-23-5	Carbon tetrachloride	ND	370	71	ug/kg	
108-90-7	Chlorobenzene	ND	370	32	ug/kg	
75-00-3	Chloroethane	ND	370	130	ug/kg	
67-66-3	Chloroform	ND	370	44	ug/kg	
74-87-3	Chloromethane	ND	370	34	ug/kg	
95-49-8	o-Chlorotoluene	ND	370	49	ug/kg	
106-43-4	p-Chlorotoluene	ND	370	45	ug/kg	
108-20-3	Di-Isopropyl ether	ND	370	31	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	750	160	ug/kg	
124-48-1	Dibromochloromethane	ND	370	41	ug/kg	
106-93-4	1,2-Dibromoethane	ND	75	42	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	370	34	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	370	36	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	370	34	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	370	59	ug/kg	
75-34-3	1,1-Dichloroethane	ND	370	36	ug/kg	
107-06-2	1,2-Dichloroethane	ND	75	41	ug/kg	
75-35-4	1,1-Dichloroethene	ND	370	51	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	370	50	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	370	51	ug/kg	
78-87-5	1,2-Dichloropropane	ND	370	41	ug/kg	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10KB3 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-3	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	85.6
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	370	35	ug/kg	
594-20-7	2,2-Dichloropropane	ND	370	41	ug/kg	
563-58-6	1,1-Dichloropropene	ND	370	40	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	370	31	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	370	29	ug/kg	
100-41-4	Ethylbenzene	ND	75	34	ug/kg	
87-68-3	Hexachlorobutadiene	ND	370	62	ug/kg	
98-82-8	Isopropylbenzene	ND	370	35	ug/kg	
99-87-6	p-Isopropyltoluene	ND	370	36	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	75	42	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	370	150	ug/kg	
74-95-3	Methylene bromide	ND	370	36	ug/kg	
75-09-2	Methylene chloride	ND	370	52	ug/kg	
91-20-3	Naphthalene	ND	370	34	ug/kg	
103-65-1	n-Propylbenzene	ND	370	33	ug/kg	
100-42-5	Styrene	ND	370	24	ug/kg	
75-65-0	Tert Butyl Alcohol	39600	1900	550	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	370	32	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	370	32	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	370	35	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	370	43	ug/kg	
127-18-4	Tetrachloroethene	ND	370	62	ug/kg	
108-88-3	Toluene	ND	75	41	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	370	43	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	370	26	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	370	44	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	370	40	ug/kg	
79-01-6	Trichloroethene	ND	370	39	ug/kg	
75-69-4	Trichlorofluoromethane	ND	370	54	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	370	190	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	370	36	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	370	38	ug/kg	
75-01-4	Vinyl chloride	ND	370	48	ug/kg	
	m,p-Xylene	ND	150	66	ug/kg	
95-47-6	o-Xylene	ND	75	37	ug/kg	
1330-20-7	Xylene (total)	ND	150	37	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 10KB3 (14.5-15)	
<b>Lab Sample ID:</b> J26597-3	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b> SW846 8260B SW846 5035	<b>Percent Solids:</b> 85.6
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

### MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	102%		61-133%
2037-26-5	Toluene-D8	111%		75-123%
460-00-4	4-Bromofluorobenzene	113%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



**Report of Analysis**

<b>Client Sample ID:</b>	10KB3 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-3	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b> 85.6
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41169.D	1	04/04/06	YHY	04/03/06 07:00	n/a	GUV1937
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	5.0 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	ND	13	2.7	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	80%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10KB3 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-3	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 85.6
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35090.D	1	04/13/06	OYA	04/10/06	OP23231	GZZ1040
Run #2							

	Initial Weight	Final Volume
Run #1	15.4 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.6	2.1	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
84-15-1	o-Terphenyl	72%		32-146%		
16416-32-3	Tetracosane-d50	98%		40-149%		
438-22-2	5a-Androstane	80%		35-152%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	10KB4 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-4	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	87.2
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87775.D	1	04/06/06	NDJ	04/03/06 07:00	n/a	VS3340
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.2 g	5.0 ml	100 ul
Run #2			

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	760	220	ug/kg	
71-43-2	Benzene	ND	76	36	ug/kg	
108-86-1	Bromobenzene	ND	380	36	ug/kg	
74-97-5	Bromochloromethane	ND	380	31	ug/kg	
75-27-4	Bromodichloromethane	ND	380	34	ug/kg	
75-25-2	Bromoform	ND	380	33	ug/kg	
74-83-9	Bromomethane	ND	380	28	ug/kg	
78-93-3	2-Butanone (MEK)	ND	760	210	ug/kg	
104-51-8	n-Butylbenzene	ND	380	43	ug/kg	
135-98-8	sec-Butylbenzene	ND	380	34	ug/kg	
98-06-6	tert-Butylbenzene	ND	380	38	ug/kg	
56-23-5	Carbon tetrachloride	ND	380	72	ug/kg	
108-90-7	Chlorobenzene	ND	380	33	ug/kg	
75-00-3	Chloroethane	ND	380	130	ug/kg	
67-66-3	Chloroform	ND	380	44	ug/kg	
74-87-3	Chloromethane	ND	380	35	ug/kg	
95-49-8	o-Chlorotoluene	ND	380	50	ug/kg	
106-43-4	p-Chlorotoluene	ND	380	46	ug/kg	
108-20-3	Di-Isopropyl ether	ND	380	31	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	760	160	ug/kg	
124-48-1	Dibromochloromethane	ND	380	42	ug/kg	
106-93-4	1,2-Dibromoethane	ND	76	43	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	380	34	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	380	37	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	380	35	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	380	60	ug/kg	
75-34-3	1,1-Dichloroethane	ND	380	36	ug/kg	
107-06-2	1,2-Dichloroethane	ND	76	41	ug/kg	
75-35-4	1,1-Dichloroethene	ND	380	52	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	380	51	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	380	52	ug/kg	
78-87-5	1,2-Dichloropropane	ND	380	42	ug/kg	

ND = Not detected      MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	10KB4 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-4	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	87.2
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	380	35	ug/kg	
594-20-7	2,2-Dichloropropane	ND	380	41	ug/kg	
563-58-6	1,1-Dichloropropene	ND	380	41	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	380	31	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	380	30	ug/kg	
100-41-4	Ethylbenzene	ND	76	34	ug/kg	
87-68-3	Hexachlorobutadiene	ND	380	63	ug/kg	
98-82-8	Isopropylbenzene	ND	380	35	ug/kg	
99-87-6	p-Isopropyltoluene	ND	380	37	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	76	42	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	380	150	ug/kg	
74-95-3	Methylene bromide	ND	380	37	ug/kg	
75-09-2	Methylene chloride	ND	380	52	ug/kg	
91-20-3	Naphthalene	ND	380	34	ug/kg	
103-65-1	n-Propylbenzene	ND	380	33	ug/kg	
100-42-5	Styrene	ND	380	25	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	1900	560	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	380	32	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	380	32	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	380	35	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	380	43	ug/kg	
127-18-4	Tetrachloroethene	ND	380	62	ug/kg	
108-88-3	Toluene	ND	76	41	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	380	43	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	380	26	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	380	45	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	380	41	ug/kg	
79-01-6	Trichloroethene	ND	380	39	ug/kg	
75-69-4	Trichlorofluoromethane	ND	380	55	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	380	190	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	380	37	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	380	38	ug/kg	
75-01-4	Vinyl chloride	ND	380	49	ug/kg	
	m,p-Xylene	ND	150	66	ug/kg	
95-47-6	o-Xylene	ND	76	37	ug/kg	
1330-20-7	Xylene (total)	ND	150	37	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 10KB4 (14.5-15)		<b>Date Sampled:</b> 04/01/06
<b>Lab Sample ID:</b> J26597-4		<b>Date Received:</b> 04/01/06
<b>Matrix:</b> SO - Soil		<b>Percent Solids:</b> 87.2
<b>Method:</b> SW846 8260B SW846 5035		
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	102%		61-133%
2037-26-5	Toluene-D8	113%		75-123%
460-00-4	4-Bromofluorobenzene	113%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10KB4 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-4	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b> 87.2
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	UV41170.D	1	04/04/06	YHY	04/03/06 07:00	n/a	GUV1937
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.9 g	5.0 ml	100 ul
Run #2			

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	13	2.7	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
98-08-8	aaa-Trifluorotoluene	78%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 10KB4 (14.5-15)	
<b>Lab Sample ID:</b> J26597-4	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b> SW846-8015 SW846 3545	<b>Percent Solids:</b> 87.2
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35091.D	1	04/13/06	OYA	04/10/06	OP23231	GZZ1040
Run #2							

	Initial Weight	Final Volume
Run #1	15.0 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.6	2.1	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
84-15-1	o-Terphenyl	80%		32-146%		
16416-32-3	Tetracosane-d50	105%		40-149%		
438-22-2	5a-Androstane	87%		35-152%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	10KB5 (14.5-15)		<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-5		<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	90.2
<b>Method:</b>	SW846 8260B SW846 5035			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87832.D	1	04/08/06	NDJ	04/03/06 07:00	n/a	VS3342
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.7 g	5.0 ml	100 ul
Run #2			

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	640	180	ug/kg	
71-43-2	Benzene	ND	64	31	ug/kg	
108-86-1	Bromobenzene	ND	320	31	ug/kg	
74-97-5	Bromochloromethane	ND	320	27	ug/kg	
75-27-4	Bromodichloromethane	ND	320	29	ug/kg	
75-25-2	Bromoform	ND	320	28	ug/kg	
74-83-9	Bromomethane	ND	320	24	ug/kg	
78-93-3	2-Butanone (MEK)	ND	640	180	ug/kg	
104-51-8	n-Butylbenzene	ND	320	37	ug/kg	
135-98-8	sec-Butylbenzene	ND	320	29	ug/kg	
98-06-6	tert-Butylbenzene	ND	320	32	ug/kg	
56-23-5	Carbon tetrachloride	ND	320	61	ug/kg	
108-90-7	Chlorobenzene	ND	320	28	ug/kg	
75-00-3	Chloroethane	ND	320	110	ug/kg	
67-66-3	Chloroform	ND	320	37	ug/kg	
74-87-3	Chloromethane	ND	320	30	ug/kg	
95-49-8	o-Chlorotoluene	ND	320	42	ug/kg	
106-43-4	p-Chlorotoluene	ND	320	39	ug/kg	
108-20-3	Di-Isopropyl ether	ND	320	27	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	640	140	ug/kg	
124-48-1	Dibromochloromethane	ND	320	35	ug/kg	
106-93-4	1,2-Dibromoethane	ND	64	36	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	320	29	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	320	31	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	320	30	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	320	51	ug/kg	
75-34-3	1,1-Dichloroethane	ND	320	31	ug/kg	
107-06-2	1,2-Dichloroethane	ND	64	35	ug/kg	
75-35-4	1,1-Dichloroethene	ND	320	44	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	320	43	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	320	44	ug/kg	
78-87-5	1,2-Dichloropropane	ND	320	36	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



## Report of Analysis

<b>Client Sample ID:</b>	10KB5 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-5	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	90.2
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	320	30	ug/kg	
594-20-7	2,2-Dichloropropane	ND	320	35	ug/kg	
563-58-6	1,1-Dichloropropene	ND	320	35	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	320	27	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	320	25	ug/kg	
100-41-4	Ethylbenzene	ND	64	29	ug/kg	
87-68-3	Hexachlorobutadiene	ND	320	54	ug/kg	
98-82-8	Isopropylbenzene	ND	320	30	ug/kg	
99-87-6	p-Isopropyltoluene	ND	320	31	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	64	36	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	320	130	ug/kg	
74-95-3	Methylene bromide	ND	320	31	ug/kg	
75-09-2	Methylene chloride	ND	320	45	ug/kg	
91-20-3	Naphthalene	ND	320	29	ug/kg	
103-65-1	n-Propylbenzene	ND	320	29	ug/kg	
100-42-5	Styrene	ND	320	21	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	1600	480	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	320	27	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	320	27	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	320	30	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	320	37	ug/kg	
127-18-4	Tetrachloroethene	ND	320	53	ug/kg	
108-88-3	Toluene	ND	64	35	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	320	37	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	320	23	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	320	38	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	320	35	ug/kg	
79-01-6	Trichloroethene	ND	320	33	ug/kg	
75-69-4	Trichlorofluoromethane	ND	320	47	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	320	160	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	320	31	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	320	33	ug/kg	
75-01-4	Vinyl chloride	ND	320	42	ug/kg	
	m,p-Xylene	ND	130	56	ug/kg	
95-47-6	o-Xylene	ND	64	32	ug/kg	
1330-20-7	Xylene (total)	ND	130	32	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	107%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 10KB5 (14.5-15)	
<b>Lab Sample ID:</b> J26597-5	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b> SW846 8260B SW846 5035	<b>Percent Solids:</b> 90.2
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

### MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	99%		61-133%
2037-26-5	Toluene-D8	112%		75-123%
460-00-4	4-Bromofluorobenzene	113%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10KB5 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-5	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b> 90.2
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	UV41176.D	1	04/04/06	YHY	04/03/06 07:00	n/a	GUV1937
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.9 g	5.0 ml	100 ul
Run #2			

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	12	2.5	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
98-08-8	aaa-Trifluorotoluene	78%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10KB5 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-5	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 90.2
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35092.D	1	04/13/06	OYA	04/10/06	OP23231	GZZ1040
Run #2							

	Initial Weight	Final Volume
Run #1	15.1 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.3	2.1	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	85%		32-146%
16416-32-3	Tetracosane-d50	115%		40-149%
438-22-2	5a-Androstane	93%		35-152%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	10KB6 (14.5-15)		<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-6		<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	91.7
<b>Method:</b>	SW846 8260B SW846 5035			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87833.D	1	04/08/06	NDJ	04/03/06 07:00	n/a	VS3342
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.6 g	5.0 ml	100 ul
Run #2			

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	640	180	ug/kg	
71-43-2	Benzene	ND	64	31	ug/kg	
108-86-1	Bromobenzene	ND	320	30	ug/kg	
74-97-5	Bromochloromethane	ND	320	27	ug/kg	
75-27-4	Bromodichloromethane	ND	320	29	ug/kg	
75-25-2	Bromoform	ND	320	28	ug/kg	
74-83-9	Bromomethane	ND	320	24	ug/kg	
78-93-3	2-Butanone (MEK)	ND	640	170	ug/kg	
104-51-8	n-Butylbenzene	ND	320	36	ug/kg	
135-98-8	sec-Butylbenzene	ND	320	28	ug/kg	
98-06-6	tert-Butylbenzene	ND	320	32	ug/kg	
56-23-5	Carbon tetrachloride	ND	320	61	ug/kg	
108-90-7	Chlorobenzene	ND	320	28	ug/kg	
75-00-3	Chloroethane	ND	320	110	ug/kg	
67-66-3	Chloroform	ND	320	37	ug/kg	
74-87-3	Chloromethane	ND	320	29	ug/kg	
95-49-8	o-Chlorotoluene	ND	320	42	ug/kg	
106-43-4	p-Chlorotoluene	ND	320	39	ug/kg	
108-20-3	Di-Isopropyl ether	ND	320	26	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	640	140	ug/kg	
124-48-1	Dibromochloromethane	ND	320	35	ug/kg	
106-93-4	1,2-Dibromoethane	ND	64	36	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	320	29	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	320	31	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	320	29	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	320	51	ug/kg	
75-34-3	1,1-Dichloroethane	ND	320	31	ug/kg	
107-06-2	1,2-Dichloroethane	ND	64	35	ug/kg	
75-35-4	1,1-Dichloroethene	ND	320	44	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	320	43	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	320	44	ug/kg	
78-87-5	1,2-Dichloropropane	ND	320	35	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	10KB6 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-6	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	91.7
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	320	30	ug/kg	
594-20-7	2,2-Dichloropropane	ND	320	35	ug/kg	
563-58-6	1,1-Dichloropropene	ND	320	34	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	320	26	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	320	25	ug/kg	
100-41-4	Ethylbenzene	ND	64	29	ug/kg	
87-68-3	Hexachlorobutadiene	ND	320	53	ug/kg	
98-82-8	Isopropylbenzene	ND	320	30	ug/kg	
99-87-6	p-Isopropyltoluene	ND	320	31	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	64	36	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	320	130	ug/kg	
74-95-3	Methylene bromide	ND	320	31	ug/kg	
75-09-2	Methylene chloride	ND	320	44	ug/kg	
91-20-3	Naphthalene	ND	320	29	ug/kg	
103-65-1	n-Propylbenzene	ND	320	28	ug/kg	
100-42-5	Styrene	ND	320	21	ug/kg	
75-65-0	Tert Butyl Alcohol	3150	1600	470	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	320	27	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	320	27	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	320	30	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	320	37	ug/kg	
127-18-4	Tetrachloroethene	ND	320	53	ug/kg	
108-88-3	Toluene	ND	64	35	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	320	36	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	320	22	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	320	38	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	320	34	ug/kg	
79-01-6	Trichloroethene	ND	320	33	ug/kg	
75-69-4	Trichlorofluoromethane	ND	320	46	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	320	160	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	320	31	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	320	32	ug/kg	
75-01-4	Vinyl chloride	ND	320	41	ug/kg	
	m,p-Xylene	ND	130	56	ug/kg	
95-47-6	o-Xylene	ND	64	31	ug/kg	
1330-20-7	Xylene (total)	ND	130	31	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	10KB6 (14.5-15)		
<b>Lab Sample ID:</b>	J26597-6	<b>Date Sampled:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	04/01/06
<b>Method:</b>	SW846 8260B SW846 5035	<b>Percent Solids:</b>	91.7
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

### MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	99%		61-133%
2037-26-5	Toluene-D8	113%		75-123%
460-00-4	4-Bromofluorobenzene	115%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	10KB6 (14.5-15)		<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-6		<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	91.7
<b>Method:</b>	SW846 8015 SW846 5035			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	UV41177.D	1	04/04/06	YHY	04/03/06 07:00	n/a	GUV1937
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.2 g	5.0 ml	100 ul
Run #2			

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	11	2.3	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
98-08-8	aaa-Trifluorotoluene	78%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



**Report of Analysis**

<b>Client Sample ID:</b>	10KB6 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-6	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 91.7
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35095.D	1	04/13/06	OYA	04/10/06	OP23231	GZZ1040
Run #2							

	Initial Weight	Final Volume
Run #1	15.2 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.2	2.0	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	78%		32-146%
16416-32-3	Tetracosane-d50	101%		40-149%
438-22-2	5a-Androstane	85%		35-152%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	8K2B1 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-7	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	85.4
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B23579.D	1	04/10/06	NDJ	04/03/06 07:00	n/a	V1B966
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.4 g	5.0 ml	100 ul
Run #2			

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	750	210	ug/kg	
71-43-2	Benzene	ND	75	36	ug/kg	
108-86-1	Bromobenzene	ND	380	36	ug/kg	
74-97-5	Bromochloromethane	ND	380	31	ug/kg	
75-27-4	Bromodichloromethane	ND	380	34	ug/kg	
75-25-2	Bromoform	ND	380	33	ug/kg	
74-83-9	Bromomethane	ND	380	28	ug/kg	
78-93-3	2-Butanone (MEK)	ND	750	200	ug/kg	
104-51-8	n-Butylbenzene	ND	380	43	ug/kg	
135-98-8	sec-Butylbenzene	ND	380	33	ug/kg	
98-06-6	tert-Butylbenzene	ND	380	37	ug/kg	
56-23-5	Carbon tetrachloride	ND	380	71	ug/kg	
108-90-7	Chlorobenzene	ND	380	33	ug/kg	
75-00-3	Chloroethane	ND	380	130	ug/kg	
67-66-3	Chloroform	ND	380	44	ug/kg	
74-87-3	Chloromethane	ND	380	35	ug/kg	
95-49-8	o-Chlorotoluene	ND	380	49	ug/kg	
106-43-4	p-Chlorotoluene	ND	380	45	ug/kg	
108-20-3	Di-Isopropyl ether	ND	380	31	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	750	160	ug/kg	
124-48-1	Dibromochloromethane	ND	380	41	ug/kg	
106-93-4	1,2-Dibromoethane	ND	75	42	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	380	34	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	380	37	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	380	35	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	380	60	ug/kg	
75-34-3	1,1-Dichloroethane	ND	380	36	ug/kg	
107-06-2	1,2-Dichloroethane	ND	75	41	ug/kg	
75-35-4	1,1-Dichloroethene	ND	380	52	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	380	50	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	380	51	ug/kg	
78-87-5	1,2-Dichloropropane	ND	380	42	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	8K2B1 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-7	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	85.4
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	380	35	ug/kg	
594-20-7	2,2-Dichloropropane	ND	380	41	ug/kg	
563-58-6	1,1-Dichloropropene	ND	380	40	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	380	31	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	380	29	ug/kg	
100-41-4	Ethylbenzene	ND	75	34	ug/kg	
87-68-3	Hexachlorobutadiene	ND	380	62	ug/kg	
98-82-8	Isopropylbenzene	ND	380	35	ug/kg	
99-87-6	p-Isopropyltoluene	ND	380	37	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	75	42	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	380	150	ug/kg	
74-95-3	Methylene bromide	ND	380	36	ug/kg	
75-09-2	Methylene chloride	ND	380	52	ug/kg	
91-20-3	Naphthalene	ND	380	34	ug/kg	
103-65-1	n-Propylbenzene	ND	380	33	ug/kg	
100-42-5	Styrene	ND	380	25	ug/kg	
75-65-0	Tert Butyl Alcohol	17700	1900	560	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	380	32	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	380	32	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	380	35	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	380	43	ug/kg	
127-18-4	Tetrachloroethene	ND	380	62	ug/kg	
108-88-3	Toluene	ND	75	41	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	380	43	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	380	26	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	380	44	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	380	40	ug/kg	
79-01-6	Trichloroethene	ND	380	39	ug/kg	
75-69-4	Trichlorofluoromethane	ND	380	55	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	380	190	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	380	37	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	380	38	ug/kg	
75-01-4	Vinyl chloride	ND	380	49	ug/kg	
	m,p-Xylene	ND	150	66	ug/kg	
95-47-6	o-Xylene	ND	75	37	ug/kg	
1330-20-7	Xylene (total)	ND	150	37	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	110%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 8K2B1 (14.5-15)	
<b>Lab Sample ID:</b> J26597-7	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b> SW846 8260B SW846 5035	<b>Percent Solids:</b> 85.4
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

### MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	106%		61-133%
2037-26-5	Toluene-D8	103%		75-123%
460-00-4	4-Bromofluorobenzene	105%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8K2B1 (14.5-15)		<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-7		<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	85.4
<b>Method:</b>	SW846 8015 SW846 5035			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	UV41251.D	1	04/06/06	YHY	04/03/06 07:00	n/a	GUV1939
Run #2 <sup>a</sup>	UV41222.D	1	04/05/06	YHY	04/03/06 07:00	n/a	GUV1938

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.0 g	5.0 ml	20.0 ul
Run #2	5.0 g	5.0 ml	100 ul

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	1970	67	14	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
98-08-8	aaa-Trifluorotoluene	83%	80%	28-154%

(a) Confirmation run.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8K2B1 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-7	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 85.4
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35096.D	1	04/13/06	OYA	04/10/06	OP23231	GZZ1040
Run #2							

	Initial Weight	Final Volume
Run #1	15.3 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.7	2.2	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	78%		32-146%
16416-32-3	Tetracosane-d50	106%		40-149%
438-22-2	5a-Androstane	86%		35-152%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8K2B2 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-8	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	87.4
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87834.D	1	04/08/06	NDJ	04/03/06 07:00	n/a	VS3342
Run #2	1B23637.D	1	04/12/06	NDJ	04/03/06 07:00	n/a	V1B968

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.5 g	5.0 ml	100 ul
Run #2	4.5 g	5.0 ml	20.0 ul

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	710	200	ug/kg	
71-43-2	Benzene	ND	71	34	ug/kg	
108-86-1	Bromobenzene	ND	350	34	ug/kg	
74-97-5	Bromochloromethane	ND	350	29	ug/kg	
75-27-4	Bromodichloromethane	ND	350	32	ug/kg	
75-25-2	Bromoform	ND	350	31	ug/kg	
74-83-9	Bromomethane	ND	350	26	ug/kg	
78-93-3	2-Butanone (MEK)	ND	710	190	ug/kg	
104-51-8	n-Butylbenzene	ND	350	40	ug/kg	
135-98-8	sec-Butylbenzene	ND	350	31	ug/kg	
98-06-6	tert-Butylbenzene	ND	350	35	ug/kg	
56-23-5	Carbon tetrachloride	ND	350	67	ug/kg	
108-90-7	Chlorobenzene	ND	350	31	ug/kg	
75-00-3	Chloroethane	ND	350	120	ug/kg	
67-66-3	Chloroform	ND	350	41	ug/kg	
74-87-3	Chloromethane	ND	350	33	ug/kg	
95-49-8	o-Chlorotoluene	ND	350	47	ug/kg	
106-43-4	p-Chlorotoluene	ND	350	43	ug/kg	
108-20-3	Di-Isopropyl ether	ND	350	29	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	710	150	ug/kg	
124-48-1	Dibromochloromethane	ND	350	39	ug/kg	
106-93-4	1,2-Dibromoethane	ND	71	40	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	350	32	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	350	35	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	350	33	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	350	56	ug/kg	
75-34-3	1,1-Dichloroethane	ND	350	34	ug/kg	
107-06-2	1,2-Dichloroethane	ND	71	38	ug/kg	
75-35-4	1,1-Dichloroethene	ND	350	49	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	350	47	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	350	48	ug/kg	
78-87-5	1,2-Dichloropropane	ND	350	39	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8K2B2 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-8	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	87.4
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	350	33	ug/kg	
594-20-7	2,2-Dichloropropane	ND	350	39	ug/kg	
563-58-6	1,1-Dichloropropene	ND	350	38	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	350	29	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	350	28	ug/kg	
100-41-4	Ethylbenzene	ND	71	32	ug/kg	
87-68-3	Hexachlorobutadiene	ND	350	59	ug/kg	
98-82-8	Isopropylbenzene	ND	350	33	ug/kg	
99-87-6	p-Isopropyltoluene	ND	350	35	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	71	40	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	350	140	ug/kg	
74-95-3	Methylene bromide	ND	350	34	ug/kg	
75-09-2	Methylene chloride	ND	350	49	ug/kg	
91-20-3	Naphthalene	ND	350	32	ug/kg	
103-65-1	n-Propylbenzene	ND	350	31	ug/kg	
100-42-5	Styrene	ND	350	23	ug/kg	
75-65-0	Tert Butyl Alcohol	72800 <sup>a</sup>	8800	2600	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	350	30	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	350	30	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	350	33	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	350	41	ug/kg	
127-18-4	Tetrachloroethene	ND	350	58	ug/kg	
108-88-3	Toluene	ND	71	38	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	350	40	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	350	25	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	350	42	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	350	38	ug/kg	
79-01-6	Trichloroethene	ND	350	37	ug/kg	
75-69-4	Trichlorofluoromethane	ND	350	52	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	350	180	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	350	35	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	350	36	ug/kg	
75-01-4	Vinyl chloride	ND	350	46	ug/kg	
	m,p-Xylene	ND	140	62	ug/kg	
95-47-6	o-Xylene	ND	71	35	ug/kg	
1330-20-7	Xylene (total)	ND	140	35	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	106%	119%	70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



## Report of Analysis

<b>Client Sample ID:</b> 8K2B2 (14.5-15)	
<b>Lab Sample ID:</b> J26597-8	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b> SW846 8260B SW846 5035	<b>Percent Solids:</b> 87.4
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

### MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	99%	124%	61-133%
2037-26-5	Toluene-D8	113%	104%	75-123%
460-00-4	4-Bromofluorobenzene	116%	109%	65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

(a) Result is from Run# 2

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b> 8K2B2 (14.5-15)	
<b>Lab Sample ID:</b> J26597-8	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b> SW846 8015 SW846 5035	<b>Percent Solids:</b> 87.4
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	UV41204.D	1	04/05/06	YHY	04/03/06 07:00	n/a	GUV1938
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.2 g	5.0 ml	100 ul
Run #2			

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	28.7	12	2.6	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
98-08-8	aaa-Trifluorotoluene	77%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	8K2B2 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-8	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 87.4
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35097.D	1	04/14/06	OYA	04/10/06	OP23231	GZZ1040
Run #2							

	Initial Weight	Final Volume
Run #1	15.1 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.6	2.1	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
84-15-1	o-Terphenyl	87%		32-146%		
16416-32-3	Tetracosane-d50	118%		40-149%		
438-22-2	5a-Androstane	96%		35-152%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8K2B3 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-9	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	84.9
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B23581.D	1	04/11/06	NDJ	04/03/06 07:00	n/a	V1B966
Run #2	1B23735.D	1	04/14/06	NDJ	04/03/06 07:00	n/a	V1B972

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.1 g	5.0 ml	100 ul
Run #2	4.1 g	5.0 ml	20.0 ul

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	810	230	ug/kg	
71-43-2	Benzene	ND	81	39	ug/kg	
108-86-1	Bromobenzene	ND	400	38	ug/kg	
74-97-5	Bromochloromethane	ND	400	34	ug/kg	
75-27-4	Bromodichloromethane	ND	400	37	ug/kg	
75-25-2	Bromoform	ND	400	35	ug/kg	
74-83-9	Bromomethane	ND	400	30	ug/kg	
78-93-3	2-Butanone (MEK)	ND	810	220	ug/kg	
104-51-8	n-Butylbenzene	ND	400	46	ug/kg	
135-98-8	sec-Butylbenzene	ND	400	36	ug/kg	
98-06-6	tert-Butylbenzene	ND	400	40	ug/kg	
56-23-5	Carbon tetrachloride	ND	400	77	ug/kg	
108-90-7	Chlorobenzene	ND	400	35	ug/kg	
75-00-3	Chloroethane	ND	400	140	ug/kg	
67-66-3	Chloroform	ND	400	47	ug/kg	
74-87-3	Chloromethane	ND	400	37	ug/kg	
95-49-8	o-Chlorotoluene	ND	400	53	ug/kg	
106-43-4	p-Chlorotoluene	ND	400	49	ug/kg	
108-20-3	Di-Isopropyl ether	ND	400	33	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	810	170	ug/kg	
124-48-1	Dibromochloromethane	ND	400	44	ug/kg	
106-93-4	1,2-Dibromoethane	ND	81	46	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	400	37	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	400	39	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	400	37	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	400	64	ug/kg	
75-34-3	1,1-Dichloroethane	ND	400	39	ug/kg	
107-06-2	1,2-Dichloroethane	ND	81	44	ug/kg	
75-35-4	1,1-Dichloroethene	ND	400	55	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	400	54	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	400	55	ug/kg	
78-87-5	1,2-Dichloropropane	ND	400	45	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	8K2B3 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-9	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	84.9
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	400	37	ug/kg	
594-20-7	2,2-Dichloropropane	ND	400	44	ug/kg	
563-58-6	1,1-Dichloropropene	ND	400	43	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	400	33	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	400	32	ug/kg	
100-41-4	Ethylbenzene	ND	81	36	ug/kg	
87-68-3	Hexachlorobutadiene	ND	400	67	ug/kg	
98-82-8	Isopropylbenzene	ND	400	38	ug/kg	
99-87-6	p-Isopropyltoluene	ND	400	39	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	81	45	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	400	160	ug/kg	
74-95-3	Methylene bromide	ND	400	39	ug/kg	
75-09-2	Methylene chloride	ND	400	56	ug/kg	
91-20-3	Naphthalene	ND	400	37	ug/kg	
103-65-1	n-Propylbenzene	ND	400	36	ug/kg	
100-42-5	Styrene	ND	400	26	ug/kg	
75-65-0	Tert Butyl Alcohol	145000 <sup>a</sup>	10000	3000	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	400	34	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	400	34	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	400	38	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	400	46	ug/kg	
127-18-4	Tetrachloroethene	ND	400	66	ug/kg	
108-88-3	Toluene	ND	81	44	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	400	46	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	400	28	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	400	48	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	400	43	ug/kg	
79-01-6	Trichloroethene	ND	400	42	ug/kg	
75-69-4	Trichlorofluoromethane	ND	400	59	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	400	200	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	400	39	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	400	41	ug/kg	
75-01-4	Vinyl chloride	ND	400	52	ug/kg	
	m,p-Xylene	ND	160	71	ug/kg	
95-47-6	o-Xylene	ND	81	40	ug/kg	
1330-20-7	Xylene (total)	ND	160	40	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	111%	109%	70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 8K2B3 (14.5-15)	
<b>Lab Sample ID:</b> J26597-9	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b> SW846 8260B SW846 5035	<b>Percent Solids:</b> 84.9
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

### MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	110%	105%	61-133%
2037-26-5	Toluene-D8	103%	103%	75-123%
460-00-4	4-Bromofluorobenzene	102%	102%	65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

(a) Result is from Run# 2

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	8K2B3 (14.5-15)		<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-9		<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	84.9
<b>Method:</b>	SW846 8015 SW846 5035			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41239.D	1	04/06/06	YHY	04/03/06 07:00	n/a	GUV1939
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	4.8 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	34.3	14	2.9	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	81%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	8K2B3 (14.5-15)		<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-9		<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	84.9
<b>Method:</b>	SW846-8015 SW846 3545			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35098.D	1	04/14/06	OYA	04/10/06	OP23231	GZZ1040
Run #2							

	Initial Weight	Final Volume
Run #1	15.2 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.7	2.2	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	89%		32-146%
16416-32-3	Tetracosane-d50	122%		40-149%
438-22-2	5a-Androstane	97%		35-152%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	8K2B4 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-10	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	82.3
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B23580.D	1	04/10/06	NDJ	04/03/06 07:00	n/a	V1B966
Run #2	1B23736.D	1	04/14/06	NDJ	04/03/06 07:00	n/a	V1B972

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.5 g	5.0 ml	100 ul
Run #2	4.5 g	5.0 ml	10.0 ul

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	780	220	ug/kg	
71-43-2	Benzene	ND	78	37	ug/kg	
108-86-1	Bromobenzene	ND	390	37	ug/kg	
74-97-5	Bromochloromethane	ND	390	33	ug/kg	
75-27-4	Bromodichloromethane	ND	390	36	ug/kg	
75-25-2	Bromoform	ND	390	34	ug/kg	
74-83-9	Bromomethane	ND	390	29	ug/kg	
78-93-3	2-Butanone (MEK)	ND	780	210	ug/kg	
104-51-8	n-Butylbenzene	ND	390	44	ug/kg	
135-98-8	sec-Butylbenzene	ND	390	35	ug/kg	
98-06-6	tert-Butylbenzene	ND	390	39	ug/kg	
56-23-5	Carbon tetrachloride	ND	390	74	ug/kg	
108-90-7	Chlorobenzene	ND	390	34	ug/kg	
75-00-3	Chloroethane	ND	390	140	ug/kg	
67-66-3	Chloroform	ND	390	46	ug/kg	
74-87-3	Chloromethane	ND	390	36	ug/kg	
95-49-8	o-Chlorotoluene	ND	390	52	ug/kg	
106-43-4	p-Chlorotoluene	ND	390	47	ug/kg	
108-20-3	Di-Isopropyl ether	ND	390	32	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	780	170	ug/kg	
124-48-1	Dibromochloromethane	ND	390	43	ug/kg	
106-93-4	1,2-Dibromoethane	ND	78	44	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	390	36	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	390	38	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	390	36	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	390	62	ug/kg	
75-34-3	1,1-Dichloroethane	ND	390	37	ug/kg	
107-06-2	1,2-Dichloroethane	ND	78	42	ug/kg	
75-35-4	1,1-Dichloroethene	ND	390	54	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	390	53	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	390	53	ug/kg	
78-87-5	1,2-Dichloropropane	ND	390	43	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8K2B4 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-10	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	82.3
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	390	36	ug/kg	
594-20-7	2,2-Dichloropropane	ND	390	43	ug/kg	
563-58-6	1,1-Dichloropropene	ND	390	42	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	390	32	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	390	31	ug/kg	
100-41-4	Ethylbenzene	ND	78	35	ug/kg	
87-68-3	Hexachlorobutadiene	ND	390	65	ug/kg	
98-82-8	Isopropylbenzene	ND	390	36	ug/kg	
99-87-6	p-Isopropyltoluene	ND	390	38	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	46.4	78	44	ug/kg	J
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	390	160	ug/kg	
74-95-3	Methylene bromide	ND	390	38	ug/kg	
75-09-2	Methylene chloride	ND	390	54	ug/kg	
91-20-3	Naphthalene	ND	390	36	ug/kg	
103-65-1	n-Propylbenzene	ND	390	35	ug/kg	
100-42-5	Styrene	ND	390	26	ug/kg	
75-65-0	Tert Butyl Alcohol	156000 <sup>a</sup>	20000	5800	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	390	33	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	390	33	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	390	37	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	390	45	ug/kg	
127-18-4	Tetrachloroethene	ND	390	64	ug/kg	
108-88-3	Toluene	ND	78	42	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	390	45	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	390	27	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	390	46	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	390	42	ug/kg	
79-01-6	Trichloroethene	ND	390	41	ug/kg	
75-69-4	Trichlorofluoromethane	ND	390	57	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	390	190	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	390	38	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	390	40	ug/kg	
75-01-4	Vinyl chloride	ND	390	51	ug/kg	
	m,p-Xylene	ND	160	69	ug/kg	
95-47-6	o-Xylene	ND	78	39	ug/kg	
1330-20-7	Xylene (total)	ND	160	39	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	110%	109%	70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8K2B4 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-10	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	82.3
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	108%	110%	61-133%
2037-26-5	Toluene-D8	104%	105%	75-123%
460-00-4	4-Bromofluorobenzene	103%	100%	65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

(a) Result is from Run# 2

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8K2B4 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-10	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b> 82.3
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	UV41181.D	1	04/04/06	YHY	04/03/06 07:00	n/a	GUV1937
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.1 g	5.0 ml	100 ul
Run #2			

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	14	2.9	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
98-08-8	aaa-Trifluorotoluene	80%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	8K2B4 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-10	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 82.3
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	ZZ35099.D	1	04/14/06	OYA	04/10/06	OP23231	GZZ1040
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>
Run #1	15.2 g	1.0 ml
Run #2		

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-DRO (C10-C28)	ND	8.0	2.2	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
84-15-1	o-Terphenyl	87%		32-146%		
16416-32-3	Tetracosane-d50	119%		40-149%		
438-22-2	5a-Androstane	95%		35-152%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	8K2B5 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-11	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	91.5
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87831.D	1	04/08/06	NDJ	04/03/06 07:00	n/a	VS3342
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.3 g	5.0 ml	100 ul
Run #2			

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	680	200	ug/kg	
71-43-2	Benzene	ND	68	33	ug/kg	
108-86-1	Bromobenzene	ND	340	32	ug/kg	
74-97-5	Bromochloromethane	ND	340	28	ug/kg	
75-27-4	Bromodichloromethane	ND	340	31	ug/kg	
75-25-2	Bromoform	ND	340	30	ug/kg	
74-83-9	Bromomethane	ND	340	25	ug/kg	
78-93-3	2-Butanone (MEK)	ND	680	190	ug/kg	
104-51-8	n-Butylbenzene	ND	340	39	ug/kg	
135-98-8	sec-Butylbenzene	ND	340	30	ug/kg	
98-06-6	tert-Butylbenzene	ND	340	34	ug/kg	
56-23-5	Carbon tetrachloride	ND	340	65	ug/kg	
108-90-7	Chlorobenzene	ND	340	30	ug/kg	
75-00-3	Chloroethane	ND	340	120	ug/kg	
67-66-3	Chloroform	ND	340	40	ug/kg	
74-87-3	Chloromethane	ND	340	31	ug/kg	
95-49-8	o-Chlorotoluene	ND	340	45	ug/kg	
106-43-4	p-Chlorotoluene	ND	340	41	ug/kg	
108-20-3	Di-Isopropyl ether	ND	340	28	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	680	150	ug/kg	
124-48-1	Dibromochloromethane	ND	340	37	ug/kg	
106-93-4	1,2-Dibromoethane	ND	68	39	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	340	31	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	340	33	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	340	31	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	340	54	ug/kg	
75-34-3	1,1-Dichloroethane	ND	340	33	ug/kg	
107-06-2	1,2-Dichloroethane	ND	68	37	ug/kg	
75-35-4	1,1-Dichloroethene	ND	340	47	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	340	46	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	340	47	ug/kg	
78-87-5	1,2-Dichloropropane	ND	340	38	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8K2B5 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-11	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	91.5
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	340	32	ug/kg	
594-20-7	2,2-Dichloropropane	ND	340	37	ug/kg	
563-58-6	1,1-Dichloropropene	ND	340	37	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	340	28	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	340	27	ug/kg	
100-41-4	Ethylbenzene	ND	68	31	ug/kg	
87-68-3	Hexachlorobutadiene	ND	340	57	ug/kg	
98-82-8	Isopropylbenzene	ND	340	32	ug/kg	
99-87-6	p-Isopropyltoluene	ND	340	33	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	68	38	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	340	140	ug/kg	
74-95-3	Methylene bromide	ND	340	33	ug/kg	
75-09-2	Methylene chloride	ND	340	47	ug/kg	
91-20-3	Naphthalene	ND	340	31	ug/kg	
103-65-1	n-Propylbenzene	ND	340	30	ug/kg	
100-42-5	Styrene	ND	340	22	ug/kg	
75-65-0	Tert Butyl Alcohol	25300	1700	510	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	340	29	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	340	29	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	340	32	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	340	39	ug/kg	
127-18-4	Tetrachloroethene	ND	340	56	ug/kg	
108-88-3	Toluene	ND	68	37	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	340	39	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	340	24	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	340	40	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	340	37	ug/kg	
79-01-6	Trichloroethene	ND	340	35	ug/kg	
75-69-4	Trichlorofluoromethane	ND	340	50	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	340	170	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	340	33	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	340	35	ug/kg	
75-01-4	Vinyl chloride	ND	340	44	ug/kg	
	m,p-Xylene	ND	140	60	ug/kg	
95-47-6	o-Xylene	ND	68	34	ug/kg	
1330-20-7	Xylene (total)	ND	140	34	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	106%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 8K2B5 (14.5-15)	
<b>Lab Sample ID:</b> J26597-11	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b> SW846 8260B SW846 5035	<b>Percent Solids:</b> 91.5
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

### MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	98%		61-133%
2037-26-5	Toluene-D8	113%		75-123%
460-00-4	4-Bromofluorobenzene	116%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



## Report of Analysis

<b>Client Sample ID:</b> 8K2B5 (14.5-15)	
<b>Lab Sample ID:</b> J26597-11	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b> SW846 8015 SW846 5035	<b>Percent Solids:</b> 91.5
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	UV41182.D	1	04/04/06	YHY	04/03/06 07:00	n/a	GUV1937
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.2 g	5.0 ml	100 ul
Run #2			

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	11	2.4	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
98-08-8	aaa-Trifluorotoluene	77%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	8K2B5 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-11	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 91.5
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35100.D	1	04/14/06	OYA	04/10/06	OP23231	GZZ1040
Run #2							

	Initial Weight	Final Volume
Run #1	15.0 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.3	2.0	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	82%		32-146%
16416-32-3	Tetracosane-d50	112%		40-149%
438-22-2	5a-Androstane	90%		35-152%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	8KB1 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-12	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	87.7
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87975.D	1	04/11/06	NDJ	04/03/06 07:00	n/a	VS3350
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.7 g	5.0 ml	100 ul
Run #2			

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	680	190	ug/kg	
71-43-2	Benzene	ND	68	32	ug/kg	
108-86-1	Bromobenzene	ND	340	32	ug/kg	
74-97-5	Bromochloromethane	ND	340	28	ug/kg	
75-27-4	Bromodichloromethane	ND	340	31	ug/kg	
75-25-2	Bromoform	ND	340	29	ug/kg	
74-83-9	Bromomethane	ND	340	25	ug/kg	
78-93-3	2-Butanone (MEK)	ND	680	180	ug/kg	
104-51-8	n-Butylbenzene	ND	340	38	ug/kg	
135-98-8	sec-Butylbenzene	ND	340	30	ug/kg	
98-06-6	tert-Butylbenzene	ND	340	34	ug/kg	
56-23-5	Carbon tetrachloride	ND	340	64	ug/kg	
108-90-7	Chlorobenzene	ND	340	29	ug/kg	
75-00-3	Chloroethane	ND	340	120	ug/kg	
67-66-3	Chloroform	ND	340	39	ug/kg	
74-87-3	Chloromethane	ND	340	31	ug/kg	
95-49-8	o-Chlorotoluene	ND	340	45	ug/kg	
106-43-4	p-Chlorotoluene	ND	340	41	ug/kg	
108-20-3	Di-Isopropyl ether	ND	340	28	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	680	150	ug/kg	
124-48-1	Dibromochloromethane	ND	340	37	ug/kg	
106-93-4	1,2-Dibromoethane	ND	68	38	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	340	31	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	340	33	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	340	31	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	340	54	ug/kg	
75-34-3	1,1-Dichloroethane	ND	340	32	ug/kg	
107-06-2	1,2-Dichloroethane	ND	68	37	ug/kg	
75-35-4	1,1-Dichloroethene	ND	340	46	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	340	45	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	340	46	ug/kg	
78-87-5	1,2-Dichloropropane	ND	340	37	ug/kg	

ND = Not detected      MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8KB1 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-12	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	87.7
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	340	31	ug/kg	
594-20-7	2,2-Dichloropropane	ND	340	37	ug/kg	
563-58-6	1,1-Dichloropropene	ND	340	36	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	340	28	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	340	27	ug/kg	
100-41-4	Ethylbenzene	ND	68	30	ug/kg	
87-68-3	Hexachlorobutadiene	ND	340	56	ug/kg	
98-82-8	Isopropylbenzene	ND	340	31	ug/kg	
99-87-6	p-Isopropyltoluene	ND	340	33	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	68	38	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	340	130	ug/kg	
74-95-3	Methylene bromide	ND	340	33	ug/kg	
75-09-2	Methylene chloride	ND	340	47	ug/kg	
91-20-3	Naphthalene	ND	340	31	ug/kg	
103-65-1	n-Propylbenzene	ND	340	30	ug/kg	
100-42-5	Styrene	ND	340	22	ug/kg	
75-65-0	Tert Butyl Alcohol	67300	1700	500	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	340	29	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	340	29	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	340	32	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	340	39	ug/kg	
127-18-4	Tetrachloroethene	ND	340	56	ug/kg	
108-88-3	Toluene	ND	68	37	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	340	39	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	340	24	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	340	40	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	340	36	ug/kg	
79-01-6	Trichloroethene	ND	340	35	ug/kg	
75-69-4	Trichlorofluoromethane	ND	340	49	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	340	170	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	340	33	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	340	34	ug/kg	
75-01-4	Vinyl chloride	ND	340	44	ug/kg	
	m,p-Xylene	ND	140	59	ug/kg	
95-47-6	o-Xylene	ND	68	33	ug/kg	
1330-20-7	Xylene (total)	ND	140	33	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 8KB1 (14.5-15)		<b>Date Sampled:</b> 04/01/06
<b>Lab Sample ID:</b> J26597-12		<b>Date Received:</b> 04/01/06
<b>Matrix:</b> SO - Soil		<b>Percent Solids:</b> 87.7
<b>Method:</b> SW846 8260B SW846 5035		
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	86%		61-133%
2037-26-5	Toluene-D8	108%		75-123%
460-00-4	4-Bromofluorobenzene	108%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	8KB1 (14.5-15)		<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-12		<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	87.7
<b>Method:</b>	SW846 8015 SW846 5035			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41183.D	1	04/04/06	YHY	04/03/06 07:00	n/a	GUV1937
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	5.0 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	ND	13	2.6	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	79%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	8KB1 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-12	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	87.7
<b>Method:</b>	SW846-8015 SW846 3545		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35101.D	1	04/14/06	OYA	04/10/06	OP23231	GZZ1040
Run #2							

	Initial Weight	Final Volume
Run #1	15.1 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.6	2.1	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	83%		32-146%
16416-32-3	Tetracosane-d50	117%		40-149%
438-22-2	5a-Androstane	92%		35-152%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	8KB2 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-13	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	88.5
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87890.D	1	04/09/06	NDJ	04/03/06 07:00	n/a	VS3345
Run #2	S87980.D	1	04/11/06	NDJ	04/03/06 07:00	n/a	VS3350

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.6 g	5.0 ml	100 ul
Run #2	4.6 g	5.0 ml	20.0 ul

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	680	190	ug/kg	
71-43-2	Benzene	ND	68	33	ug/kg	
108-86-1	Bromobenzene	ND	340	32	ug/kg	
74-97-5	Bromochloromethane	ND	340	28	ug/kg	
75-27-4	Bromodichloromethane	ND	340	31	ug/kg	
75-25-2	Bromoform	ND	340	29	ug/kg	
74-83-9	Bromomethane	ND	340	25	ug/kg	
78-93-3	2-Butanone (MEK)	ND	680	190	ug/kg	
104-51-8	n-Butylbenzene	ND	340	39	ug/kg	
135-98-8	sec-Butylbenzene	ND	340	30	ug/kg	
98-06-6	tert-Butylbenzene	ND	340	34	ug/kg	
56-23-5	Carbon tetrachloride	ND	340	64	ug/kg	
108-90-7	Chlorobenzene	ND	340	29	ug/kg	
75-00-3	Chloroethane	ND	340	120	ug/kg	
67-66-3	Chloroform	ND	340	40	ug/kg	
74-87-3	Chloromethane	ND	340	31	ug/kg	
95-49-8	o-Chlorotoluene	ND	340	45	ug/kg	
106-43-4	p-Chlorotoluene	ND	340	41	ug/kg	
108-20-3	Di-Isopropyl ether	ND	340	28	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	680	150	ug/kg	
124-48-1	Dibromochloromethane	ND	340	37	ug/kg	
106-93-4	1,2-Dibromoethane	ND	68	38	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	340	31	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	340	33	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	340	31	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	340	54	ug/kg	
75-34-3	1,1-Dichloroethane	ND	340	33	ug/kg	
107-06-2	1,2-Dichloroethane	ND	68	37	ug/kg	
75-35-4	1,1-Dichloroethene	ND	340	47	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	340	46	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	340	46	ug/kg	
78-87-5	1,2-Dichloropropane	ND	340	38	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



**Report of Analysis**

<b>Client Sample ID:</b>	8KB2 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-13	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	88.5
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	340	31	ug/kg	
594-20-7	2,2-Dichloropropane	ND	340	37	ug/kg	
563-58-6	1,1-Dichloropropene	ND	340	36	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	340	28	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	340	27	ug/kg	
100-41-4	Ethylbenzene	ND	68	31	ug/kg	
87-68-3	Hexachlorobutadiene	ND	340	56	ug/kg	
98-82-8	Isopropylbenzene	ND	340	32	ug/kg	
99-87-6	p-Isopropyltoluene	ND	340	33	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	68	38	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	340	140	ug/kg	
74-95-3	Methylene bromide	ND	340	33	ug/kg	
75-09-2	Methylene chloride	ND	340	47	ug/kg	
91-20-3	Naphthalene	ND	340	31	ug/kg	
103-65-1	n-Propylbenzene	ND	340	30	ug/kg	
100-42-5	Styrene	ND	340	22	ug/kg	
75-65-0	Tert Butyl Alcohol	110000 <sup>a</sup>	8500	2500	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	340	29	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	340	29	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	340	32	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	340	39	ug/kg	
127-18-4	Tetrachloroethene	ND	340	56	ug/kg	
108-88-3	Toluene	ND	68	37	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	340	39	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	340	24	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	340	40	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	340	36	ug/kg	
79-01-6	Trichloroethene	ND	340	35	ug/kg	
75-69-4	Trichlorofluoromethane	ND	340	49	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	340	170	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	340	33	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	340	34	ug/kg	
75-01-4	Vinyl chloride	ND	340	44	ug/kg	
	m,p-Xylene	ND	140	60	ug/kg	
95-47-6	o-Xylene	ND	68	33	ug/kg	
1330-20-7	Xylene (total)	ND	140	33	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%	103%	70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b> 8KB2 (14.5-15)	
<b>Lab Sample ID:</b> J26597-13	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b> SW846 8260B SW846 5035	<b>Percent Solids:</b> 88.5
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	104%	92%	61-133%
2037-26-5	Toluene-D8	115%	109%	75-123%
460-00-4	4-Bromofluorobenzene	116%	109%	65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

(a) Result is from Run# 2

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8KB2 (14.5-15)		<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-13		<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	88.5
<b>Method:</b>	SW846 8015 SW846 5035			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41188.D	1	04/05/06	YHY	04/03/06 07:00	n/a	GUV1937
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	5.0 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	ND	13	2.6	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	78%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8KB2 (14.5-15)		<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-13		<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	88.5
<b>Method:</b>	SW846-8015 SW846 3545			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35102.D	1	04/14/06	OYA	04/10/06	OP23231	GZZ1040
Run #2							

	Initial Weight	Final Volume
Run #1	15.2 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.4	2.1	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	76%		32-146%
16416-32-3	Tetracosane-d50	106%		40-149%
438-22-2	5a-Androstane	85%		35-152%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	8KB3 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-14	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	88.5
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87892.D	1	04/09/06	NDJ	04/03/06 07:00	n/a	VS3345
Run #2	1B23737.D	1	04/14/06	NDJ	04/03/06 07:00	n/a	V1B972

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.5 g	5.0 ml	100 ul
Run #2	4.5 g	5.0 ml	10.0 ul

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	690	200	ug/kg	
71-43-2	Benzene	ND	69	33	ug/kg	
108-86-1	Bromobenzene	ND	350	33	ug/kg	
74-97-5	Bromochloromethane	ND	350	29	ug/kg	
75-27-4	Bromodichloromethane	ND	350	32	ug/kg	
75-25-2	Bromoform	ND	350	30	ug/kg	
74-83-9	Bromomethane	ND	350	26	ug/kg	
78-93-3	2-Butanone (MEK)	ND	690	190	ug/kg	
104-51-8	n-Butylbenzene	ND	350	39	ug/kg	
135-98-8	sec-Butylbenzene	ND	350	31	ug/kg	
98-06-6	tert-Butylbenzene	ND	350	34	ug/kg	
56-23-5	Carbon tetrachloride	ND	350	66	ug/kg	
108-90-7	Chlorobenzene	ND	350	30	ug/kg	
75-00-3	Chloroethane	ND	350	120	ug/kg	
67-66-3	Chloroform	ND	350	40	ug/kg	
74-87-3	Chloromethane	ND	350	32	ug/kg	
95-49-8	o-Chlorotoluene	ND	350	46	ug/kg	
106-43-4	p-Chlorotoluene	ND	350	42	ug/kg	
108-20-3	Di-Isopropyl ether	ND	350	29	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	690	150	ug/kg	
124-48-1	Dibromochloromethane	ND	350	38	ug/kg	
106-93-4	1,2-Dibromoethane	ND	69	39	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	350	32	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	350	34	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	350	32	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	350	55	ug/kg	
75-34-3	1,1-Dichloroethane	ND	350	33	ug/kg	
107-06-2	1,2-Dichloroethane	ND	69	38	ug/kg	
75-35-4	1,1-Dichloroethene	ND	350	48	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	350	46	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	350	47	ug/kg	
78-87-5	1,2-Dichloropropane	ND	350	38	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8KB3 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-14	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	88.5
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	350	32	ug/kg	
594-20-7	2,2-Dichloropropane	ND	350	38	ug/kg	
563-58-6	1,1-Dichloropropene	ND	350	37	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	350	29	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	350	27	ug/kg	
100-41-4	Ethylbenzene	ND	69	31	ug/kg	
87-68-3	Hexachlorobutadiene	ND	350	58	ug/kg	
98-82-8	Isopropylbenzene	ND	350	32	ug/kg	
99-87-6	p-Isopropyltoluene	ND	350	34	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	69	39	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	350	140	ug/kg	
74-95-3	Methylene bromide	ND	350	34	ug/kg	
75-09-2	Methylene chloride	ND	350	48	ug/kg	
91-20-3	Naphthalene	ND	350	32	ug/kg	
103-65-1	n-Propylbenzene	ND	350	31	ug/kg	
100-42-5	Styrene	ND	350	23	ug/kg	
75-65-0	Tert Butyl Alcohol	257000 <sup>a</sup>	17000	5100	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	350	29	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	350	29	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	350	32	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	350	40	ug/kg	
127-18-4	Tetrachloroethene	ND	350	57	ug/kg	
108-88-3	Toluene	ND	69	38	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	350	39	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	350	24	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	350	41	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	350	37	ug/kg	
79-01-6	Trichloroethene	ND	350	36	ug/kg	
75-69-4	Trichlorofluoromethane	ND	350	50	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	350	170	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	350	34	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	350	35	ug/kg	
75-01-4	Vinyl chloride	ND	350	45	ug/kg	
	m,p-Xylene	ND	140	61	ug/kg	
95-47-6	o-Xylene	ND	69	34	ug/kg	
1330-20-7	Xylene (total)	ND	140	34	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	110%	111%	70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 8KB3 (14.5-15)		<b>Date Sampled:</b> 04/01/06
<b>Lab Sample ID:</b> J26597-14		<b>Date Received:</b> 04/01/06
<b>Matrix:</b> SO - Soil		<b>Percent Solids:</b> 88.5
<b>Method:</b> SW846 8260B SW846 5035		
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	107%	112%	61-133%
2037-26-5	Toluene-D8	114%	106%	75-123%
460-00-4	4-Bromofluorobenzene	115%	102%	65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

(a) Result is from Run# 2

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	8KB3 (14.5-15)		<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-14		<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	88.5
<b>Method:</b>	SW846 8015 SW846 5035			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41189.D	1	04/05/06	YHY	04/03/06 07:00	n/a	GUV1937
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	4.8 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	ND	13	2.7	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	79%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	8KB3 (14.5-15)		<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-14		<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	88.5
<b>Method:</b>	SW846-8015 SW846 3545			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35103.D	1	04/14/06	OYA	04/10/06	OP23231	GZZ1040
Run #2							

	Initial Weight	Final Volume
Run #1	15.2 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.4	2.1	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
84-15-1	o-Terphenyl	81%		32-146%		
16416-32-3	Tetracosane-d50	113%		40-149%		
438-22-2	5a-Androstane	90%		35-152%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	8KB4 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-15	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	85.2
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87973.D	1	04/11/06	NDJ	04/03/06 07:00	n/a	VS3350
Run #2	S87974.D	1	04/11/06	NDJ	04/03/06 07:00	n/a	VS3350
Run #3	S88045.D	1	04/13/06	NDJ	04/03/06 07:00	n/a	VS3353

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.6 g	5.0 ml	100 ul
Run #2	4.6 g	5.0 ml	20.0 ul
Run #3	4.6 g	5.0 ml	5.0 ul

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	5840	720	210	ug/kg	
71-43-2	Benzene	ND	72	35	ug/kg	
108-86-1	Bromobenzene	ND	360	34	ug/kg	
74-97-5	Bromochloromethane	ND	360	30	ug/kg	
75-27-4	Bromodichloromethane	ND	360	33	ug/kg	
75-25-2	Bromoform	ND	360	31	ug/kg	
74-83-9	Bromomethane	ND	360	27	ug/kg	
78-93-3	2-Butanone (MEK)	1740	720	200	ug/kg	
104-51-8	n-Butylbenzene	11400	360	41	ug/kg	
135-98-8	sec-Butylbenzene	2330	360	32	ug/kg	
98-06-6	tert-Butylbenzene	ND	360	36	ug/kg	
56-23-5	Carbon tetrachloride	ND	360	69	ug/kg	
108-90-7	Chlorobenzene	ND	360	31	ug/kg	
75-00-3	Chloroethane	ND	360	130	ug/kg	
67-66-3	Chloroform	ND	360	42	ug/kg	
74-87-3	Chloromethane	ND	360	33	ug/kg	
95-49-8	o-Chlorotoluene	ND	360	48	ug/kg	
106-43-4	p-Chlorotoluene	ND	360	44	ug/kg	
108-20-3	Di-Isopropyl ether	ND	360	30	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	720	160	ug/kg	
124-48-1	Dibromochloromethane	ND	360	40	ug/kg	
106-93-4	1,2-Dibromoethane	ND	72	41	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	360	33	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	360	35	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	360	33	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	360	58	ug/kg	
75-34-3	1,1-Dichloroethane	ND	360	35	ug/kg	
107-06-2	1,2-Dichloroethane	ND	72	39	ug/kg	
75-35-4	1,1-Dichloroethene	ND	360	50	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	360	49	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	8KB4 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-15	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	85.2
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethene	ND	360	49	ug/kg	
78-87-5	1,2-Dichloropropane	ND	360	40	ug/kg	
142-28-9	1,3-Dichloropropane	ND	360	34	ug/kg	
594-20-7	2,2-Dichloropropane	ND	360	39	ug/kg	
563-58-6	1,1-Dichloropropene	ND	360	39	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	360	30	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	360	28	ug/kg	
100-41-4	Ethylbenzene	17300 <sup>a</sup>	360	160	ug/kg	
87-68-3	Hexachlorobutadiene	ND	360	60	ug/kg	
98-82-8	Isopropylbenzene	7720	360	34	ug/kg	
99-87-6	p-Isopropyltoluene	1830	360	35	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	72	41	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	360	140	ug/kg	
74-95-3	Methylene bromide	ND	360	35	ug/kg	
75-09-2	Methylene chloride	ND	360	50	ug/kg	
91-20-3	Naphthalene	19400 <sup>a</sup>	1800	160	ug/kg	
103-65-1	n-Propylbenzene	26100 <sup>a</sup>	1800	160	ug/kg	
100-42-5	Styrene	ND	360	24	ug/kg	
75-65-0	Tert Butyl Alcohol	295000 <sup>a</sup>	9100	2700	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	360	31	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	360	31	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	360	34	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	360	42	ug/kg	
127-18-4	Tetrachloroethene	ND	360	60	ug/kg	
108-88-3	Toluene	550	72	39	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	360	41	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	360	25	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	360	43	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	360	39	ug/kg	
79-01-6	Trichloroethene	ND	360	38	ug/kg	
75-69-4	Trichlorofluoromethane	ND	360	53	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	360	180	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	189000 <sup>b</sup>	7200	710	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	47500 <sup>a</sup>	1800	180	ug/kg	
75-01-4	Vinyl chloride	ND	360	47	ug/kg	
	m,p-Xylene	68000 <sup>a</sup>	720	320	ug/kg	
95-47-6	o-Xylene	39800 <sup>a</sup>	360	180	ug/kg	
1330-20-7	Xylene (total)	108000 <sup>a</sup>	720	180	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	8KB4 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-15	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	85.2
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Run# 3	Limits
1868-53-7	Dibromofluoromethane	99%	99%	104%	70-120%
17060-07-0	1,2-Dichloroethane-D4	88%	87%	96%	61-133%
2037-26-5	Toluene-D8	109%	110%	110%	75-123%
460-00-4	4-Bromofluorobenzene	108%	108%	111%	65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	alkane	13.11	1600	ug/kg	J
	alkane	13.24	1200	ug/kg	J
	alkane	14.19	1500	ug/kg	J
	cycloalkane	14.48	1300	ug/kg	J
	alkane	14.72	2000	ug/kg	J
	C3 alkyl benzene	15.16	7900	ug/kg	J
	C3 alkyl benzene	15.52	3200	ug/kg	J
	C4 alkyl benzene	16.35	2700	ug/kg	J
	C4 alkyl benzene	16.40	2900	ug/kg	J
	C4 alkyl benzene	16.73	1500	ug/kg	J
	C4 alkyl benzene	16.76	1100	ug/kg	J
	C4 alkyl benzene	16.84	2800	ug/kg	J
	C4 alkyl benzene	17.29	1200	ug/kg	J
	C4 alkyl benzene	17.36	2100	ug/kg	J
	1H-indene-dihydro-methyl	17.73	1100	ug/kg	J
	Total TIC, Volatile		34100	ug/kg	J

(a) Result is from Run# 2

(b) Result is from Run# 3

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	8KB4 (14.5-15)		<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-15		<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	85.2
<b>Method:</b>	SW846 8015 SW846 5035			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41190.D	1	04/05/06	YHY	04/03/06 07:00	n/a	GUV1937
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	5.2 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	1210	13	2.7	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	85%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 8KB4 (14.5-15)	
<b>Lab Sample ID:</b> J26597-15	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b> SW846-8015 SW846 3545	<b>Percent Solids:</b> 85.2
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35104.D	1	04/14/06	OYA	04/10/06	OP23231	GZZ1040
Run #2	ZZ35123.D	5	04/14/06	OYA	04/10/06	OP23231	GZZ1041

	Initial Weight	Final Volume
Run #1	15.2 g	1.0 ml
Run #2	15.2 g	1.0 ml

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	382 <sup>a</sup>	39	11	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	78%	65%	32-146%
16416-32-3	Tetracosane-d50	99%	77%	40-149%
438-22-2	5a-Androstane	83%	72%	35-152%

(a) Result is from Run# 2

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	8KB5 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-16	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	87.1
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87894.D	1	04/09/06	NDJ	04/03/06 07:00	n/a	VS3345
Run #2	S88046.D	1	04/13/06	NDJ	04/03/06 07:00	n/a	VS3353

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.7 g	5.0 ml	10.0 ul
Run #2	4.7 g	5.0 ml	2.0 ul

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	4590	6800	2000	ug/kg	J
71-43-2	Benzene	ND	680	330	ug/kg	
108-86-1	Bromobenzene	ND	3400	320	ug/kg	
74-97-5	Bromochloromethane	ND	3400	280	ug/kg	
75-27-4	Bromodichloromethane	ND	3400	310	ug/kg	
75-25-2	Bromoform	ND	3400	300	ug/kg	
74-83-9	Bromomethane	ND	3400	250	ug/kg	
78-93-3	2-Butanone (MEK)	ND	6800	1900	ug/kg	
104-51-8	n-Butylbenzene	27000	3400	390	ug/kg	
135-98-8	sec-Butylbenzene	4950	3400	300	ug/kg	
98-06-6	tert-Butylbenzene	ND	3400	340	ug/kg	
56-23-5	Carbon tetrachloride	ND	3400	650	ug/kg	
108-90-7	Chlorobenzene	ND	3400	300	ug/kg	
75-00-3	Chloroethane	ND	3400	1200	ug/kg	
67-66-3	Chloroform	ND	3400	400	ug/kg	
74-87-3	Chloromethane	ND	3400	320	ug/kg	
95-49-8	o-Chlorotoluene	ND	3400	450	ug/kg	
106-43-4	p-Chlorotoluene	ND	3400	410	ug/kg	
108-20-3	Di-Isopropyl ether	ND	3400	280	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	6800	1500	ug/kg	
124-48-1	Dibromochloromethane	ND	3400	380	ug/kg	
106-93-4	1,2-Dibromoethane	ND	680	390	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	3400	310	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	3400	330	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	3400	310	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	3400	540	ug/kg	
75-34-3	1,1-Dichloroethane	ND	3400	330	ug/kg	
107-06-2	1,2-Dichloroethane	ND	680	370	ug/kg	
75-35-4	1,1-Dichloroethene	ND	3400	470	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	3400	460	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	3400	470	ug/kg	
78-87-5	1,2-Dichloropropane	ND	3400	380	ug/kg	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	8KB5 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-16	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	87.1
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	3400	320	ug/kg	
594-20-7	2,2-Dichloropropane	ND	3400	370	ug/kg	
563-58-6	1,1-Dichloropropene	ND	3400	370	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	3400	280	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	3400	270	ug/kg	
100-41-4	Ethylbenzene	1400	680	310	ug/kg	
87-68-3	Hexachlorobutadiene	ND	3400	570	ug/kg	
98-82-8	Isopropylbenzene	2080	3400	320	ug/kg	J
99-87-6	p-Isopropyltoluene	4200	3400	330	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	680	380	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	3400	1400	ug/kg	
74-95-3	Methylene bromide	ND	3400	330	ug/kg	
75-09-2	Methylene chloride	ND	3400	470	ug/kg	
91-20-3	Naphthalene	28100	3400	310	ug/kg	
103-65-1	n-Propylbenzene	21400	3400	300	ug/kg	
100-42-5	Styrene	ND	3400	220	ug/kg	
75-65-0	Tert Butyl Alcohol	420000	17000	5100	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	3400	290	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	3400	290	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	3400	320	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	3400	390	ug/kg	
127-18-4	Tetrachloroethene	ND	3400	560	ug/kg	
108-88-3	Toluene	ND	680	370	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	3400	390	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	3400	240	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	3400	410	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	3400	370	ug/kg	
79-01-6	Trichloroethene	ND	3400	360	ug/kg	
75-69-4	Trichlorofluoromethane	ND	3400	500	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	3400	1700	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	456000 <sup>a</sup>	17000	1700	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	92300	3400	350	ug/kg	
75-01-4	Vinyl chloride	ND	3400	440	ug/kg	
	m,p-Xylene	7160	1400	600	ug/kg	
95-47-6	o-Xylene	7010	680	340	ug/kg	
1330-20-7	Xylene (total)	14200	1400	340	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	110%	105%	70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



**Report of Analysis**

<b>Client Sample ID:</b> 8KB5 (14.5-15)	
<b>Lab Sample ID:</b> J26597-16	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b> SW846 8260B SW846 5035	<b>Percent Solids:</b> 87.1
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	105%	96%	61-133%
2037-26-5	Toluene-D8	115%	109%	75-123%
460-00-4	4-Bromofluorobenzene	112%	112%	65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	alkane	14.72	8400	ug/kg	J
	C3 alkyl benzene	15.16	33000	ug/kg	J
	C3 alkyl benzene	15.51	14000	ug/kg	J
	C4 alkyl benzene	16.35	18000	ug/kg	J
	C4 alkyl benzene	16.40	20000	ug/kg	J
	C4 alkyl benzene	16.66	4500	ug/kg	J
	C4 alkyl benzene	16.73	11000	ug/kg	J
	C4 alkyl benzene	16.76	7500	ug/kg	J
	C4 alkyl benzene	16.84	17000	ug/kg	J
	1H-indene-dihydro-methyl	17.06	6400	ug/kg	J
	C4 alkyl benzene	17.21	4600	ug/kg	J
	C4 alkyl benzene	17.29	8700	ug/kg	J
	C4 alkyl benzene	17.36	14000	ug/kg	J
	1H-indene-dihydro-methyl	17.73	5700	ug/kg	J
	1H-indene-dihydro-methyl	17.94	5800	ug/kg	J
	Total TIC, Volatile		178600	ug/kg	J

(a) Result is from Run# 2

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	8KB5 (14.5-15)		<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-16		<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	87.1
<b>Method:</b>	SW846 8015 SW846 5035			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41191.D	1	04/05/06	YHY	04/03/06 07:00	n/a	GUV1937
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	5.1 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	1360	13	2.6	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	83%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	8KB5 (14.5-15)		<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-16		<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	87.1
<b>Method:</b>	SW846-8015 SW846 3545			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35107.D	1	04/14/06	OYA	04/10/06	OP23231	GZZ1040
Run #2	ZZ35124.D	10	04/14/06	OYA	04/10/06	OP23231	GZZ1041

	Initial Weight	Final Volume
Run #1	15.1 g	1.0 ml
Run #2	15.1 g	1.0 ml

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	1340 <sup>a</sup>	76	21	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	93%	66%	32-146%
16416-32-3	Tetracosane-d50	126%	69%	40-149%
438-22-2	5a-Androstane	98%	73%	35-152%

(a) Result is from Run# 2

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	12KB1 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-17	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	82.7
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87900.D	1	04/09/06	NDJ	04/03/06 07:00	n/a	VS3345
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.2 g	5.0 ml	100 ul
Run #2			

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	820	240	ug/kg	
71-43-2	Benzene	ND	82	39	ug/kg	
108-86-1	Bromobenzene	ND	410	39	ug/kg	
74-97-5	Bromochloromethane	ND	410	34	ug/kg	
75-27-4	Bromodichloromethane	ND	410	38	ug/kg	
75-25-2	Bromoform	ND	410	36	ug/kg	
74-83-9	Bromomethane	ND	410	30	ug/kg	
78-93-3	2-Butanone (MEK)	ND	820	230	ug/kg	
104-51-8	n-Butylbenzene	ND	410	47	ug/kg	
135-98-8	sec-Butylbenzene	ND	410	37	ug/kg	
98-06-6	tert-Butylbenzene	ND	410	41	ug/kg	
56-23-5	Carbon tetrachloride	ND	410	78	ug/kg	
108-90-7	Chlorobenzene	ND	410	36	ug/kg	
75-00-3	Chloroethane	ND	410	140	ug/kg	
67-66-3	Chloroform	ND	410	48	ug/kg	
74-87-3	Chloromethane	ND	410	38	ug/kg	
95-49-8	o-Chlorotoluene	ND	410	54	ug/kg	
106-43-4	p-Chlorotoluene	ND	410	50	ug/kg	
108-20-3	Di-Isopropyl ether	ND	410	34	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	820	180	ug/kg	
124-48-1	Dibromochloromethane	ND	410	45	ug/kg	
106-93-4	1,2-Dibromoethane	ND	82	47	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	410	38	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	410	40	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	410	38	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	410	65	ug/kg	
75-34-3	1,1-Dichloroethane	ND	410	39	ug/kg	
107-06-2	1,2-Dichloroethane	ND	82	45	ug/kg	
75-35-4	1,1-Dichloroethene	ND	410	57	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	410	55	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	410	56	ug/kg	
78-87-5	1,2-Dichloropropane	ND	410	46	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	12KB1 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-17	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	82.7
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	410	38	ug/kg	
594-20-7	2,2-Dichloropropane	ND	410	45	ug/kg	
563-58-6	1,1-Dichloropropene	ND	410	44	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	410	34	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	410	32	ug/kg	
100-41-4	Ethylbenzene	ND	82	37	ug/kg	
87-68-3	Hexachlorobutadiene	ND	410	69	ug/kg	
98-82-8	Isopropylbenzene	ND	410	38	ug/kg	
99-87-6	p-Isopropyltoluene	ND	410	40	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	82	46	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	410	160	ug/kg	
74-95-3	Methylene bromide	ND	410	40	ug/kg	
75-09-2	Methylene chloride	ND	410	57	ug/kg	
91-20-3	Naphthalene	ND	410	38	ug/kg	
103-65-1	n-Propylbenzene	ND	410	37	ug/kg	
100-42-5	Styrene	ND	410	27	ug/kg	
75-65-0	Tert Butyl Alcohol	32200	2100	610	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	410	35	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	410	35	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	410	38	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	410	47	ug/kg	
127-18-4	Tetrachloroethene	ND	410	68	ug/kg	
108-88-3	Toluene	ND	82	45	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	410	47	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	410	29	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	410	49	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	410	44	ug/kg	
79-01-6	Trichloroethene	ND	410	43	ug/kg	
75-69-4	Trichlorofluoromethane	ND	410	60	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	410	210	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	107	410	40	ug/kg	J
108-67-8	1,3,5-Trimethylbenzene	ND	410	42	ug/kg	
75-01-4	Vinyl chloride	ND	410	53	ug/kg	
	m,p-Xylene	ND	160	72	ug/kg	
95-47-6	o-Xylene	ND	82	41	ug/kg	
1330-20-7	Xylene (total)	ND	160	41	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	106%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 12KB1 (14.5-15)	
<b>Lab Sample ID:</b> J26597-17	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b> SW846 8260B SW846 5035	<b>Percent Solids:</b> 82.7
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	102%		61-133%
2037-26-5	Toluene-D8	114%		75-123%
460-00-4	4-Bromofluorobenzene	115%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12KB1 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-17	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b> 82.7
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	UV41206.D	1	04/05/06	YHY	04/03/06 07:00	n/a	GUV1938
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.9 g	5.0 ml	100 ul
Run #2			

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	14	3.0	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
98-08-8	aaa-Trifluorotoluene	80%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	12KB1 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-17	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 82.7
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35108.D	1	04/14/06	OYA	04/10/06	OP23231	GZZ1040
Run #2							

	Initial Weight	Final Volume
Run #1	15.2 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	8.0	2.2	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	72%		32-146%
16416-32-3	Tetracosane-d50	98%		40-149%
438-22-2	5a-Androstane	81%		35-152%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	12KB2 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-18	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	83.3
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87899.D	1	04/09/06	NDJ	04/03/06 07:00	n/a	VS3345
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.4 g	5.0 ml	100 ul
Run #2			

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	780	220	ug/kg	
71-43-2	Benzene	ND	78	37	ug/kg	
108-86-1	Bromobenzene	ND	390	37	ug/kg	
74-97-5	Bromochloromethane	ND	390	33	ug/kg	
75-27-4	Bromodichloromethane	ND	390	36	ug/kg	
75-25-2	Bromoform	ND	390	34	ug/kg	
74-83-9	Bromomethane	ND	390	29	ug/kg	
78-93-3	2-Butanone (MEK)	ND	780	210	ug/kg	
104-51-8	n-Butylbenzene	ND	390	44	ug/kg	
135-98-8	sec-Butylbenzene	ND	390	35	ug/kg	
98-06-6	tert-Butylbenzene	ND	390	39	ug/kg	
56-23-5	Carbon tetrachloride	ND	390	74	ug/kg	
108-90-7	Chlorobenzene	ND	390	34	ug/kg	
75-00-3	Chloroethane	ND	390	140	ug/kg	
67-66-3	Chloroform	ND	390	46	ug/kg	
74-87-3	Chloromethane	ND	390	36	ug/kg	
95-49-8	o-Chlorotoluene	ND	390	52	ug/kg	
106-43-4	p-Chlorotoluene	ND	390	47	ug/kg	
108-20-3	Di-Isopropyl ether	ND	390	32	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	780	170	ug/kg	
124-48-1	Dibromochloromethane	ND	390	43	ug/kg	
106-93-4	1,2-Dibromoethane	ND	78	44	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	390	36	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	390	38	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	390	36	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	390	62	ug/kg	
75-34-3	1,1-Dichloroethane	ND	390	37	ug/kg	
107-06-2	1,2-Dichloroethane	ND	78	42	ug/kg	
75-35-4	1,1-Dichloroethene	ND	390	54	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	390	52	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	390	53	ug/kg	
78-87-5	1,2-Dichloropropane	ND	390	43	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12KB2 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-18	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	83.3
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	390	36	ug/kg	
594-20-7	2,2-Dichloropropane	ND	390	43	ug/kg	
563-58-6	1,1-Dichloropropene	ND	390	42	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	390	32	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	390	31	ug/kg	
100-41-4	Ethylbenzene	ND	78	35	ug/kg	
87-68-3	Hexachlorobutadiene	ND	390	65	ug/kg	
98-82-8	Isopropylbenzene	ND	390	36	ug/kg	
99-87-6	p-Isopropyltoluene	ND	390	38	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	78	44	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	390	160	ug/kg	
74-95-3	Methylene bromide	ND	390	38	ug/kg	
75-09-2	Methylene chloride	ND	390	54	ug/kg	
91-20-3	Naphthalene	ND	390	36	ug/kg	
103-65-1	n-Propylbenzene	ND	390	35	ug/kg	
100-42-5	Styrene	ND	390	26	ug/kg	
75-65-0	Tert Butyl Alcohol	46000	2000	580	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	390	33	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	390	33	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	390	37	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	390	45	ug/kg	
127-18-4	Tetrachloroethene	ND	390	64	ug/kg	
108-88-3	Toluene	ND	78	42	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	390	45	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	390	27	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	390	46	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	390	42	ug/kg	
79-01-6	Trichloroethene	ND	390	41	ug/kg	
75-69-4	Trichlorofluoromethane	ND	390	57	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	390	190	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	390	38	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	390	40	ug/kg	
75-01-4	Vinyl chloride	ND	390	51	ug/kg	
	m,p-Xylene	ND	160	69	ug/kg	
95-47-6	o-Xylene	ND	78	39	ug/kg	
1330-20-7	Xylene (total)	ND	160	39	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	107%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 12KB2 (14.5-15)		<b>Date Sampled:</b> 04/01/06
<b>Lab Sample ID:</b> J26597-18		<b>Date Received:</b> 04/01/06
<b>Matrix:</b> SO - Soil		<b>Percent Solids:</b> 83.3
<b>Method:</b> SW846 8260B SW846 5035		
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	101%		61-133%
2037-26-5	Toluene-D8	112%		75-123%
460-00-4	4-Bromofluorobenzene	115%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12KB2 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-18	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b> 83.3
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41207.D	1	04/05/06	YHY	04/03/06 07:00	n/a	GUV1938
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	4.9 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	ND	14	2.9	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	79%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12KB2 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-18	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 83.3
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35109.D	1	04/14/06	OYA	04/10/06	OP23231	GZZ1040
Run #2							

	Initial Weight	Final Volume
Run #1	15.2 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.9	2.2	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	83%		32-146%
16416-32-3	Tetracosane-d50	109%		40-149%
438-22-2	5a-Androstane	91%		35-152%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	12KB3 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-19	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	83.9
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87898.D	1	04/09/06	NDJ	04/03/06 07:00	n/a	VS3345
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.5 g	5.0 ml	100 ul
Run #2			

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	760	220	ug/kg	
71-43-2	Benzene	ND	76	36	ug/kg	
108-86-1	Bromobenzene	ND	380	36	ug/kg	
74-97-5	Bromochloromethane	ND	380	32	ug/kg	
75-27-4	Bromodichloromethane	ND	380	35	ug/kg	
75-25-2	Bromoform	ND	380	33	ug/kg	
74-83-9	Bromomethane	ND	380	28	ug/kg	
78-93-3	2-Butanone (MEK)	ND	760	210	ug/kg	
104-51-8	n-Butylbenzene	ND	380	43	ug/kg	
135-98-8	sec-Butylbenzene	ND	380	34	ug/kg	
98-06-6	tert-Butylbenzene	ND	380	38	ug/kg	
56-23-5	Carbon tetrachloride	ND	380	72	ug/kg	
108-90-7	Chlorobenzene	ND	380	33	ug/kg	
75-00-3	Chloroethane	ND	380	130	ug/kg	
67-66-3	Chloroform	ND	380	44	ug/kg	
74-87-3	Chloromethane	ND	380	35	ug/kg	
95-49-8	o-Chlorotoluene	ND	380	50	ug/kg	
106-43-4	p-Chlorotoluene	ND	380	46	ug/kg	
108-20-3	Di-Isopropyl ether	ND	380	31	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	760	160	ug/kg	
124-48-1	Dibromochloromethane	ND	380	42	ug/kg	
106-93-4	1,2-Dibromoethane	ND	76	43	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	380	34	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	380	37	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	380	35	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	380	60	ug/kg	
75-34-3	1,1-Dichloroethane	ND	380	36	ug/kg	
107-06-2	1,2-Dichloroethane	ND	76	41	ug/kg	
75-35-4	1,1-Dichloroethene	ND	380	52	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	380	51	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	380	52	ug/kg	
78-87-5	1,2-Dichloropropane	ND	380	42	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12KB3 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-19	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	83.9
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	380	35	ug/kg	
594-20-7	2,2-Dichloropropane	ND	380	41	ug/kg	
563-58-6	1,1-Dichloropropene	ND	380	41	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	380	31	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	380	30	ug/kg	
100-41-4	Ethylbenzene	ND	76	34	ug/kg	
87-68-3	Hexachlorobutadiene	ND	380	63	ug/kg	
98-82-8	Isopropylbenzene	ND	380	35	ug/kg	
99-87-6	p-Isopropyltoluene	ND	380	37	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	76	42	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	380	150	ug/kg	
74-95-3	Methylene bromide	ND	380	37	ug/kg	
75-09-2	Methylene chloride	ND	380	52	ug/kg	
91-20-3	Naphthalene	ND	380	34	ug/kg	
103-65-1	n-Propylbenzene	ND	380	34	ug/kg	
100-42-5	Styrene	ND	380	25	ug/kg	
75-65-0	Tert Butyl Alcohol	58000	1900	560	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	380	32	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	380	32	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	380	35	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	380	44	ug/kg	
127-18-4	Tetrachloroethene	ND	380	62	ug/kg	
108-88-3	Toluene	ND	76	41	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	380	43	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	380	27	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	380	45	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	380	41	ug/kg	
79-01-6	Trichloroethene	ND	380	39	ug/kg	
75-69-4	Trichlorofluoromethane	ND	380	55	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	380	190	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	380	37	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	380	39	ug/kg	
75-01-4	Vinyl chloride	ND	380	49	ug/kg	
	m,p-Xylene	ND	150	66	ug/kg	
95-47-6	o-Xylene	ND	76	37	ug/kg	
1330-20-7	Xylene (total)	ND	150	37	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 12KB3 (14.5-15)	
<b>Lab Sample ID:</b> J26597-19	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b> SW846 8260B SW846 5035	<b>Percent Solids:</b> 83.9
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

### MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	101%		61-133%
2037-26-5	Toluene-D8	115%		75-123%
460-00-4	4-Bromofluorobenzene	113%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



**Report of Analysis**

<b>Client Sample ID:</b>	12KB3 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-19	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b> 83.9
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41208.D	1	04/05/06	YHY	04/03/06 07:00	n/a	GUV1938
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	4.9 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	ND	14	2.9	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	79%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	12KB3 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-19	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 83.9
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35110.D	1	04/14/06	OYA	04/10/06	OP23231	GZZ1040
Run #2							

	Initial Weight	Final Volume
Run #1	15.1 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.9	2.2	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	86%		32-146%
16416-32-3	Tetracosane-d50	120%		40-149%
438-22-2	5a-Androstane	95%		35-152%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	12KB4 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-20	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	87.1
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87895.D	1	04/09/06	NDJ	04/03/06 08:00	n/a	VS3345
Run #2	S88047.D	1	04/13/06	NDJ	04/03/06 08:00	n/a	VS3353

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.9 g	5.0 ml	5.0 ul
Run #2	4.9 g	5.0 ml	2.0 ul

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	13000	3800	ug/kg	
71-43-2	Benzene	ND	1300	630	ug/kg	
108-86-1	Bromobenzene	ND	6600	630	ug/kg	
74-97-5	Bromochloromethane	ND	6600	550	ug/kg	
75-27-4	Bromodichloromethane	ND	6600	600	ug/kg	
75-25-2	Bromoform	ND	6600	570	ug/kg	
74-83-9	Bromomethane	ND	6600	490	ug/kg	
78-93-3	2-Butanone (MEK)	ND	13000	3600	ug/kg	
104-51-8	n-Butylbenzene	15400	6600	750	ug/kg	
135-98-8	sec-Butylbenzene	3540	6600	590	ug/kg	J
98-06-6	tert-Butylbenzene	ND	6600	660	ug/kg	
56-23-5	Carbon tetrachloride	ND	6600	1300	ug/kg	
108-90-7	Chlorobenzene	ND	6600	570	ug/kg	
75-00-3	Chloroethane	ND	6600	2300	ug/kg	
67-66-3	Chloroform	ND	6600	770	ug/kg	
74-87-3	Chloromethane	ND	6600	610	ug/kg	
95-49-8	o-Chlorotoluene	ND	6600	870	ug/kg	
106-43-4	p-Chlorotoluene	ND	6600	800	ug/kg	
108-20-3	Di-Isopropyl ether	ND	6600	550	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	13000	2800	ug/kg	
124-48-1	Dibromochloromethane	ND	6600	720	ug/kg	
106-93-4	1,2-Dibromoethane	ND	1300	750	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	6600	600	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	6600	640	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	6600	610	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	6600	1000	ug/kg	
75-34-3	1,1-Dichloroethane	ND	6600	630	ug/kg	
107-06-2	1,2-Dichloroethane	ND	1300	720	ug/kg	
75-35-4	1,1-Dichloroethene	ND	6600	910	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	6600	890	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	6600	900	ug/kg	
78-87-5	1,2-Dichloropropane	ND	6600	730	ug/kg	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	12KB4 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-20	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	87.1
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	6600	610	ug/kg	
594-20-7	2,2-Dichloropropane	ND	6600	720	ug/kg	
563-58-6	1,1-Dichloropropene	ND	6600	710	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	6600	550	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	6600	520	ug/kg	
100-41-4	Ethylbenzene	58300	1300	590	ug/kg	
87-68-3	Hexachlorobutadiene	ND	6600	1100	ug/kg	
98-82-8	Isopropylbenzene	10900	6600	610	ug/kg	
99-87-6	p-Isopropyltoluene	2380	6600	640	ug/kg	J
1634-04-4	Methyl Tert Butyl Ether	ND	1300	740	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	6600	2600	ug/kg	
74-95-3	Methylene bromide	ND	6600	640	ug/kg	
75-09-2	Methylene chloride	ND	6600	910	ug/kg	
91-20-3	Naphthalene	21700	6600	600	ug/kg	
103-65-1	n-Propylbenzene	43400	6600	580	ug/kg	
100-42-5	Styrene	ND	6600	430	ug/kg	
75-65-0	Tert Butyl Alcohol	196000	33000	9800	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	6600	560	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	6600	560	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	6600	620	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	6600	760	ug/kg	
127-18-4	Tetrachloroethene	ND	6600	1100	ug/kg	
108-88-3	Toluene	5640	1300	720	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	6600	750	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	6600	460	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	6600	780	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	6600	710	ug/kg	
79-01-6	Trichloroethene	ND	6600	690	ug/kg	
75-69-4	Trichlorofluoromethane	ND	6600	960	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	6600	3300	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	430000 <sup>a</sup>	16000	1600	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	94600	6600	670	ug/kg	
75-01-4	Vinyl chloride	ND	6600	850	ug/kg	
	m,p-Xylene	254000	2600	1200	ug/kg	
95-47-6	o-Xylene	120000	1300	650	ug/kg	
1330-20-7	Xylene (total)	374000	2600	650	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	110%	105%	70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12KB4 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-20	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	87.1
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	104%	95%	61-133%
2037-26-5	Toluene-D8	114%	110%	75-123%
460-00-4	4-Bromofluorobenzene	116%	110%	65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	alkane	13.11	9200	ug/kg	J
	alkane	13.25	7100	ug/kg	J
	C3 alkyl benzene	15.16	110000	ug/kg	J
	C3 alkyl benzene	15.52	31000	ug/kg	J
	C4 alkyl benzene	16.35	22000	ug/kg	J
	C4 alkyl benzene	16.40	27000	ug/kg	J
	C4 alkyl benzene	16.72	14000	ug/kg	J
	C4 alkyl benzene	16.77	10000	ug/kg	J
	C4 alkyl benzene	16.84	21000	ug/kg	J
	1H-indene-dihydro-methyl	17.06	7500	ug/kg	J
	C4 alkyl benzene	17.29	12000	ug/kg	J
	C4 alkyl benzene	17.36	20000	ug/kg	J
	1H-indene-dihydro-methyl	17.73	7900	ug/kg	J
	1H-indene-dihydro-methyl	17.94	8600	ug/kg	J
	Total TIC, Volatile		307300	ug/kg	J

(a) Result is from Run# 2

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12KB4 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-20	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b> 87.1
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41209.D	1	04/05/06	YHY	04/03/06 08:00	n/a	GUV1938
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	5.0 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	ND	13	2.7	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	78%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	12KB4 (14.5-15)		<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-20		<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	87.1
<b>Method:</b>	SW846-8015 SW846 3545			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35111.D	1	04/14/06	OYA	04/10/06	OP23231	GZZ1040
Run #2	ZZ35125.D	10	04/14/06	OYA	04/10/06	OP23231	GZZ1041

	Initial Weight	Final Volume
Run #1	15.2 g	1.0 ml
Run #2	15.2 g	1.0 ml

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	1130 <sup>a</sup>	76	21	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	72%	58%	32-146%
16416-32-3	Tetracosane-d50	96%	56%	40-149%
438-22-2	5a-Androstane	77%	65%	35-152%

(a) Result is from Run# 2

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	12KB5 (14.5-15)		<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-21		<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil		<b>Percent Solids:</b>	84.5
<b>Method:</b>	SW846 8260B SW846 5035			
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD			

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87896.D	1	04/09/06	NDJ	04/03/06 08:00	n/a	VS3345
Run #2	S88048.D	1	04/13/06	NDJ	04/03/06 08:00	n/a	VS3353

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.4 g	5.0 ml	10.0 ul
Run #2	4.4 g	5.0 ml	4.0 ul

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	7600	2200	ug/kg	
71-43-2	Benzene	ND	760	370	ug/kg	
108-86-1	Bromobenzene	ND	3800	360	ug/kg	
74-97-5	Bromochloromethane	ND	3800	320	ug/kg	
75-27-4	Bromodichloromethane	ND	3800	350	ug/kg	
75-25-2	Bromoform	ND	3800	330	ug/kg	
74-83-9	Bromomethane	ND	3800	280	ug/kg	
78-93-3	2-Butanone (MEK)	ND	7600	2100	ug/kg	
104-51-8	n-Butylbenzene	20900	3800	430	ug/kg	
135-98-8	sec-Butylbenzene	3920	3800	340	ug/kg	
98-06-6	tert-Butylbenzene	ND	3800	380	ug/kg	
56-23-5	Carbon tetrachloride	ND	3800	730	ug/kg	
108-90-7	Chlorobenzene	ND	3800	330	ug/kg	
75-00-3	Chloroethane	ND	3800	1300	ug/kg	
67-66-3	Chloroform	ND	3800	440	ug/kg	
74-87-3	Chloromethane	ND	3800	350	ug/kg	
95-49-8	o-Chlorotoluene	ND	3800	500	ug/kg	
106-43-4	p-Chlorotoluene	ND	3800	460	ug/kg	
108-20-3	Di-Isopropyl ether	ND	3800	320	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	7600	1600	ug/kg	
124-48-1	Dibromochloromethane	ND	3800	420	ug/kg	
106-93-4	1,2-Dibromoethane	ND	760	430	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	3800	350	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	3800	370	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	3800	350	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	3800	610	ug/kg	
75-34-3	1,1-Dichloroethane	ND	3800	370	ug/kg	
107-06-2	1,2-Dichloroethane	ND	760	410	ug/kg	
75-35-4	1,1-Dichloroethene	ND	3800	520	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	3800	510	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	3800	520	ug/kg	
78-87-5	1,2-Dichloropropane	ND	3800	420	ug/kg	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound



**Report of Analysis**

<b>Client Sample ID:</b>	12KB5 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-21	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	84.5
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	3800	350	ug/kg	
594-20-7	2,2-Dichloropropane	ND	3800	420	ug/kg	
563-58-6	1,1-Dichloropropene	ND	3800	410	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	3800	320	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	3800	300	ug/kg	
100-41-4	Ethylbenzene	6740	760	340	ug/kg	
87-68-3	Hexachlorobutadiene	ND	3800	640	ug/kg	
98-82-8	Isopropylbenzene	5000	3800	360	ug/kg	
99-87-6	p-Isopropyltoluene	2890	3800	370	ug/kg	J
1634-04-4	Methyl Tert Butyl Ether	ND	760	430	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	3800	1500	ug/kg	
74-95-3	Methylene bromide	ND	3800	370	ug/kg	
75-09-2	Methylene chloride	ND	3800	530	ug/kg	
91-20-3	Naphthalene	48300	3800	350	ug/kg	
103-65-1	n-Propylbenzene	26900	3800	340	ug/kg	
100-42-5	Styrene	ND	3800	250	ug/kg	
75-65-0	Tert Butyl Alcohol	146000	19000	5700	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	3800	320	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	3800	320	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	3800	360	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	3800	440	ug/kg	
127-18-4	Tetrachloroethene	ND	3800	630	ug/kg	
108-88-3	Toluene	ND	760	410	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	3800	430	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	3800	270	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	3800	450	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	3800	410	ug/kg	
79-01-6	Trichloroethene	ND	3800	400	ug/kg	
75-69-4	Trichlorofluoromethane	ND	3800	560	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	3800	1900	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	245000 <sup>a</sup>	9600	930	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	62100	3800	390	ug/kg	
75-01-4	Vinyl chloride	ND	3800	490	ug/kg	
	m,p-Xylene	31400	1500	670	ug/kg	
95-47-6	o-Xylene	22500	760	380	ug/kg	
1330-20-7	Xylene (total)	53900	1500	380	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	110%	105%	70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12KB5 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-21	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	84.5
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	102%	96%	61-133%
2037-26-5	Toluene-D8	115%	111%	75-123%
460-00-4	4-Bromofluorobenzene	115%	110%	65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	C3 alkyl benzene	15.16	49000	ug/kg	J
	C3 alkyl benzene	15.52	18000	ug/kg	J
	C4 alkyl benzene	16.35	21000	ug/kg	J
	C4 alkyl benzene	16.40	25000	ug/kg	J
	C4 alkyl benzene	16.72	15000	ug/kg	J
	C4 alkyl benzene	16.77	10000	ug/kg	J
	C4 alkyl benzene	16.84	27000	ug/kg	J
	1H-indene-dihydro-methyl	17.06	11000	ug/kg	J
	C4 alkyl benzene	17.21	9600	ug/kg	J
	C4 alkyl benzene	17.29	12000	ug/kg	J
	C4 alkyl benzene	17.36	21000	ug/kg	J
	1H-indene-dihydro-methyl	17.73	13000	ug/kg	J
	1H-indene-dihydro-methyl	17.94	13000	ug/kg	J
	dihydro-dimethylindene + C5 alkylbenzene	18.26	8200	ug/kg	J
	Naphthalene methyl	20.26	7100	ug/kg	J
	Total TIC, Volatile		259900	ug/kg	J

(a) Result is from Run# 2

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	12KB5 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-21	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b> 84.5
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41215.D	1	04/05/06	YHY	04/03/06 08:00	n/a	GUV1938
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	5.1 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	1020	13	2.8	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	86%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	12KB5 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-21	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 84.5
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	ZZ35116.D	1	04/14/06	OYA	04/10/06	OP23181	GZZ1040
Run #2	ZZ35126.D	5	04/14/06	OYA	04/10/06	OP23181	GZZ1041

	<b>Initial Weight</b>	<b>Final Volume</b>
Run #1	15.2 g	1.0 ml
Run #2	15.2 g	1.0 ml

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-DRO (C10-C28)	421 <sup>a</sup>	39	11	mg/kg	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
84-15-1	o-Terphenyl	82%	67%	32-146%
16416-32-3	Tetracosane-d50	110%	77%	40-149%
438-22-2	5a-Androstane	89%	76%	35-152%

(a) Result is from Run# 2

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	12KB6 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-22	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	87.9
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87897.D	1	04/09/06	NDJ	04/03/06 08:00	n/a	VS3345
Run #2	S88049.D	1	04/13/06	NDJ	04/03/06 08:00	n/a	VS3353

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.0 g	5.0 ml	20.0 ul
Run #2	4.0 g	5.0 ml	10.0 ul

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	3900	1100	ug/kg	
71-43-2	Benzene	ND	390	190	ug/kg	
108-86-1	Bromobenzene	ND	1900	180	ug/kg	
74-97-5	Bromochloromethane	ND	1900	160	ug/kg	
75-27-4	Bromodichloromethane	ND	1900	180	ug/kg	
75-25-2	Bromoform	ND	1900	170	ug/kg	
74-83-9	Bromomethane	ND	1900	140	ug/kg	
78-93-3	2-Butanone (MEK)	ND	3900	1100	ug/kg	
104-51-8	n-Butylbenzene	11400	1900	220	ug/kg	
135-98-8	sec-Butylbenzene	2100	1900	170	ug/kg	
98-06-6	tert-Butylbenzene	ND	1900	190	ug/kg	
56-23-5	Carbon tetrachloride	ND	1900	370	ug/kg	
108-90-7	Chlorobenzene	ND	1900	170	ug/kg	
75-00-3	Chloroethane	ND	1900	680	ug/kg	
67-66-3	Chloroform	ND	1900	230	ug/kg	
74-87-3	Chloromethane	ND	1900	180	ug/kg	
95-49-8	o-Chlorotoluene	ND	1900	260	ug/kg	
106-43-4	p-Chlorotoluene	ND	1900	240	ug/kg	
108-20-3	Di-Isopropyl ether	ND	1900	160	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	3900	840	ug/kg	
124-48-1	Dibromochloromethane	ND	1900	210	ug/kg	
106-93-4	1,2-Dibromoethane	ND	390	220	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	1900	180	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	1900	190	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	1900	180	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	1900	310	ug/kg	
75-34-3	1,1-Dichloroethane	ND	1900	190	ug/kg	
107-06-2	1,2-Dichloroethane	ND	390	210	ug/kg	
75-35-4	1,1-Dichloroethene	ND	1900	270	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	1900	260	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	1900	270	ug/kg	
78-87-5	1,2-Dichloropropane	ND	1900	220	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12KB6 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-22	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	87.9
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	1900	180	ug/kg	
594-20-7	2,2-Dichloropropane	ND	1900	210	ug/kg	
563-58-6	1,1-Dichloropropene	ND	1900	210	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	1900	160	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	1900	150	ug/kg	
100-41-4	Ethylbenzene	1670	390	180	ug/kg	
87-68-3	Hexachlorobutadiene	ND	1900	320	ug/kg	
98-82-8	Isopropylbenzene	1970	1900	180	ug/kg	
99-87-6	p-Isopropyltoluene	1560	1900	190	ug/kg	J
1634-04-4	Methyl Tert Butyl Ether	ND	390	220	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	1900	780	ug/kg	
74-95-3	Methylene bromide	ND	1900	190	ug/kg	
75-09-2	Methylene chloride	ND	1900	270	ug/kg	
91-20-3	Naphthalene	30300	1900	180	ug/kg	
103-65-1	n-Propylbenzene	11200	1900	170	ug/kg	
100-42-5	Styrene	ND	1900	130	ug/kg	
75-65-0	Tert Butyl Alcohol	52000	9700	2900	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	1900	170	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	1900	170	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	1900	180	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1900	220	ug/kg	
127-18-4	Tetrachloroethene	ND	1900	320	ug/kg	
108-88-3	Toluene	ND	390	210	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	1900	220	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	1900	140	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	1900	230	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	1900	210	ug/kg	
79-01-6	Trichloroethene	ND	1900	200	ug/kg	
75-69-4	Trichlorofluoromethane	ND	1900	280	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	1900	970	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	112000 <sup>a</sup>	3900	380	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	25800	1900	200	ug/kg	
75-01-4	Vinyl chloride	ND	1900	250	ug/kg	
	m,p-Xylene	7870	780	340	ug/kg	
95-47-6	o-Xylene	6660	390	190	ug/kg	
1330-20-7	Xylene (total)	14500	780	190	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	109%	103%	70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12KB6 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-22	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	87.9
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	103%	95%	61-133%
2037-26-5	Toluene-D8	114%	109%	75-123%
460-00-4	4-Bromofluorobenzene	115%	110%	65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	C3 alkyl benzene	15.16	20000	ug/kg	J
	C3 alkyl benzene	15.52	7700	ug/kg	J
	C4 alkyl benzene	16.35	11000	ug/kg	J
	C4 alkyl benzene	16.40	14000	ug/kg	J
	C4 alkyl benzene	16.73	9000	ug/kg	J
	C4 alkyl benzene	16.76	5900	ug/kg	J
	C4 alkyl benzene	16.84	17000	ug/kg	J
	1H-indene-dihydro-methyl cycloalkane/alkene	17.06	7000	ug/kg	J
		17.19	7300	ug/kg	J
	C4 alkyl benzene	17.29	6600	ug/kg	J
	C4 alkyl benzene	17.36	12000	ug/kg	J
	1H-indene-dihydro-methyl	17.73	8700	ug/kg	J
	1H-indene-dihydro-methyl	17.94	8500	ug/kg	J
	Naphthalene tetrahydro	18.17	5000	ug/kg	J
	1H-Indene-dihydro-dimethyl	18.26	5600	ug/kg	J
	Total TIC, Volatile		145300	ug/kg	J

(a) Result is from Run# 2

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> 12KB6 (14.5-15)	
<b>Lab Sample ID:</b> J26597-22	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b> SW846 8015 SW846 5035	<b>Percent Solids:</b> 87.9
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	UV41216.D	1	04/05/06	YHY	04/03/06 08:00	n/a	GUV1938
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.0 g	5.0 ml	100 ul
Run #2			

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	293	13	2.6	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
98-08-8	aaa-Trifluorotoluene	82%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	12KB6 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-22	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 87.9
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35120.D	1	04/14/06	OYA	04/10/06	OP23181	GZZ1041
Run #2							

	Initial Weight	Final Volume
Run #1	15.4 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	244	7.4	2.1	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	84%		32-146%
16416-32-3	Tetracosane-d50	114%		40-149%
438-22-2	5a-Androstane	92%		35-152%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	12KB7 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-23	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	78.4
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87999.D	1	04/12/06	NDJ	04/03/06 08:00	n/a	VS3351
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.7 g	5.0 ml	100 ul
Run #2			

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1920	820	230	ug/kg	
71-43-2	Benzene	ND	82	39	ug/kg	
108-86-1	Bromobenzene	ND	410	39	ug/kg	
74-97-5	Bromochloromethane	ND	410	34	ug/kg	
75-27-4	Bromodichloromethane	ND	410	37	ug/kg	
75-25-2	Bromoform	ND	410	35	ug/kg	
74-83-9	Bromomethane	ND	410	30	ug/kg	
78-93-3	2-Butanone (MEK)	396	820	220	ug/kg	J
104-51-8	n-Butylbenzene	ND	410	46	ug/kg	
135-98-8	sec-Butylbenzene	ND	410	36	ug/kg	
98-06-6	tert-Butylbenzene	ND	410	41	ug/kg	
56-23-5	Carbon tetrachloride	ND	410	77	ug/kg	
108-90-7	Chlorobenzene	ND	410	35	ug/kg	
75-00-3	Chloroethane	ND	410	140	ug/kg	
67-66-3	Chloroform	ND	410	48	ug/kg	
74-87-3	Chloromethane	ND	410	38	ug/kg	
95-49-8	o-Chlorotoluene	ND	410	54	ug/kg	
106-43-4	p-Chlorotoluene	ND	410	49	ug/kg	
108-20-3	Di-Isopropyl ether	ND	410	34	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	820	180	ug/kg	
124-48-1	Dibromochloromethane	ND	410	45	ug/kg	
106-93-4	1,2-Dibromoethane	ND	82	46	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	410	37	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	410	40	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	410	38	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	410	65	ug/kg	
75-34-3	1,1-Dichloroethane	ND	410	39	ug/kg	
107-06-2	1,2-Dichloroethane	ND	82	44	ug/kg	
75-35-4	1,1-Dichloroethene	ND	410	56	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	410	55	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	410	56	ug/kg	
78-87-5	1,2-Dichloropropane	ND	410	45	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	12KB7 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-23	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	78.4
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	410	38	ug/kg	
594-20-7	2,2-Dichloropropane	ND	410	44	ug/kg	
563-58-6	1,1-Dichloropropene	ND	410	44	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	410	34	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	410	32	ug/kg	
100-41-4	Ethylbenzene	ND	82	37	ug/kg	
87-68-3	Hexachlorobutadiene	ND	410	68	ug/kg	
98-82-8	Isopropylbenzene	ND	410	38	ug/kg	
99-87-6	p-Isopropyltoluene	ND	410	40	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	67.2	82	46	ug/kg	J
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	410	160	ug/kg	
74-95-3	Methylene bromide	ND	410	40	ug/kg	
75-09-2	Methylene chloride	ND	410	56	ug/kg	
91-20-3	Naphthalene	ND	410	37	ug/kg	
103-65-1	n-Propylbenzene	ND	410	36	ug/kg	
100-42-5	Styrene	ND	410	27	ug/kg	
75-65-0	Tert Butyl Alcohol	21100	2000	600	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	410	35	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	410	35	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	410	38	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	410	47	ug/kg	
127-18-4	Tetrachloroethene	ND	410	67	ug/kg	
108-88-3	Toluene	ND	82	44	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	410	46	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	410	29	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	410	48	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	410	44	ug/kg	
79-01-6	Trichloroethene	ND	410	42	ug/kg	
75-69-4	Trichlorofluoromethane	ND	410	59	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	410	200	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	410	40	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	410	41	ug/kg	
75-01-4	Vinyl chloride	ND	410	53	ug/kg	
	m,p-Xylene	ND	160	72	ug/kg	
95-47-6	o-Xylene	56.6	82	40	ug/kg	J
1330-20-7	Xylene (total)	56.6	160	40	ug/kg	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12KB7 (14.5-15)		
<b>Lab Sample ID:</b>	J26597-23	<b>Date Sampled:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b>	04/01/06
<b>Method:</b>	SW846 8260B SW846 5035	<b>Percent Solids:</b>	78.4
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	87%		61-133%
2037-26-5	Toluene-D8	108%		75-123%
460-00-4	4-Bromofluorobenzene	109%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	alkane	8.16	510	ug/kg	J
	Total TIC, Volatile		510	ug/kg	J

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	12KB7 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-23	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b> 78.4
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	UV41217.D	1	04/05/06	YHY	04/03/06 08:00	n/a	GUV1938
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.2 g	5.0 ml	100 ul
Run #2			

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	15	3.1	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
98-08-8	aaa-Trifluorotoluene	79%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	12KB7 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-23	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 78.4
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35121.D	1	04/14/06	OYA	04/10/06	OP23181	GZZ1041
Run #2							

	Initial Weight	Final Volume
Run #1	15.0 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	8.5	2.4	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	73%		32-146%
16416-32-3	Tetracosane-d50	97%		40-149%
438-22-2	5a-Androstane	80%		35-152%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	12KB8 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-24	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	86.0
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	S87902.D	1	04/10/06	NDJ	04/03/06 08:00	n/a	VS3345
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.7 g	5.0 ml	100 ul
Run #2			

### MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	700	200	ug/kg	
71-43-2	Benzene	ND	70	34	ug/kg	
108-86-1	Bromobenzene	ND	350	33	ug/kg	
74-97-5	Bromochloromethane	ND	350	29	ug/kg	
75-27-4	Bromodichloromethane	ND	350	32	ug/kg	
75-25-2	Bromoform	ND	350	30	ug/kg	
74-83-9	Bromomethane	ND	350	26	ug/kg	
78-93-3	2-Butanone (MEK)	ND	700	190	ug/kg	
104-51-8	n-Butylbenzene	376	350	40	ug/kg	
135-98-8	sec-Butylbenzene	95.9	350	31	ug/kg	J
98-06-6	tert-Butylbenzene	ND	350	35	ug/kg	
56-23-5	Carbon tetrachloride	ND	350	66	ug/kg	
108-90-7	Chlorobenzene	ND	350	30	ug/kg	
75-00-3	Chloroethane	ND	350	120	ug/kg	
67-66-3	Chloroform	ND	350	41	ug/kg	
74-87-3	Chloromethane	ND	350	32	ug/kg	
95-49-8	o-Chlorotoluene	ND	350	46	ug/kg	
106-43-4	p-Chlorotoluene	ND	350	42	ug/kg	
108-20-3	Di-Isopropyl ether	ND	350	29	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	700	150	ug/kg	
124-48-1	Dibromochloromethane	ND	350	38	ug/kg	
106-93-4	1,2-Dibromoethane	ND	70	40	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	350	32	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	350	34	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	350	32	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	350	56	ug/kg	
75-34-3	1,1-Dichloroethane	ND	350	34	ug/kg	
107-06-2	1,2-Dichloroethane	ND	70	38	ug/kg	
75-35-4	1,1-Dichloroethene	ND	350	48	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	350	47	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	350	48	ug/kg	
78-87-5	1,2-Dichloropropane	ND	350	39	ug/kg	

ND = Not detected      MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	12KB8 (14.5-15)	<b>Date Sampled:</b>	04/01/06
<b>Lab Sample ID:</b>	J26597-24	<b>Date Received:</b>	04/01/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	86.0
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	350	32	ug/kg	
594-20-7	2,2-Dichloropropane	ND	350	38	ug/kg	
563-58-6	1,1-Dichloropropene	ND	350	38	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	350	29	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	350	27	ug/kg	
100-41-4	Ethylbenzene	3100	70	31	ug/kg	
87-68-3	Hexachlorobutadiene	ND	350	58	ug/kg	
98-82-8	Isopropylbenzene	301	350	33	ug/kg	J
99-87-6	p-Isopropyltoluene	74.9	350	34	ug/kg	J
1634-04-4	Methyl Tert Butyl Ether	ND	70	39	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	350	140	ug/kg	
74-95-3	Methylene bromide	ND	350	34	ug/kg	
75-09-2	Methylene chloride	ND	350	48	ug/kg	
91-20-3	Naphthalene	391	350	32	ug/kg	
103-65-1	n-Propylbenzene	1020	350	31	ug/kg	
100-42-5	Styrene	ND	350	23	ug/kg	
75-65-0	Tert Butyl Alcohol	19100	1700	520	ug/kg	
994-05-8	tert-Amyl Methyl Ether	172	350	30	ug/kg	J
637-92-3	tert-Butyl Ethyl Ether	ND	350	30	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	350	33	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	350	40	ug/kg	
127-18-4	Tetrachloroethene	ND	350	58	ug/kg	
108-88-3	Toluene	2270	70	38	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	350	40	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	350	24	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	350	41	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	350	38	ug/kg	
79-01-6	Trichloroethene	ND	350	36	ug/kg	
75-69-4	Trichlorofluoromethane	ND	350	51	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	350	170	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	7100	350	34	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	1990	350	36	ug/kg	
75-01-4	Vinyl chloride	ND	350	45	ug/kg	
	m,p-Xylene	9500	140	61	ug/kg	
95-47-6	o-Xylene	3530	70	35	ug/kg	
1330-20-7	Xylene (total)	13000	140	35	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	111%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



## Report of Analysis

<b>Client Sample ID:</b> 12KB8 (14.5-15)		<b>Date Sampled:</b> 04/01/06
<b>Lab Sample ID:</b> J26597-24		<b>Date Received:</b> 04/01/06
<b>Matrix:</b> SO - Soil		<b>Percent Solids:</b> 86.0
<b>Method:</b> SW846 8260B SW846 5035		
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	106%		61-133%
2037-26-5	Toluene-D8	116%		75-123%
460-00-4	4-Bromofluorobenzene	118%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	alkane	11.43	520	ug/kg	J
	alkane	11.59	380	ug/kg	J
	C3 alkyl benzene	15.16	3800	ug/kg	J
	C3 alkyl benzene	15.52	1000	ug/kg	J
	C4 alkyl benzene	16.35	690	ug/kg	J
	C4 alkyl benzene	16.40	790	ug/kg	J
	C4 alkyl benzene	16.73	410	ug/kg	J
	C4 alkyl benzene	16.84	720	ug/kg	J
	C4 alkyl benzene	17.30	380	ug/kg	J
	C4 alkyl benzene	17.36	610	ug/kg	J
	Total TIC, Volatile		9300	ug/kg	J

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	12KB8 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-24	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846 8015 SW846 5035	<b>Percent Solids:</b> 86.0
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	UV41252.D	1	04/06/06	YHY	04/03/06 08:00	n/a	GUV1939
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	5.0 g	5.0 ml	10.0 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	5350	130	27	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	90%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	12KB8 (14.5-15)	
<b>Lab Sample ID:</b>	J26597-24	<b>Date Sampled:</b> 04/01/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/01/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 86.0
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35122.D	1	04/14/06	OYA	04/10/06	OP23181	GZZ1041
Run #2	ZZ35127.D	5	04/14/06	OYA	04/10/06	OP23181	GZZ1041

	Initial Weight	Final Volume
Run #1	15.3 g	1.0 ml
Run #2	15.3 g	1.0 ml

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	519 <sup>a</sup>	38	11	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	78%	61%	32-146%
16416-32-3	Tetracosane-d50	105%	71%	40-149%
438-22-2	5a-Androstane	82%	65%	35-152%

(a) Result is from Run# 2

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



## Misc. Forms

---

### Custody Documents and Other Forms

---

Includes the following where applicable:

- Chain of Custody









Technical Report for

ExxonMobil Corporation

GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD

Accutest Job Number: J27394

Sampling Date: 04/10/06

Report to:

GSC-Kleinfelder

aharris@kleinfelder.com

ATTN: Ann Smaka

Total number of pages in report: **41**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

A handwritten signature in black ink.

Vincent J. Pugliese  
President

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.





# Table of Contents

-1-

<b>Section 1: Sample Summary .....</b>	<b>3</b>
<b>Section 2: Sample Results .....</b>	<b>4</b>
<b>2.1: J27394-1: PP-20(4.0) .....</b>	<b>5</b>
<b>2.2: J27394-2: PP-21(3.5) .....</b>	<b>10</b>
<b>2.3: J27394-3: PP-22(3.5) .....</b>	<b>15</b>
<b>2.4: J27394-4: PP-23(3.5) .....</b>	<b>20</b>
<b>2.5: J27394-5: PP-24(4.5) .....</b>	<b>25</b>
<b>2.6: J27394-6: PP-25(4.5) .....</b>	<b>30</b>
<b>2.7: J27394-7: PE-1(6.0) .....</b>	<b>35</b>
<b>Section 3: Misc. Forms .....</b>	<b>40</b>
<b>3.1: Chain of Custody .....</b>	<b>41</b>



## Sample Summary

ExxonMobil Corporation

**Job No:** J27394

GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
J27394-1	04/10/06	10:02 AH	04/10/06	SO	Soil	PP-20(4.0)
J27394-2	04/10/06	10:21 AH	04/10/06	SO	Soil	PP-21(3.5)
J27394-3	04/10/06	10:40 AH	04/10/06	SO	Soil	PP-22(3.5)
J27394-4	04/10/06	14:25 AH	04/10/06	SO	Soil	PP-23(3.5)
J27394-5	04/10/06	14:28 AH	04/10/06	SO	Soil	PP-24(4.5)
J27394-6	04/10/06	14:31 AH	04/10/06	SO	Soil	PP-25(4.5)
J27394-7	04/10/06	15:09 AH	04/10/06	SO	Soil	PE-1(6.0)

---

Soil samples reported on a dry weight basis unless otherwise indicated on result page.



## Sample Results

---

## Report of Analysis

---

## Report of Analysis

<b>Client Sample ID:</b>	PP-20(4.0)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-1	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	96.6
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	D110851.D	1	04/11/06	YL	04/11/06 09:00	n/a	VD4422
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.9 g	5.0 ml	100 ul
Run #2			

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	460	130	ug/kg	
71-43-2	Benzene	ND	46	22	ug/kg	
108-86-1	Bromobenzene	ND	230	22	ug/kg	
74-97-5	Bromochloromethane	ND	230	19	ug/kg	
75-27-4	Bromodichloromethane	ND	230	21	ug/kg	
75-25-2	Bromoform	ND	230	20	ug/kg	
74-83-9	Bromomethane	ND	230	17	ug/kg	
78-93-3	2-Butanone (MEK)	ND	460	120	ug/kg	
104-51-8	n-Butylbenzene	ND	230	26	ug/kg	
135-98-8	sec-Butylbenzene	ND	230	20	ug/kg	
98-06-6	tert-Butylbenzene	ND	230	23	ug/kg	
56-23-5	Carbon tetrachloride	ND	230	43	ug/kg	
108-90-7	Chlorobenzene	ND	230	20	ug/kg	
75-00-3	Chloroethane	ND	230	79	ug/kg	
67-66-3	Chloroform	ND	230	27	ug/kg	
74-87-3	Chloromethane	ND	230	21	ug/kg	
95-49-8	o-Chlorotoluene	ND	230	30	ug/kg	
106-43-4	p-Chlorotoluene	ND	230	28	ug/kg	
108-20-3	Di-Isopropyl ether	ND	230	19	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	460	98	ug/kg	
124-48-1	Dibromochloromethane	ND	230	25	ug/kg	
106-93-4	1,2-Dibromoethane	ND	46	26	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	230	21	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	230	22	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	230	21	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	230	36	ug/kg	
75-34-3	1,1-Dichloroethane	ND	230	22	ug/kg	
107-06-2	1,2-Dichloroethane	ND	46	25	ug/kg	
75-35-4	1,1-Dichloroethene	ND	230	31	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	230	31	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	230	31	ug/kg	
78-87-5	1,2-Dichloropropane	ND	230	25	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	PP-20(4.0)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-1	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	96.6
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	230	21	ug/kg	
594-20-7	2,2-Dichloropropane	ND	230	25	ug/kg	
563-58-6	1,1-Dichloropropene	ND	230	24	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	230	19	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	230	18	ug/kg	
100-41-4	Ethylbenzene	ND	46	21	ug/kg	
87-68-3	Hexachlorobutadiene	ND	230	38	ug/kg	
98-82-8	Isopropylbenzene	ND	230	21	ug/kg	
99-87-6	p-Isopropyltoluene	ND	230	22	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	46	26	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	230	91	ug/kg	
74-95-3	Methylene bromide	ND	230	22	ug/kg	
75-09-2	Methylene chloride	ND	230	32	ug/kg	
91-20-3	Naphthalene	ND	230	21	ug/kg	
103-65-1	n-Propylbenzene	ND	230	20	ug/kg	
100-42-5	Styrene	ND	230	15	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	1100	340	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	230	19	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	230	19	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	230	21	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	230	26	ug/kg	
127-18-4	Tetrachloroethene	ND	230	38	ug/kg	
108-88-3	Toluene	ND	46	25	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	230	26	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	230	16	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	230	27	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	230	24	ug/kg	
79-01-6	Trichloroethene	ND	230	24	ug/kg	
75-69-4	Trichlorofluoromethane	ND	230	33	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	230	110	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	230	22	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	230	23	ug/kg	
75-01-4	Vinyl chloride	ND	230	29	ug/kg	
	m,p-Xylene	ND	91	40	ug/kg	
95-47-6	o-Xylene	ND	46	22	ug/kg	
1330-20-7	Xylene (total)	ND	91	22	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> PP-20(4.0)		
<b>Lab Sample ID:</b> J27394-1		<b>Date Sampled:</b> 04/10/06
<b>Matrix:</b> SO - Soil		<b>Date Received:</b> 04/10/06
<b>Method:</b> SW846 8260B SW846 5035		<b>Percent Solids:</b> 96.6
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

### MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	109%		61-133%
2037-26-5	Toluene-D8	107%		75-123%
460-00-4	4-Bromofluorobenzene	105%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	PP-20(4.0)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-1	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	96.6
<b>Method:</b>	SW846 8015 SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	PF51826.D	1	04/11/06	YHY	04/11/06 09:00	n/a	GPF841
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	5.0 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	ND	11	2.2	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	92%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	PP-20(4.0)	
<b>Lab Sample ID:</b>	J27394-1	<b>Date Sampled:</b> 04/10/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/10/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 96.6
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35051.D	1	04/12/06	OYA	04/11/06	OP23238	GZZ1039
Run #2							

	Initial Weight	Final Volume
Run #1	15.0 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	6.9	1.9	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
84-15-1	o-Terphenyl	84%		32-146%		
16416-32-3	Tetracosane-d50	108%		40-149%		
438-22-2	5a-Androstane	91%		35-152%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



## Report of Analysis

<b>Client Sample ID:</b>	PP-21(3.5)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-2	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	91.4
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	D110852.D	1	04/11/06	YL	04/11/06 09:00	n/a	VD4422
Run #2							

Run #1	Initial Weight	Final Volume	Methanol Aliquot
Run #1	6.0 g	5.0 ml	100 ul
Run #2			

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	500	140	ug/kg	
71-43-2	Benzene	ND	50	24	ug/kg	
108-86-1	Bromobenzene	ND	250	24	ug/kg	
74-97-5	Bromochloromethane	ND	250	21	ug/kg	
75-27-4	Bromodichloromethane	ND	250	23	ug/kg	
75-25-2	Bromoform	ND	250	22	ug/kg	
74-83-9	Bromomethane	ND	250	19	ug/kg	
78-93-3	2-Butanone (MEK)	ND	500	140	ug/kg	
104-51-8	n-Butylbenzene	ND	250	29	ug/kg	
135-98-8	sec-Butylbenzene	ND	250	22	ug/kg	
98-06-6	tert-Butylbenzene	ND	250	25	ug/kg	
56-23-5	Carbon tetrachloride	ND	250	48	ug/kg	
108-90-7	Chlorobenzene	ND	250	22	ug/kg	
75-00-3	Chloroethane	ND	250	88	ug/kg	
67-66-3	Chloroform	ND	250	29	ug/kg	
74-87-3	Chloromethane	ND	250	23	ug/kg	
95-49-8	o-Chlorotoluene	ND	250	33	ug/kg	
106-43-4	p-Chlorotoluene	ND	250	30	ug/kg	
108-20-3	Di-Isopropyl ether	ND	250	21	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	500	110	ug/kg	
124-48-1	Dibromochloromethane	ND	250	28	ug/kg	
106-93-4	1,2-Dibromoethane	ND	50	28	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	250	23	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	250	25	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	250	23	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	250	40	ug/kg	
75-34-3	1,1-Dichloroethane	ND	250	24	ug/kg	
107-06-2	1,2-Dichloroethane	ND	50	27	ug/kg	
75-35-4	1,1-Dichloroethene	ND	250	35	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	250	34	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	250	34	ug/kg	
78-87-5	1,2-Dichloropropane	ND	250	28	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	PP-21(3.5)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-2	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	91.4
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	250	23	ug/kg	
594-20-7	2,2-Dichloropropane	ND	250	27	ug/kg	
563-58-6	1,1-Dichloropropene	ND	250	27	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	250	21	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	250	20	ug/kg	
100-41-4	Ethylbenzene	ND	50	23	ug/kg	
87-68-3	Hexachlorobutadiene	ND	250	42	ug/kg	
98-82-8	Isopropylbenzene	ND	250	23	ug/kg	
99-87-6	p-Isopropyltoluene	ND	250	25	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	50	28	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	250	100	ug/kg	
74-95-3	Methylene bromide	ND	250	24	ug/kg	
75-09-2	Methylene chloride	ND	250	35	ug/kg	
91-20-3	Naphthalene	ND	250	23	ug/kg	
103-65-1	n-Propylbenzene	ND	250	22	ug/kg	
100-42-5	Styrene	ND	250	16	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	1300	370	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	250	21	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	250	21	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	250	23	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	250	29	ug/kg	
127-18-4	Tetrachloroethene	ND	250	41	ug/kg	
108-88-3	Toluene	ND	50	27	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	250	29	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	250	18	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	250	30	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	250	27	ug/kg	
79-01-6	Trichloroethene	ND	250	26	ug/kg	
75-69-4	Trichlorofluoromethane	ND	250	37	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	250	130	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	250	25	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	250	26	ug/kg	
75-01-4	Vinyl chloride	ND	250	32	ug/kg	
	m,p-Xylene	ND	100	44	ug/kg	
95-47-6	o-Xylene	ND	50	25	ug/kg	
1330-20-7	Xylene (total)	ND	100	25	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> PP-21(3.5)	
<b>Lab Sample ID:</b> J27394-2	<b>Date Sampled:</b> 04/10/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 04/10/06
<b>Method:</b> SW846 8260B SW846 5035	<b>Percent Solids:</b> 91.4
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

### MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	110%		61-133%
2037-26-5	Toluene-D8	107%		75-123%
460-00-4	4-Bromofluorobenzene	104%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	PP-21(3.5)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-2	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	91.4
<b>Method:</b>	SW846 8015 SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	PF51827.D	1	04/11/06	YHY	04/11/06 09:00	n/a	GPF841
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.1 g	5.0 ml	100 ul
Run #2			

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	12	2.4	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
98-08-8	aaa-Trifluorotoluene	92%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	PP-21(3.5)	
<b>Lab Sample ID:</b>	J27394-2	<b>Date Sampled:</b> 04/10/06
<b>Matrix:</b>	SO - Soil	<b>Date Received:</b> 04/10/06
<b>Method:</b>	SW846-8015 SW846 3545	<b>Percent Solids:</b> 91.4
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35052.D	1	04/12/06	OYA	04/11/06	OP23238	GZZ1039
Run #2							

	Initial Weight	Final Volume
Run #1	15.2 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.2	2.0	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	88%		32-146%
16416-32-3	Tetracosane-d50	117%		40-149%
438-22-2	5a-Androstane	96%		35-152%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	PP-22(3.5)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-3	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	92.1
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	D110853.D	1	04/11/06	YL	04/11/06 09:00	n/a	VD4422
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.9 g	5.0 ml	100 ul
Run #2			

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1510	500	140	ug/kg	
71-43-2	Benzene	ND	50	24	ug/kg	
108-86-1	Bromobenzene	ND	250	24	ug/kg	
74-97-5	Bromochloromethane	ND	250	21	ug/kg	
75-27-4	Bromodichloromethane	ND	250	23	ug/kg	
75-25-2	Bromoform	ND	250	22	ug/kg	
74-83-9	Bromomethane	ND	250	19	ug/kg	
78-93-3	2-Butanone (MEK)	ND	500	140	ug/kg	
104-51-8	n-Butylbenzene	ND	250	29	ug/kg	
135-98-8	sec-Butylbenzene	ND	250	22	ug/kg	
98-06-6	tert-Butylbenzene	ND	250	25	ug/kg	
56-23-5	Carbon tetrachloride	ND	250	48	ug/kg	
108-90-7	Chlorobenzene	ND	250	22	ug/kg	
75-00-3	Chloroethane	ND	250	88	ug/kg	
67-66-3	Chloroform	ND	250	29	ug/kg	
74-87-3	Chloromethane	ND	250	23	ug/kg	
95-49-8	o-Chlorotoluene	ND	250	33	ug/kg	
106-43-4	p-Chlorotoluene	ND	250	30	ug/kg	
108-20-3	Di-Isopropyl ether	ND	250	21	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	500	110	ug/kg	
124-48-1	Dibromochloromethane	ND	250	28	ug/kg	
106-93-4	1,2-Dibromoethane	ND	50	28	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	250	23	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	250	25	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	250	23	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	250	40	ug/kg	
75-34-3	1,1-Dichloroethane	ND	250	24	ug/kg	
107-06-2	1,2-Dichloroethane	ND	50	27	ug/kg	
75-35-4	1,1-Dichloroethene	ND	250	35	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	250	34	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	250	34	ug/kg	
78-87-5	1,2-Dichloropropane	ND	250	28	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	PP-22(3.5)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-3	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	92.1
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	250	23	ug/kg	
594-20-7	2,2-Dichloropropane	ND	250	27	ug/kg	
563-58-6	1,1-Dichloropropene	ND	250	27	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	250	21	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	250	20	ug/kg	
100-41-4	Ethylbenzene	ND	50	23	ug/kg	
87-68-3	Hexachlorobutadiene	ND	250	42	ug/kg	
98-82-8	Isopropylbenzene	ND	250	23	ug/kg	
99-87-6	p-Isopropyltoluene	ND	250	25	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	122	50	28	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	250	100	ug/kg	
74-95-3	Methylene bromide	ND	250	24	ug/kg	
75-09-2	Methylene chloride	ND	250	35	ug/kg	
91-20-3	Naphthalene	ND	250	23	ug/kg	
103-65-1	n-Propylbenzene	ND	250	22	ug/kg	
100-42-5	Styrene	ND	250	16	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	1300	370	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	250	21	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	250	21	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	250	23	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	250	29	ug/kg	
127-18-4	Tetrachloroethene	ND	250	41	ug/kg	
108-88-3	Toluene	ND	50	27	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	250	29	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	250	18	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	250	30	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	250	27	ug/kg	
79-01-6	Trichloroethene	ND	250	26	ug/kg	
75-69-4	Trichlorofluoromethane	ND	250	37	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	250	130	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	250	25	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	250	26	ug/kg	
75-01-4	Vinyl chloride	ND	250	32	ug/kg	
	m,p-Xylene	ND	100	44	ug/kg	
95-47-6	o-Xylene	ND	50	25	ug/kg	
1330-20-7	Xylene (total)	ND	100	25	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> PP-22(3.5)	
<b>Lab Sample ID:</b> J27394-3	<b>Date Sampled:</b> 04/10/06
<b>Matrix:</b> SO - Soil	<b>Date Received:</b> 04/10/06
<b>Method:</b> SW846 8260B SW846 5035	<b>Percent Solids:</b> 92.1
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD	

### MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	111%		61-133%
2037-26-5	Toluene-D8	106%		75-123%
460-00-4	4-Bromofluorobenzene	104%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



**Report of Analysis**

<b>Client Sample ID:</b>	PP-22(3.5)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-3	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	92.1
<b>Method:</b>	SW846 8015 SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	PF51828.D	1	04/11/06	YHY	04/11/06 09:00	n/a	GPF841
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.0 g	5.0 ml	100 ul
Run #2			

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	12	2.4	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
98-08-8	aaa-Trifluorotoluene	93%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	PP-22(3.5)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-3	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	92.1
<b>Method:</b>	SW846-8015 SW846 3545		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35053.D	1	04/12/06	OYA	04/11/06	OP23238	GZZ1039
Run #2							

	Initial Weight	Final Volume
Run #1	15.2 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	7.1	2.0	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	81%		32-146%
16416-32-3	Tetracosane-d50	107%		40-149%
438-22-2	5a-Androstane	89%		35-152%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	PP-23(3.5)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-4	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	83.3
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	D110854.D	1	04/11/06	YL	04/11/06 09:00	n/a	VD4422
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.7 g	5.0 ml	100 ul
Run #2			

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	713	630	180	ug/kg	
71-43-2	Benzene	36.5	63	30	ug/kg	J
108-86-1	Bromobenzene	ND	310	30	ug/kg	
74-97-5	Bromochloromethane	ND	310	26	ug/kg	
75-27-4	Bromodichloromethane	ND	310	29	ug/kg	
75-25-2	Bromoform	ND	310	27	ug/kg	
74-83-9	Bromomethane	ND	310	23	ug/kg	
78-93-3	2-Butanone (MEK)	ND	630	170	ug/kg	
104-51-8	n-Butylbenzene	ND	310	36	ug/kg	
135-98-8	sec-Butylbenzene	ND	310	28	ug/kg	
98-06-6	tert-Butylbenzene	ND	310	31	ug/kg	
56-23-5	Carbon tetrachloride	ND	310	59	ug/kg	
108-90-7	Chlorobenzene	ND	310	27	ug/kg	
75-00-3	Chloroethane	ND	310	110	ug/kg	
67-66-3	Chloroform	ND	310	36	ug/kg	
74-87-3	Chloromethane	ND	310	29	ug/kg	
95-49-8	o-Chlorotoluene	ND	310	41	ug/kg	
106-43-4	p-Chlorotoluene	ND	310	38	ug/kg	
108-20-3	Di-Isopropyl ether	ND	310	26	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	630	130	ug/kg	
124-48-1	Dibromochloromethane	ND	310	34	ug/kg	
106-93-4	1,2-Dibromoethane	ND	63	35	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	310	29	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	310	31	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	310	29	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	310	50	ug/kg	
75-34-3	1,1-Dichloroethane	ND	310	30	ug/kg	
107-06-2	1,2-Dichloroethane	ND	63	34	ug/kg	
75-35-4	1,1-Dichloroethene	ND	310	43	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	310	42	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	310	43	ug/kg	
78-87-5	1,2-Dichloropropane	ND	310	35	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	PP-23(3.5)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-4	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	83.3
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	310	29	ug/kg	
594-20-7	2,2-Dichloropropane	ND	310	34	ug/kg	
563-58-6	1,1-Dichloropropene	ND	310	34	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	310	26	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	310	25	ug/kg	
100-41-4	Ethylbenzene	185	63	28	ug/kg	
87-68-3	Hexachlorobutadiene	ND	310	52	ug/kg	
98-82-8	Isopropylbenzene	54.3	310	29	ug/kg	J
99-87-6	p-Isopropyltoluene	ND	310	31	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	584	63	35	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	310	120	ug/kg	
74-95-3	Methylene bromide	ND	310	30	ug/kg	
75-09-2	Methylene chloride	ND	310	43	ug/kg	
91-20-3	Naphthalene	210	310	29	ug/kg	J
103-65-1	n-Propylbenzene	163	310	28	ug/kg	J
100-42-5	Styrene	ND	310	20	ug/kg	
75-65-0	Tert Butyl Alcohol	4560	1600	460	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	310	27	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	310	27	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	310	29	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	310	36	ug/kg	
127-18-4	Tetrachloroethene	ND	310	52	ug/kg	
108-88-3	Toluene	34.3	63	34	ug/kg	J
87-61-6	1,2,3-Trichlorobenzene	ND	310	36	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	310	22	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	310	37	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	310	34	ug/kg	
79-01-6	Trichloroethene	ND	310	33	ug/kg	
75-69-4	Trichlorofluoromethane	ND	310	46	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	310	160	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	1310	310	31	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	339	310	32	ug/kg	
75-01-4	Vinyl chloride	ND	310	40	ug/kg	
	m,p-Xylene	423	130	55	ug/kg	
95-47-6	o-Xylene	173	63	31	ug/kg	
1330-20-7	Xylene (total)	597	130	31	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	PP-23(3.5)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-4	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	83.3
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	111%		61-133%
2037-26-5	Toluene-D8	107%		75-123%
460-00-4	4-Bromofluorobenzene	104%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	C3 alkyl benzene	16.24	340	ug/kg	J
496-11-7	Indane	17.18	520	ug/kg	JN
	Total TIC, Volatile		860	ug/kg	J

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	PP-23(3.5)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-4	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	83.3
<b>Method:</b>	SW846 8015 SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	PF51851.D	1	04/12/06	YHY	04/11/06 09:00	n/a	GPF842
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	4.8 g	5.0 ml	100 ul
Run #2			

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	15	3.0	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
98-08-8	aaa-Trifluorotoluene	93%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	PP-23(3.5)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-4	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	83.3
<b>Method:</b>	SW846-8015 SW846 3545		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35054.D	1	04/12/06	OYA	04/11/06	OP23238	GZZ1039
Run #2							

	Initial Weight	Final Volume
Run #1	15.2 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	23.6	7.9	2.2	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
84-15-1	o-Terphenyl	75%		32-146%		
16416-32-3	Tetracosane-d50	103%		40-149%		
438-22-2	5a-Androstane	86%		35-152%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	PP-24(4.5)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-5	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	83.5
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	D110858.D	1	04/11/06	YL	04/11/06 09:00	n/a	VD4422
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.6 g	5.0 ml	100 ul
Run #2			

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	919	630	180	ug/kg	
71-43-2	Benzene	213	63	30	ug/kg	
108-86-1	Bromobenzene	ND	320	30	ug/kg	
74-97-5	Bromochloromethane	ND	320	26	ug/kg	
75-27-4	Bromodichloromethane	ND	320	29	ug/kg	
75-25-2	Bromoform	ND	320	27	ug/kg	
74-83-9	Bromomethane	ND	320	23	ug/kg	
78-93-3	2-Butanone (MEK)	ND	630	170	ug/kg	
104-51-8	n-Butylbenzene	ND	320	36	ug/kg	
135-98-8	sec-Butylbenzene	ND	320	28	ug/kg	
98-06-6	tert-Butylbenzene	ND	320	32	ug/kg	
56-23-5	Carbon tetrachloride	ND	320	60	ug/kg	
108-90-7	Chlorobenzene	ND	320	27	ug/kg	
75-00-3	Chloroethane	ND	320	110	ug/kg	
67-66-3	Chloroform	ND	320	37	ug/kg	
74-87-3	Chloromethane	ND	320	29	ug/kg	
95-49-8	o-Chlorotoluene	ND	320	42	ug/kg	
106-43-4	p-Chlorotoluene	ND	320	38	ug/kg	
108-20-3	Di-Isopropyl ether	ND	320	26	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	630	140	ug/kg	
124-48-1	Dibromochloromethane	ND	320	35	ug/kg	
106-93-4	1,2-Dibromoethane	ND	63	36	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	320	29	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	320	31	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	320	29	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	320	50	ug/kg	
75-34-3	1,1-Dichloroethane	ND	320	30	ug/kg	
107-06-2	1,2-Dichloroethane	ND	63	34	ug/kg	
75-35-4	1,1-Dichloroethene	ND	320	44	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	320	43	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	320	43	ug/kg	
78-87-5	1,2-Dichloropropane	ND	320	35	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



## Report of Analysis

<b>Client Sample ID:</b>	PP-24(4.5)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-5	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	83.5
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	320	29	ug/kg	
594-20-7	2,2-Dichloropropane	ND	320	34	ug/kg	
563-58-6	1,1-Dichloropropene	ND	320	34	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	320	26	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	320	25	ug/kg	
100-41-4	Ethylbenzene	1260	63	29	ug/kg	
87-68-3	Hexachlorobutadiene	ND	320	53	ug/kg	
98-82-8	Isopropylbenzene	249	320	29	ug/kg	J
99-87-6	p-Isopropyltoluene	ND	320	31	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	1090	63	35	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	320	130	ug/kg	
74-95-3	Methylene bromide	ND	320	31	ug/kg	
75-09-2	Methylene chloride	ND	320	44	ug/kg	
91-20-3	Naphthalene	294	320	29	ug/kg	J
103-65-1	n-Propylbenzene	306	320	28	ug/kg	J
100-42-5	Styrene	ND	320	21	ug/kg	
75-65-0	Tert Butyl Alcohol	3550	1600	470	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	320	27	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	320	27	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	320	30	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	320	36	ug/kg	
127-18-4	Tetrachloroethene	ND	320	52	ug/kg	
108-88-3	Toluene	138	63	34	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	320	36	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	320	22	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	320	38	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	320	34	ug/kg	
79-01-6	Trichloroethene	ND	320	33	ug/kg	
75-69-4	Trichlorofluoromethane	ND	320	46	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	320	160	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	1780	320	31	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	117	320	32	ug/kg	J
75-01-4	Vinyl chloride	ND	320	41	ug/kg	
	m,p-Xylene	1160	130	56	ug/kg	
95-47-6	o-Xylene	303	63	31	ug/kg	
1330-20-7	Xylene (total)	1460	130	31	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	PP-24(4.5)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-5	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	83.5
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	112%		61-133%
2037-26-5	Toluene-D8	108%		75-123%
460-00-4	4-Bromofluorobenzene	107%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
96-37-7	Cyclopentane, methyl-	9.46	510	ug/kg	JN
	Cyclopentene, dimethyl-	12.12	390	ug/kg	J
	C3 alkyl benzene	15.93	360	ug/kg	J
	C3 alkyl benzene	16.24	820	ug/kg	J
496-11-7	Indane	17.18	1400	ug/kg	JN
	Total TIC, Volatile		3480	ug/kg	J

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	PP-24(4.5)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-5	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	83.5
<b>Method:</b>	SW846 8015 SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	PF51848.D	1	04/12/06	YHY	04/11/06 09:00	n/a	GPF842
Run #2							

	<b>Initial Weight</b>	<b>Final Volume</b>	<b>Methanol Aliquot</b>
Run #1	4.9 g	5.0 ml	100 ul
Run #2			

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH-GRO (C6-C10)	33.0	14	2.9	mg/kg	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>		
98-08-8	aaa-Trifluorotoluene	99%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> PP-24(4.5)		
<b>Lab Sample ID:</b> J27394-5		<b>Date Sampled:</b> 04/10/06
<b>Matrix:</b> SO - Soil		<b>Date Received:</b> 04/10/06
<b>Method:</b> SW846-8015 SW846 3545		<b>Percent Solids:</b> 83.5
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35055.D	1	04/12/06	OYA	04/11/06	OP23238	GZZ1039
Run #2							

	Initial Weight	Final Volume
Run #1	15.2 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	62.6	7.9	2.2	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	84%		32-146%
16416-32-3	Tetracosane-d50	121%		40-149%
438-22-2	5a-Androstane	94%		35-152%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	PP-25(4.5)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-6	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	81.0
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	D110859.D	1	04/11/06	YL	04/11/06 09:00	n/a	VD4422
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.6 g	5.0 ml	100 ul
Run #2			

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	670	190	ug/kg	
71-43-2	Benzene	ND	67	32	ug/kg	
108-86-1	Bromobenzene	ND	330	32	ug/kg	
74-97-5	Bromochloromethane	ND	330	28	ug/kg	
75-27-4	Bromodichloromethane	ND	330	30	ug/kg	
75-25-2	Bromoform	ND	330	29	ug/kg	
74-83-9	Bromomethane	ND	330	25	ug/kg	
78-93-3	2-Butanone (MEK)	ND	670	180	ug/kg	
104-51-8	n-Butylbenzene	ND	330	38	ug/kg	
135-98-8	sec-Butylbenzene	ND	330	30	ug/kg	
98-06-6	tert-Butylbenzene	ND	330	33	ug/kg	
56-23-5	Carbon tetrachloride	ND	330	63	ug/kg	
108-90-7	Chlorobenzene	ND	330	29	ug/kg	
75-00-3	Chloroethane	ND	330	120	ug/kg	
67-66-3	Chloroform	ND	330	39	ug/kg	
74-87-3	Chloromethane	ND	330	31	ug/kg	
95-49-8	o-Chlorotoluene	ND	330	44	ug/kg	
106-43-4	p-Chlorotoluene	ND	330	40	ug/kg	
108-20-3	Di-Isopropyl ether	ND	330	28	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	670	140	ug/kg	
124-48-1	Dibromochloromethane	ND	330	37	ug/kg	
106-93-4	1,2-Dibromoethane	ND	67	38	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	330	30	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	330	33	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	330	31	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	330	53	ug/kg	
75-34-3	1,1-Dichloroethane	ND	330	32	ug/kg	
107-06-2	1,2-Dichloroethane	ND	67	36	ug/kg	
75-35-4	1,1-Dichloroethene	ND	330	46	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	330	45	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	330	46	ug/kg	
78-87-5	1,2-Dichloropropane	ND	330	37	ug/kg	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	PP-25(4.5)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-6	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	81.0
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	330	31	ug/kg	
594-20-7	2,2-Dichloropropane	ND	330	36	ug/kg	
563-58-6	1,1-Dichloropropene	ND	330	36	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	330	28	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	330	26	ug/kg	
100-41-4	Ethylbenzene	ND	67	30	ug/kg	
87-68-3	Hexachlorobutadiene	ND	330	56	ug/kg	
98-82-8	Isopropylbenzene	ND	330	31	ug/kg	
99-87-6	p-Isopropyltoluene	ND	330	33	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	67	37	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	330	130	ug/kg	
74-95-3	Methylene bromide	ND	330	32	ug/kg	
75-09-2	Methylene chloride	ND	330	46	ug/kg	
91-20-3	Naphthalene	ND	330	30	ug/kg	
103-65-1	n-Propylbenzene	ND	330	30	ug/kg	
100-42-5	Styrene	ND	330	22	ug/kg	
75-65-0	Tert Butyl Alcohol	1780	1700	500	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	330	28	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	330	28	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	330	31	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	330	38	ug/kg	
127-18-4	Tetrachloroethene	ND	330	55	ug/kg	
108-88-3	Toluene	ND	67	36	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	330	38	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	330	23	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	330	40	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	330	36	ug/kg	
79-01-6	Trichloroethene	ND	330	35	ug/kg	
75-69-4	Trichlorofluoromethane	ND	330	49	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	330	170	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	330	33	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	330	34	ug/kg	
75-01-4	Vinyl chloride	ND	330	43	ug/kg	
	m,p-Xylene	ND	130	59	ug/kg	
95-47-6	o-Xylene	ND	67	33	ug/kg	
1330-20-7	Xylene (total)	ND	130	33	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	PP-25(4.5)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-6	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	81.0
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	114%		61-133%
2037-26-5	Toluene-D8	107%		75-123%
460-00-4	4-Bromofluorobenzene	106%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	alkane	12.16	400	ug/kg	J
	Total TIC, Volatile		400	ug/kg	J

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	PP-25(4.5)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-6	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	81.0
<b>Method:</b>	SW846 8015 SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	PF51849.D	1	04/12/06	YHY	04/11/06 09:00	n/a	GPF842
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.1 g	5.0 ml	100 ul
Run #2			

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	14	3.0	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
98-08-8	aaa-Trifluorotoluene	92%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



**Report of Analysis**

<b>Client Sample ID:</b>	PP-25(4.5)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-6	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	81.0
<b>Method:</b>	SW846-8015 SW846 3545		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35056.D	1	04/13/06	OYA	04/11/06	OP23238	GZZ1039
Run #2							

	Initial Weight	Final Volume
Run #1	15.2 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	16.1	8.1	2.3	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
84-15-1	o-Terphenyl	76%		32-146%		
16416-32-3	Tetracosane-d50	108%		40-149%		
438-22-2	5a-Androstane	86%		35-152%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	PE-1(6.0)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-7	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	79.1
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	D110857.D	1	04/11/06	YL	04/11/06 09:00	n/a	VD4422
Run #2							

Run #	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.5 g	5.0 ml	100 ul
Run #2			

**MD VOA Full List + Oxygenates**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	710	200	ug/kg	
71-43-2	Benzene	ND	71	34	ug/kg	
108-86-1	Bromobenzene	ND	350	34	ug/kg	
74-97-5	Bromochloromethane	ND	350	29	ug/kg	
75-27-4	Bromodichloromethane	ND	350	32	ug/kg	
75-25-2	Bromoform	ND	350	31	ug/kg	
74-83-9	Bromomethane	ND	350	26	ug/kg	
78-93-3	2-Butanone (MEK)	ND	710	190	ug/kg	
104-51-8	n-Butylbenzene	ND	350	40	ug/kg	
135-98-8	sec-Butylbenzene	ND	350	31	ug/kg	
98-06-6	tert-Butylbenzene	ND	350	35	ug/kg	
56-23-5	Carbon tetrachloride	ND	350	67	ug/kg	
108-90-7	Chlorobenzene	ND	350	31	ug/kg	
75-00-3	Chloroethane	ND	350	120	ug/kg	
67-66-3	Chloroform	ND	350	41	ug/kg	
74-87-3	Chloromethane	ND	350	33	ug/kg	
95-49-8	o-Chlorotoluene	ND	350	47	ug/kg	
106-43-4	p-Chlorotoluene	ND	350	43	ug/kg	
108-20-3	Di-Isopropyl ether	ND	350	29	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	710	150	ug/kg	
124-48-1	Dibromochloromethane	ND	350	39	ug/kg	
106-93-4	1,2-Dibromoethane	ND	71	40	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	350	32	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	350	34	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	350	33	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	350	56	ug/kg	
75-34-3	1,1-Dichloroethane	ND	350	34	ug/kg	
107-06-2	1,2-Dichloroethane	ND	71	38	ug/kg	
75-35-4	1,1-Dichloroethene	ND	350	49	ug/kg	
156-59-2	cis-1,2-Dichloroethene	ND	350	47	ug/kg	
156-60-5	trans-1,2-Dichloroethene	ND	350	48	ug/kg	
78-87-5	1,2-Dichloropropane	ND	350	39	ug/kg	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	PE-1(6.0)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-7	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	79.1
<b>Method:</b>	SW846 8260B SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

## MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	350	33	ug/kg	
594-20-7	2,2-Dichloropropane	ND	350	38	ug/kg	
563-58-6	1,1-Dichloropropene	ND	350	38	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	350	29	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	350	28	ug/kg	
100-41-4	Ethylbenzene	ND	71	32	ug/kg	
87-68-3	Hexachlorobutadiene	ND	350	59	ug/kg	
98-82-8	Isopropylbenzene	ND	350	33	ug/kg	
99-87-6	p-Isopropyltoluene	ND	350	34	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	71	40	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	350	140	ug/kg	
74-95-3	Methylene bromide	ND	350	34	ug/kg	
75-09-2	Methylene chloride	ND	350	49	ug/kg	
91-20-3	Naphthalene	ND	350	32	ug/kg	
103-65-1	n-Propylbenzene	ND	350	31	ug/kg	
100-42-5	Styrene	ND	350	23	ug/kg	
75-65-0	Tert Butyl Alcohol	ND	1800	520	ug/kg	
994-05-8	tert-Amyl Methyl Ether	ND	350	30	ug/kg	
637-92-3	tert-Butyl Ethyl Ether	ND	350	30	ug/kg	
630-20-6	1,1,1,2-Tetrachloroethane	ND	350	33	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	350	41	ug/kg	
127-18-4	Tetrachloroethene	ND	350	58	ug/kg	
108-88-3	Toluene	ND	71	38	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	350	40	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	350	25	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	350	42	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	350	38	ug/kg	
79-01-6	Trichloroethene	ND	350	37	ug/kg	
75-69-4	Trichlorofluoromethane	ND	350	51	ug/kg	
96-18-4	1,2,3-Trichloropropane	ND	350	180	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	350	34	ug/kg	
108-67-8	1,3,5-Trimethylbenzene	ND	350	36	ug/kg	
75-01-4	Vinyl chloride	ND	350	46	ug/kg	
	m,p-Xylene	ND	140	62	ug/kg	
95-47-6	o-Xylene	ND	71	35	ug/kg	
1330-20-7	Xylene (total)	ND	140	35	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	106%		70-120%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> PE-1(6.0)		<b>Date Sampled:</b> 04/10/06
<b>Lab Sample ID:</b> J27394-7		<b>Date Received:</b> 04/10/06
<b>Matrix:</b> SO - Soil		<b>Percent Solids:</b> 79.1
<b>Method:</b> SW846 8260B SW846 5035		
<b>Project:</b> GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

**MD VOA Full List + Oxygenates**

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	113%		61-133%
2037-26-5	Toluene-D8	106%		75-123%
460-00-4	4-Bromofluorobenzene	105%		65-142%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/kg	

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	PE-1(6.0)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-7	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	79.1
<b>Method:</b>	SW846 8015 SW846 5035		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	PF51850.D	1	04/12/06	YHY	04/11/06 09:00	n/a	GPF842
Run #2							

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.1 g	5.0 ml	100 ul
Run #2			

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	15	3.1	mg/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
98-08-8	aaa-Trifluorotoluene	93%		28-154%		

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

<b>Client Sample ID:</b>	PE-1(6.0)	<b>Date Sampled:</b>	04/10/06
<b>Lab Sample ID:</b>	J27394-7	<b>Date Received:</b>	04/10/06
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	79.1
<b>Method:</b>	SW846-8015 SW846 3545		
<b>Project:</b>	GSCMD: S/S 2-8077, 14258 Jarrettsville Pike, Phoenix, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	ZZ35057.D	1	04/13/06	OYA	04/11/06	OP23238	GZZ1039
Run #2							

	Initial Weight	Final Volume
Run #1	15.1 g	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	8.4	2.4	mg/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
84-15-1	o-Terphenyl	75%		32-146%
16416-32-3	Tetracosane-d50	118%		40-149%
438-22-2	5a-Androstane	88%		35-152%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



## Misc. Forms

---

### Custody Documents and Other Forms

---

Includes the following where applicable:

- Chain of Custody

