



Advanced Environmental Concepts, Inc.

---

---

*1751-1 Pulaski Highway      Havre de Grace, MD 21078 (410) 939-5550*

## **DSW and Offsite POET Sampling Report Q3 2022**

Site Location:

Pantry One Food Mart  
1897 Conowingo Road  
Rising Sun, MD

Facility ID: 11347

Prepared For:


Mr. Aijaz Shaikh

September 20, 2022

**SIGNATURE SHEET**

Report Prepared by:

**Name:** Gregory Pelc

A handwritten signature in cursive script that reads "Gregory Pelc". The signature is written in black ink and is positioned below the printed name.

**Title:** Sr. Project Manager

**Company:** Advanced Environmental Concepts, Inc.

**Address:** 1751 Pulaski Hwy

**City/State/Zip:** Havre de Grace, Maryland 21078

**Telephone:** (410) 939-5550

## Table of Contents

1.0 Introduction .....	2
2.0 Groundwater Monitoring.....	2
2.1 Monitoring Well Sampling & Gauging.....	<b>Error! Bookmark not defined.</b>
2.2 Domestic Supply Well Sampling .....	2
2.3 Off Site Domestic Supply Well Sampling .....	2
3.0 Results of Groundwater Sampling .....	2
3.1 Groundwater Elevation .....	<b>Error! Bookmark not defined.</b>
3.2 Groundwater Sampling Results.....	<b>Error! Bookmark not defined.</b>
3.3 Domestic Supply Well Sampling Results .....	2
3.4 Off Site Domestic Supply Well Sampling Results .....	2
4.0 Future Activities.....	2
5.0 Appendices .....	2
Appendix A.....	3
Site Maps.....	3
Appendix B.....	4
Groundwater Gauging & Analytical Tables .....	4
Appendix C.....	5
Report of Analysis & Chain of Custody Record.....	5

## **1.0 Introduction**

This DSW and Offsite POET sampling report has been prepared to satisfy the requirements set forth by the Maryland Department of the Environment (MDE) for the Pantry One Food Mart located at 1897 Conowingo Road, Rising Sun, MD; referred to herein as the "site".

## **2.0 Groundwater Monitoring**

### **2.1 Domestic Supply Well Sampling**

On 9/7/2022 a sample was collected from the site's domestic supply well (DSW). The sample was collected using standard sampling procedure by an MDE certified drinking water sampler. Domestic supply wells samples collected were delivered to AEC's laboratory to be analyzed for VOCs by EPA Method 524.2.

### **2.2 Off Site Domestic Supply Well Sampling**

On 9/7/2022 samples were collected from the DSW POET system located at 1894 Conowingo Road.

Samples were collected using standard sampling procedure by an MDE certified drinking water sampler. Domestic supply wells samples collected were delivered to AEC's laboratory to be analyzed for VOCs by EPA Method 524.2.

## **3.0 Results of Groundwater Sampling**

### **3.1 Domestic Supply Well Sampling Results**

Method detectable concentrations were not observed in the drinking water sample collected from the onsite supply well. A Quick Reference Groundwater Sampling Summary Table which summarizes groundwater sampling analytical results can be found in Appendix B. A full Report of Analysis and Chain of Custody Record can be found in Appendix C.

### **3.2 Off Site Domestic Supply Well Sampling Results**

Method detectable concentrations were observed in the samples collected pre and intermediate 1 treatment in the drinking water from the POET system located at 1894 Conowingo Road. Method detectable concentrations were not observed in the intermediate 2 and post treatment samples.

A Quick Reference Groundwater Sampling Summary Table which summarizes off site DSW sampling analytical results can be found in Appendix B. A full Report of Analysis and Chain of Custody Record can be found in Appendix C.

## **4.0 Future Activities**

The next quarterly sampling event is scheduled for December of 2022 to include the sampling of the DSW POET system located at 1894 Conowingo Road.

## **5.0 Appendices**

**Appendix A**  
**Site Maps**



**Pantry One Food Mart  
1897 Conowingo Road  
Rising Sun, MD 21911**

**DSW and Offsite POET Map  
September 2022**

**Appendix B**  
**Groundwater Gauging & Analytical Tables**

Pantry One Market  
1897 Conowingo Road, Rising Sun, MD 21911  
DSW Sampling Summary Table

ID	Date	Benzene	Toluene	Ethylbenzene	Xylenes	Total BTEX	MTBE	Ethanol	TBA
<b>MDE GNCS, Type I and II Aquifers</b>		<b>5</b>	<b>1000</b>	<b>700</b>	<b>10000</b>	<b>NG</b>	<b>20</b>	<b>NG</b>	<b>NG</b>
<b>DSW</b>	4/9/2015	<.5	<.5	<.5	<.5	<.5	<.5	<10	<10
	6/8/2016	<.5	<.5	<.5	<.5	<.5	<.5	<10	<10
	6/10/2019	<.5	<.5	<.5	<.5	<.5	<.5	<10	<10
	9/11/2019	<.5	<.5	<.5	<.5	<.5	<.5	<10	<10
	12/18/2019	<.5	<.5	<.5	<.5	<.5	<.5	<10	<10
	3/26/2020	<.5	<.5	<.5	<.5	<.5	<.5	<10	<10
	6/25/2020	<.5	<.5	<.5	<.5	<.5	<.5	<10	<10
	11/4/2020	<.5	<.5	<.5	<.5	<.5	<.5	<10	<10
	3/19/2021	<.5	<.5	<.5	<.5	<.5	<.5	NS	<10
	9/9/2021	<.5	<.5	<.5	<.5	<.5	<.5	<10	<10
	9/7/2022	<.5	<.5	<.5	<1.0	<2.5	<.5	NS	<10

Groundwater Sampling Data reported in ug/L

Values exceeding the specified MDE GNCS are **bolded**.

ND = Not detectable at method limits

NG = No Guideline





**Appendix C**  
**Report of Analysis & Chain of Custody Record**

# ADVANCED ENVIRONMENTAL CONCEPTS, INC.

Laboratory Services 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

## Certificate of Analysis

Sample Identification:	TRIP BLANK	Project Identification:	PANTRY ONE
MATRIX:	water	Client Identification:	PANTRY ONE
Sample Date:	9/7/2022	Client Telephone:	
Date Received:	9/9/2022	Client Fax:	
Extraction Date:	na	Analyst:	MM
Analysis Date:	9/12/2022	Lab File:	91222A008

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
Dichlorodifluoromethane	0.5	ug/L	ND	EPA 524.2
Chloromethane	0.5	ug/L	ND	EPA 524.2
Vinyl Chloride	0.5	ug/L	ND	EPA 524.2
Bromomethane	0.5	ug/L	ND	EPA 524.2
Chloroethane	0.5	ug/L	ND	EPA 524.2
Trichlorofluoromethane	0.5	ug/L	ND	EPA 524.2
1,1-Dichloroethene	0.5	ug/L	ND	EPA 524.2
tert-Butyl Alcohol (TBA)	10	ug/L	ND	EPA 524.2
Methylene Chloride	0.5	ug/L	ND	EPA 524.2
trans-1,2-Dichloroethene	0.5	ug/L	ND	EPA 524.2
Methyl tert-Butyl Ether (MtBE)	0.5	ug/L	ND	EPA 524.2
1,1-Dichloroethane	0.5	ug/L	ND	EPA 524.2
Diisopropyl Ether (DIPE)	0.5	ug/L	ND	EPA 524.2
cis-1,2-Dichloroethene	0.5	ug/L	ND	EPA 524.2
Bromochloromethane	0.5	ug/L	ND	EPA 524.2
Chloroform	0.5	ug/L	ND	EPA 524.2
2,2-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Ethyl tert-Butyl Ether (EtBE)	0.5	ug/L	ND	EPA 524.2
1,2-Dichloroethane	0.5	ug/L	ND	EPA 524.2
tert-Amyl Alcohol (TAA)	10	ug/L	ND	EPA 524.2
1,1,1-Trichloroethane	0.5	ug/L	ND	EPA 524.2
1,1-Dichloropropene	0.5	ug/L	ND	EPA 524.2
Carbon tetrachloride	0.5	ug/L	ND	EPA 524.2
Benzene	0.5	ug/L	ND	EPA 524.2
tert-Amyl Methyl Ether (TAME)	0.5	ug/L	ND	EPA 524.2
Dibromomethane	0.5	ug/L	ND	EPA 524.2
1,2-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Trichloroethene	0.5	ug/L	ND	EPA 524.2
Bromodichloromethane	0.5	ug/L	ND	EPA 524.2
tert-Amyl Ethyl Ether (TAEE)	0.5	ug/L	ND	EPA 524.2
cis-1,3-Dichloropropene	0.5	ug/L	ND	EPA 524.2
trans-1,3-Dichloropropene	0.5	ug/L	ND	EPA 524.2
1,1,2-Trichloroethane	0.5	ug/L	ND	EPA 524.2
Toluene	0.5	ug/L	ND	EPA 524.2
1,3-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Dibromochloromethane	0.5	ug/L	ND	EPA 524.2
1,2-Dibromoethane	0.5	ug/L	ND	EPA 524.2
Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
1,1,1,2-Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
Chlorobenzene	0.5	ug/L	ND	EPA 524.2
Ethylbenzene	0.5	ug/L	ND	EPA 524.2

# ADVANCED ENVIRONMENTAL CONCEPTS, INC.

Laboratory Services 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

## Certificate of Analysis

Sample Identification:	TRIP BLANK	Project Identification:	PANTRY ONE
MATRIX:	water	Client Identification:	PANTRY ONE
Sample Date:	9/7/2022	Client Telephone:	
Date Received:	9/9/2022	Client Fax:	
Extraction Date:	na	Analyst:	MM
Analysis Date:	9/12/2022	Lab File:	91222A008

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
m&p-Xylene	0.5	ug/L	ND	EPA 524.2
Bromoform	0.5	ug/L	ND	EPA 524.2
Styrene	0.5	ug/L	ND	EPA 524.2
o-Xylene	0.5	ug/L	ND	EPA 524.2
1,1,2,2-Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
1,2,3-Trichloropropane	0.5	ug/L	ND	EPA 524.2
Isopropylbenzene	0.5	ug/L	ND	EPA 524.2
Bromobenzene	0.5	ug/L	ND	EPA 524.2
n-Propylbenzene	0.5	ug/L	ND	EPA 524.2
2-Chlorotoluene	0.5	ug/L	ND	EPA 524.2
4-Chlorotoluene	0.5	ug/L	ND	EPA 524.2
1,3,5-Trimethylbenzene	0.5	ug/L	ND	EPA 524.2
tert-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,2,4-Trimethylbenzene	0.5	ug/L	ND	EPA 524.2
sec-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,3-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
1,4-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
1,2-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
p-iso-Propyltoluene	0.5	ug/L	ND	EPA 524.2
n-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,2-Dibromo-3-chloropropane	0.5	ug/L	ND	EPA 524.2
1,2,4-Trichlorobenzene	0.5	ug/L	ND	EPA 524.2
Naphthalene	0.5	ug/L	ND	EPA 524.2
Hexachlorobutadiene	0.5	ug/L	ND	EPA 524.2
1,2,3-Trichlorobenzene	0.5	ug/L	ND	EPA 524.2

### SURROGATE SPIKE

1,2-Dichloroethane-d4	%	125	EPA 524.2
Dibromofluoromethane	%	113	EPA 524.2
Toluene-d8	%	101	EPA 524.2
Bromofluorobenzene	%	106	EPA 524.2

MDE Drinking Water Supply Laboratory Certification #333

# ADVANCED ENVIRONMENTAL CONCEPTS, INC.

Laboratory Services 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

## Certificate of Analysis

Sample Identification:	1897 Conowingo DSW	Project Identification:	PANTRY ONE
MATRIX:	water	Client Identification:	PANTRY ONE
Sample Date:	9/7/2022	Client Telephone:	
Date Received:	9/9/2022	Client Fax:	
Extraction Date:	na	Analyst:	MM
Analysis Date:	9/12/2022	Lab File:	91222A009

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
Dichlorodifluoromethane	0.5	ug/L	ND	EPA 524.2
Chloromethane	0.5	ug/L	ND	EPA 524.2
Vinyl Chloride	0.5	ug/L	ND	EPA 524.2
Bromomethane	0.5	ug/L	ND	EPA 524.2
Chloroethane	0.5	ug/L	ND	EPA 524.2
Trichlorofluoromethane	0.5	ug/L	ND	EPA 524.2
1,1-Dichloroethene	0.5	ug/L	ND	EPA 524.2
tert-Butyl Alcohol (TBA)	10	ug/L	ND	EPA 524.2
Methylene Chloride	0.5	ug/L	ND	EPA 524.2
trans-1,2-Dichloroethene	0.5	ug/L	ND	EPA 524.2
Methyl tert-Butyl Ether (MtBE)	0.5	ug/L	ND	EPA 524.2
1,1-Dichloroethane	0.5	ug/L	ND	EPA 524.2
Diisopropyl Ether (DIPE)	0.5	ug/L	ND	EPA 524.2
cis-1,2-Dichloroethene	0.5	ug/L	ND	EPA 524.2
Bromochloromethane	0.5	ug/L	ND	EPA 524.2
Chloroform	0.5	ug/L	ND	EPA 524.2
2,2-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Ethyl tert-Butyl Ether (EtBE)	0.5	ug/L	ND	EPA 524.2
1,2-Dichloroethane	0.5	ug/L	ND	EPA 524.2
tert-Amyl Alcohol (TAA)	10	ug/L	ND	EPA 524.2
1,1,1-Trichloroethane	0.5	ug/L	ND	EPA 524.2
1,1-Dichloropropene	0.5	ug/L	ND	EPA 524.2
Carbon tetrachloride	0.5	ug/L	ND	EPA 524.2
Benzene	0.5	ug/L	ND	EPA 524.2
tert-Amyl Methyl Ether (TAME)	0.5	ug/L	ND	EPA 524.2
Dibromomethane	0.5	ug/L	ND	EPA 524.2
1,2-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Trichloroethene	0.5	ug/L	ND	EPA 524.2
Bromodichloromethane	0.5	ug/L	ND	EPA 524.2
tert-Amyl Ethyl Ether (TAEE)	0.5	ug/L	ND	EPA 524.2
cis-1,3-Dichloropropene	0.5	ug/L	ND	EPA 524.2
trans-1,3-Dichloropropene	0.5	ug/L	ND	EPA 524.2
1,1,2-Trichloroethane	0.5	ug/L	ND	EPA 524.2
Toluene	0.5	ug/L	ND	EPA 524.2
1,3-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Dibromochloromethane	0.5	ug/L	ND	EPA 524.2
1,2-Dibromoethane	0.5	ug/L	ND	EPA 524.2
Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
1,1,1,2-Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
Chlorobenzene	0.5	ug/L	ND	EPA 524.2
Ethylbenzene	0.5	ug/L	ND	EPA 524.2

# ADVANCED ENVIRONMENTAL CONCEPTS, INC.

**Laboratory Services** 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

## Certificate of Analysis

<b>Sample Identification:</b>	1897 Conowingo DSW	<b>Project Identification:</b>	PANTRY ONE
<b>MATRIX:</b>	water	<b>Client Identification:</b>	PANTRY ONE
<b>Sample Date:</b>	9/7/2022	<b>Client Telephone:</b>	
<b>Date Received:</b>	9/9/2022	<b>Client Fax:</b>	
<b>Extraction Date:</b>	na	<b>Analyst:</b>	MM
<b>Analysis Date:</b>	9/12/2022	<b>Lab File:</b>	91222A009

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
m&p-Xylene	0.5	ug/L	ND	EPA 524.2
Bromoform	0.5	ug/L	ND	EPA 524.2
Styrene	0.5	ug/L	ND	EPA 524.2
o-Xylene	0.5	ug/L	ND	EPA 524.2
1,1,2,2-Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
1,2,3-Trichloropropane	0.5	ug/L	ND	EPA 524.2
Isopropylbenzene	0.5	ug/L	ND	EPA 524.2
Bromobenzene	0.5	ug/L	ND	EPA 524.2
n-Propylbenzene	0.5	ug/L	ND	EPA 524.2
2-Chlorotoluene	0.5	ug/L	ND	EPA 524.2
4-Chlorotoluene	0.5	ug/L	ND	EPA 524.2
1,3,5-Trimethylbenzene	0.5	ug/L	ND	EPA 524.2
tert-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,2,4-Trimethylbenzene	0.5	ug/L	ND	EPA 524.2
sec-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,3-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
1,4-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
1,2-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
p-iso-Propyltoluene	0.5	ug/L	ND	EPA 524.2
n-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,2-Dibromo-3-chloropropane	0.5	ug/L	ND	EPA 524.2
1,2,4-Trichlorobenzene	0.5	ug/L	ND	EPA 524.2
Naphthalene	0.5	ug/L	ND	EPA 524.2
Hexachlorobutadiene	0.5	ug/L	ND	EPA 524.2
1,2,3-Trichlorobenzene	0.5	ug/L	ND	EPA 524.2

### SURROGATE SPIKE

1,2-Dichloroethane-d4	%	126	EPA 524.2
Dibromofluoromethane	%	116	EPA 524.2
Toluene-d8	%	99	EPA 524.2
Bromofluorobenzene	%	103	EPA 524.2

*MDE Drinking Water Supply Laboratory Certification #333*

# ADVANCED ENVIRONMENTAL CONCEPTS, INC.

**Laboratory Services** 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

## Certificate of Analysis

<b>Sample Identification:</b>	1894 Conowing INF	<b>Project Identification:</b>	PANTRY ONE
<b>MATRIX:</b>	water	<b>Client Identification:</b>	PANTRY ONE
<b>Sample Date:</b>	9/7/2022	<b>Client Telephone:</b>	
<b>Date Received:</b>	9/9/2022	<b>Client Fax:</b>	
<b>Extraction Date:</b>	na	<b>Analyst:</b>	MM
<b>Analysis Date:</b>	9/12/2022	<b>Lab File:</b>	91222A013

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
Dichlorodifluoromethane	0.5	ug/L	ND	EPA 524.2
Chloromethane	0.5	ug/L	ND	EPA 524.2
Vinyl Chloride	0.5	ug/L	ND	EPA 524.2
Bromomethane	0.5	ug/L	ND	EPA 524.2
Chloroethane	0.5	ug/L	ND	EPA 524.2
Trichlorofluoromethane	0.5	ug/L	ND	EPA 524.2
1,1-Dichloroethene	0.5	ug/L	ND	EPA 524.2
tert-Butyl Alcohol (TBA)	10	ug/L	ND	EPA 524.2
Methylene Chloride	0.5	ug/L	ND	EPA 524.2
trans-1,2-Dichloroethene	0.5	ug/L	ND	EPA 524.2
Methyl tert-Butyl Ether (MtBE)	0.5	ug/L	3.36	EPA 524.2
1,1-Dichloroethane	0.5	ug/L	ND	EPA 524.2
Diisopropyl Ether (DIPE)	0.5	ug/L	0.79	EPA 524.2
cis-1,2-Dichloroethene	0.5	ug/L	ND	EPA 524.2
Bromochloromethane	0.5	ug/L	ND	EPA 524.2
Chloroform	0.5	ug/L	ND	EPA 524.2
2,2-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Ethyl tert-Butyl Ether (EtBE)	0.5	ug/L	ND	EPA 524.2
1,2-Dichloroethane	0.5	ug/L	ND	EPA 524.2
tert-Amyl Alcohol (TAA)	10	ug/L	ND	EPA 524.2
1,1,1-Trichloroethane	0.5	ug/L	ND	EPA 524.2
1,1-Dichloropropene	0.5	ug/L	ND	EPA 524.2
Carbon tetrachloride	0.5	ug/L	ND	EPA 524.2
Benzene	0.5	ug/L	2.04	EPA 524.2
tert-Amyl Methyl Ether (TAME)	0.5	ug/L	0.78	EPA 524.2
Dibromomethane	0.5	ug/L	ND	EPA 524.2
1,2-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Trichloroethene	0.5	ug/L	ND	EPA 524.2
Bromodichloromethane	0.5	ug/L	ND	EPA 524.2
tert-Amyl Ethyl Ether (TAEE)	0.5	ug/L	ND	EPA 524.2
cis-1,3-Dichloropropene	0.5	ug/L	ND	EPA 524.2
trans-1,3-Dichloropropene	0.5	ug/L	ND	EPA 524.2
1,1,2-Trichloroethane	0.5	ug/L	ND	EPA 524.2
Toluene	0.5	ug/L	ND	EPA 524.2
1,3-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Dibromochloromethane	0.5	ug/L	ND	EPA 524.2
1,2-Dibromoethane	0.5	ug/L	ND	EPA 524.2
Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
1,1,1,2-Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
Chlorobenzene	0.5	ug/L	ND	EPA 524.2
Ethylbenzene	0.5	ug/L	ND	EPA 524.2

# ADVANCED ENVIRONMENTAL CONCEPTS, INC.

**Laboratory Services** 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

## Certificate of Analysis

<b>Sample Identification:</b>	1894 Conowing INF	<b>Project Identification:</b>	PANTRY ONE
<b>MATRIX:</b>	water	<b>Client Identification:</b>	PANTRY ONE
<b>Sample Date:</b>	9/7/2022	<b>Client Telephone:</b>	
<b>Date Received:</b>	9/9/2022	<b>Client Fax:</b>	
<b>Extraction Date:</b>	na	<b>Analyst:</b>	MM
<b>Analysis Date:</b>	9/12/2022	<b>Lab File:</b>	91222A013

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
m&p-Xylene	0.5	ug/L	ND	EPA 524.2
Bromoform	0.5	ug/L	ND	EPA 524.2
Styrene	0.5	ug/L	ND	EPA 524.2
o-Xylene	0.5	ug/L	ND	EPA 524.2
1,1,2,2-Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
1,2,3-Trichloropropane	0.5	ug/L	ND	EPA 524.2
Isopropylbenzene	0.5	ug/L	ND	EPA 524.2
Bromobenzene	0.5	ug/L	ND	EPA 524.2
n-Propylbenzene	0.5	ug/L	ND	EPA 524.2
2-Chlorotoluene	0.5	ug/L	ND	EPA 524.2
4-Chlorotoluene	0.5	ug/L	ND	EPA 524.2
1,3,5-Trimethylbenzene	0.5	ug/L	ND	EPA 524.2
tert-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,2,4-Trimethylbenzene	0.5	ug/L	ND	EPA 524.2
sec-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,3-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
1,4-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
1,2-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
p-iso-Propyltoluene	0.5	ug/L	ND	EPA 524.2
n-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,2-Dibromo-3-chloropropane	0.5	ug/L	ND	EPA 524.2
1,2,4-Trichlorobenzene	0.5	ug/L	ND	EPA 524.2
Naphthalene	0.5	ug/L	ND	EPA 524.2
Hexachlorobutadiene	0.5	ug/L	ND	EPA 524.2
1,2,3-Trichlorobenzene	0.5	ug/L	ND	EPA 524.2

### SURROGATE SPIKE

1,2-Dichloroethane-d4	%	129	EPA 524.2
Dibromofluoromethane	%	114	EPA 524.2
Toluene-d8	%	97	EPA 524.2
Bromofluorobenzene	%	107	EPA 524.2

*MDE Drinking Water Supply Laboratory Certification #333*



# ADVANCED ENVIRONMENTAL CONCEPTS, INC.

**Laboratory Services** 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

## Certificate of Analysis

<b>Sample Identification:</b>	1894 Conowing INTER 1	<b>Project Identification:</b>	PANTRY ONE
<b>MATRIX:</b>	water	<b>Client Identification:</b>	PANTRY ONE
<b>Sample Date:</b>	9/7/2022	<b>Client Telephone:</b>	
<b>Date Received:</b>	9/9/2022	<b>Client Fax:</b>	
<b>Extraction Date:</b>	na	<b>Analyst:</b>	MM
<b>Analysis Date:</b>	9/12/2022	<b>Lab File:</b>	91222A012

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
Dichlorodifluoromethane	0.5	ug/L	ND	EPA 524.2
Chloromethane	0.5	ug/L	ND	EPA 524.2
Vinyl Chloride	0.5	ug/L	ND	EPA 524.2
Bromomethane	0.5	ug/L	ND	EPA 524.2
Chloroethane	0.5	ug/L	ND	EPA 524.2
Trichlorofluoromethane	0.5	ug/L	ND	EPA 524.2
1,1-Dichloroethene	0.5	ug/L	ND	EPA 524.2
tert-Butyl Alcohol (TBA)	10	ug/L	ND	EPA 524.2
Methylene Chloride	0.5	ug/L	ND	EPA 524.2
trans-1,2-Dichloroethene	0.5	ug/L	ND	EPA 524.2
Methyl tert-Butyl Ether (MtBE)	0.5	ug/L	3.4	EPA 524.2
1,1-Dichloroethane	0.5	ug/L	ND	EPA 524.2
Diisopropyl Ether (DIPE)	0.5	ug/L	0.89	EPA 524.2
cis-1,2-Dichloroethene	0.5	ug/L	ND	EPA 524.2
Bromochloromethane	0.5	ug/L	ND	EPA 524.2
Chloroform	0.5	ug/L	ND	EPA 524.2
2,2-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Ethyl tert-Butyl Ether (EtBE)	0.5	ug/L	ND	EPA 524.2
1,2-Dichloroethane	0.5	ug/L	ND	EPA 524.2
tert-Amyl Alcohol (TAA)	10	ug/L	ND	EPA 524.2
1,1,1-Trichloroethane	0.5	ug/L	ND	EPA 524.2
1,1-Dichloropropene	0.5	ug/L	ND	EPA 524.2
Carbon tetrachloride	0.5	ug/L	ND	EPA 524.2
Benzene	0.5	ug/L	2.27	EPA 524.2
tert-Amyl Methyl Ether (TAME)	0.5	ug/L	ND	EPA 524.2
Dibromomethane	0.5	ug/L	ND	EPA 524.2
1,2-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Trichloroethene	0.5	ug/L	ND	EPA 524.2
Bromodichloromethane	0.5	ug/L	ND	EPA 524.2
tert-Amyl Ethyl Ether (TAEE)	0.5	ug/L	ND	EPA 524.2
cis-1,3-Dichloropropene	0.5	ug/L	ND	EPA 524.2
trans-1,3-Dichloropropene	0.5	ug/L	ND	EPA 524.2
1,1,2-Trichloroethane	0.5	ug/L	ND	EPA 524.2
Toluene	0.5	ug/L	ND	EPA 524.2
1,3-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Dibromochloromethane	0.5	ug/L	ND	EPA 524.2
1,2-Dibromoethane	0.5	ug/L	ND	EPA 524.2
Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
1,1,1,2-Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
Chlorobenzene	0.5	ug/L	ND	EPA 524.2
Ethylbenzene	0.5	ug/L	ND	EPA 524.2

# ADVANCED ENVIRONMENTAL CONCEPTS, INC.

**Laboratory Services** 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

## Certificate of Analysis

<b>Sample Identification:</b>	1894 Conowing INTER 1	<b>Project Identification:</b>	PANTRY ONE
<b>MATRIX:</b>	water	<b>Client Identification:</b>	PANTRY ONE
<b>Sample Date:</b>	9/7/2022	<b>Client Telephone:</b>	
<b>Date Received:</b>	9/9/2022	<b>Client Fax:</b>	
<b>Extraction Date:</b>	na	<b>Analyst:</b>	MM
<b>Analysis Date:</b>	9/12/2022	<b>Lab File:</b>	91222A012

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
m&p-Xylene	0.5	ug/L	ND	EPA 524.2
Bromoform	0.5	ug/L	ND	EPA 524.2
Styrene	0.5	ug/L	ND	EPA 524.2
o-Xylene	0.5	ug/L	ND	EPA 524.2
1,1,2,2-Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
1,2,3-Trichloropropane	0.5	ug/L	ND	EPA 524.2
Isopropylbenzene	0.5	ug/L	ND	EPA 524.2
Bromobenzene	0.5	ug/L	ND	EPA 524.2
n-Propylbenzene	0.5	ug/L	ND	EPA 524.2
2-Chlorotoluene	0.5	ug/L	ND	EPA 524.2
4-Chlorotoluene	0.5	ug/L	ND	EPA 524.2
1,3,5-Trimethylbenzene	0.5	ug/L	ND	EPA 524.2
tert-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,2,4-Trimethylbenzene	0.5	ug/L	ND	EPA 524.2
sec-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,3-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
1,4-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
1,2-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
p-iso-Propyltoluene	0.5	ug/L	ND	EPA 524.2
n-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,2-Dibromo-3-chloropropane	0.5	ug/L	ND	EPA 524.2
1,2,4-Trichlorobenzene	0.5	ug/L	ND	EPA 524.2
Naphthalene	0.5	ug/L	ND	EPA 524.2
Hexachlorobutadiene	0.5	ug/L	ND	EPA 524.2
1,2,3-Trichlorobenzene	0.5	ug/L	ND	EPA 524.2

### SURROGATE SPIKE

1,2-Dichloroethane-d4	%	125	EPA 524.2
Dibromofluoromethane	%	112	EPA 524.2
Toluene-d8	%	98	EPA 524.2
Bromofluorobenzene	%	110	EPA 524.2

*MDE Drinking Water Supply Laboratory Certification #333*

# ADVANCED ENVIRONMENTAL CONCEPTS, INC.

**Laboratory Services** 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

## Certificate of Analysis

<b>Sample Identification:</b>	1894 Conowing INTER 2	<b>Project Identification:</b>	PANTRY ONE
<b>MATRIX:</b>	water	<b>Client Identification:</b>	PANTRY ONE
<b>Sample Date:</b>	9/7/2022	<b>Client Telephone:</b>	
<b>Date Received:</b>	9/9/2022	<b>Client Fax:</b>	
<b>Extraction Date:</b>	na	<b>Analyst:</b>	MM
<b>Analysis Date:</b>	9/12/2022	<b>Lab File:</b>	91222A011

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
Dichlorodifluoromethane	0.5	ug/L	ND	EPA 524.2
Chloromethane	0.5	ug/L	ND	EPA 524.2
Vinyl Chloride	0.5	ug/L	ND	EPA 524.2
Bromomethane	0.5	ug/L	ND	EPA 524.2
Chloroethane	0.5	ug/L	ND	EPA 524.2
Trichlorofluoromethane	0.5	ug/L	ND	EPA 524.2
1,1-Dichloroethene	0.5	ug/L	ND	EPA 524.2
tert-Butyl Alcohol (TBA)	10	ug/L	ND	EPA 524.2
Methylene Chloride	0.5	ug/L	ND	EPA 524.2
trans-1,2-Dichloroethene	0.5	ug/L	ND	EPA 524.2
Methyl tert-Butyl Ether (MtBE)	0.5	ug/L	ND	EPA 524.2
1,1-Dichloroethane	0.5	ug/L	ND	EPA 524.2
Diisopropyl Ether (DIPE)	0.5	ug/L	ND	EPA 524.2
cis-1,2-Dichloroethene	0.5	ug/L	ND	EPA 524.2
Bromochloromethane	0.5	ug/L	ND	EPA 524.2
Chloroform	0.5	ug/L	ND	EPA 524.2
2,2-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Ethyl tert-Butyl Ether (EtBE)	0.5	ug/L	ND	EPA 524.2
1,2-Dichloroethane	0.5	ug/L	ND	EPA 524.2
tert-Amyl Alcohol (TAA)	10	ug/L	ND	EPA 524.2
1,1,1-Trichloroethane	0.5	ug/L	ND	EPA 524.2
1,1-Dichloropropene	0.5	ug/L	ND	EPA 524.2
Carbon tetrachloride	0.5	ug/L	ND	EPA 524.2
Benzene	0.5	ug/L	ND	EPA 524.2
tert-Amyl Methyl Ether (TAME)	0.5	ug/L	ND	EPA 524.2
Dibromomethane	0.5	ug/L	ND	EPA 524.2
1,2-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Trichloroethene	0.5	ug/L	ND	EPA 524.2
Bromodichloromethane	0.5	ug/L	ND	EPA 524.2
tert-Amyl Ethyl Ether (TAEE)	0.5	ug/L	ND	EPA 524.2
cis-1,3-Dichloropropene	0.5	ug/L	ND	EPA 524.2
trans-1,3-Dichloropropene	0.5	ug/L	ND	EPA 524.2
1,1,2-Trichloroethane	0.5	ug/L	ND	EPA 524.2
Toluene	0.5	ug/L	ND	EPA 524.2
1,3-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Dibromochloromethane	0.5	ug/L	ND	EPA 524.2
1,2-Dibromoethane	0.5	ug/L	ND	EPA 524.2
Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
1,1,1,2-Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
Chlorobenzene	0.5	ug/L	ND	EPA 524.2
Ethylbenzene	0.5	ug/L	ND	EPA 524.2

# ADVANCED ENVIRONMENTAL CONCEPTS, INC.

**Laboratory Services** 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

## Certificate of Analysis

<b>Sample Identification:</b>	1894 Conowing INTER 2	<b>Project Identification:</b>	PANTRY ONE
<b>MATRIX:</b>	water	<b>Client Identification:</b>	PANTRY ONE
<b>Sample Date:</b>	9/7/2022	<b>Client Telephone:</b>	
<b>Date Received:</b>	9/9/2022	<b>Client Fax:</b>	
<b>Extraction Date:</b>	na	<b>Analyst:</b>	MM
<b>Analysis Date:</b>	9/12/2022	<b>Lab File:</b>	91222A011

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
m&p-Xylene	0.5	ug/L	ND	EPA 524.2
Bromoform	0.5	ug/L	ND	EPA 524.2
Styrene	0.5	ug/L	ND	EPA 524.2
o-Xylene	0.5	ug/L	ND	EPA 524.2
1,1,2,2-Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
1,2,3-Trichloropropane	0.5	ug/L	ND	EPA 524.2
Isopropylbenzene	0.5	ug/L	ND	EPA 524.2
Bromobenzene	0.5	ug/L	ND	EPA 524.2
n-Propylbenzene	0.5	ug/L	ND	EPA 524.2
2-Chlorotoluene	0.5	ug/L	ND	EPA 524.2
4-Chlorotoluene	0.5	ug/L	ND	EPA 524.2
1,3,5-Trimethylbenzene	0.5	ug/L	ND	EPA 524.2
tert-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,2,4-Trimethylbenzene	0.5	ug/L	ND	EPA 524.2
sec-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,3-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
1,4-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
1,2-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
p-iso-Propyltoluene	0.5	ug/L	ND	EPA 524.2
n-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,2-Dibromo-3-chloropropane	0.5	ug/L	ND	EPA 524.2
1,2,4-Trichlorobenzene	0.5	ug/L	ND	EPA 524.2
Naphthalene	0.5	ug/L	ND	EPA 524.2
Hexachlorobutadiene	0.5	ug/L	ND	EPA 524.2
1,2,3-Trichlorobenzene	0.5	ug/L	ND	EPA 524.2

### SURROGATE SPIKE

1,2-Dichloroethane-d4	%	128	EPA 524.2
Dibromofluoromethane	%	114	EPA 524.2
Toluene-d8	%	100	EPA 524.2
Bromofluorobenzene	%	104	EPA 524.2

*MDE Drinking Water Supply Laboratory Certification #333*

# ADVANCED ENVIRONMENTAL CONCEPTS, INC.

**Laboratory Services** 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

## Certificate of Analysis

<b>Sample Identification:</b>	1894 Conowingo EFF	<b>Project Identification:</b>	PANTRY ONE
<b>MATRIX:</b>	water	<b>Client Identification:</b>	PANTRY ONE
<b>Sample Date:</b>	9/7/2022	<b>Client Telephone:</b>	
<b>Date Received:</b>	9/9/2022	<b>Client Fax:</b>	
<b>Extraction Date:</b>	na	<b>Analyst:</b>	MM
<b>Analysis Date:</b>	9/12/2022	<b>Lab File:</b>	91222A010

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
Dichlorodifluoromethane	0.5	ug/L	ND	EPA 524.2
Chloromethane	0.5	ug/L	ND	EPA 524.2
Vinyl Chloride	0.5	ug/L	ND	EPA 524.2
Bromomethane	0.5	ug/L	ND	EPA 524.2
Chloroethane	0.5	ug/L	ND	EPA 524.2
Trichlorofluoromethane	0.5	ug/L	ND	EPA 524.2
1,1-Dichloroethene	0.5	ug/L	ND	EPA 524.2
tert-Butyl Alcohol (TBA)	10	ug/L	ND	EPA 524.2
Methylene Chloride	0.5	ug/L	ND	EPA 524.2
trans-1,2-Dichloroethene	0.5	ug/L	ND	EPA 524.2
Methyl tert-Butyl Ether (MtBE)	0.5	ug/L	ND	EPA 524.2
1,1-Dichloroethane	0.5	ug/L	ND	EPA 524.2
Diisopropyl Ether (DIPE)	0.5	ug/L	ND	EPA 524.2
cis-1,2-Dichloroethene	0.5	ug/L	ND	EPA 524.2
Bromochloromethane	0.5	ug/L	ND	EPA 524.2
Chloroform	0.5	ug/L	ND	EPA 524.2
2,2-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Ethyl tert-Butyl Ether (EtBE)	0.5	ug/L	ND	EPA 524.2
1,2-Dichloroethane	0.5	ug/L	ND	EPA 524.2
tert-Amyl Alcohol (TAA)	10	ug/L	ND	EPA 524.2
1,1,1-Trichloroethane	0.5	ug/L	ND	EPA 524.2
1,1-Dichloropropene	0.5	ug/L	ND	EPA 524.2
Carbon tetrachloride	0.5	ug/L	ND	EPA 524.2
Benzene	0.5	ug/L	ND	EPA 524.2
tert-Amyl Methyl Ether (TAME)	0.5	ug/L	ND	EPA 524.2
Dibromomethane	0.5	ug/L	ND	EPA 524.2
1,2-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Trichloroethene	0.5	ug/L	ND	EPA 524.2
Bromodichloromethane	0.5	ug/L	ND	EPA 524.2
tert-Amyl Ethyl Ether (TAEE)	0.5	ug/L	ND	EPA 524.2
cis-1,3-Dichloropropene	0.5	ug/L	ND	EPA 524.2
trans-1,3-Dichloropropene	0.5	ug/L	ND	EPA 524.2
1,1,2-Trichloroethane	0.5	ug/L	ND	EPA 524.2
Toluene	0.5	ug/L	ND	EPA 524.2
1,3-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Dibromochloromethane	0.5	ug/L	ND	EPA 524.2
1,2-Dibromoethane	0.5	ug/L	ND	EPA 524.2
Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
1,1,1,2-Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
Chlorobenzene	0.5	ug/L	ND	EPA 524.2
Ethylbenzene	0.5	ug/L	ND	EPA 524.2

# ADVANCED ENVIRONMENTAL CONCEPTS, INC.

**Laboratory Services** 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

## Certificate of Analysis

<b>Sample Identification:</b>	1894 Conowingo EFF	<b>Project Identification:</b>	PANTRY ONE
<b>MATRIX:</b>	water	<b>Client Identification:</b>	PANTRY ONE
<b>Sample Date:</b>	9/7/2022	<b>Client Telephone:</b>	
<b>Date Received:</b>	9/9/2022	<b>Client Fax:</b>	
<b>Extraction Date:</b>	na	<b>Analyst:</b>	MM
<b>Analysis Date:</b>	9/12/2022	<b>Lab File:</b>	91222A010

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
m&p-Xylene	0.5	ug/L	ND	EPA 524.2
Bromoform	0.5	ug/L	ND	EPA 524.2
Styrene	0.5	ug/L	ND	EPA 524.2
o-Xylene	0.5	ug/L	ND	EPA 524.2
1,1,2,2-Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
1,2,3-Trichloropropane	0.5	ug/L	ND	EPA 524.2
Isopropylbenzene	0.5	ug/L	ND	EPA 524.2
Bromobenzene	0.5	ug/L	ND	EPA 524.2
n-Propylbenzene	0.5	ug/L	ND	EPA 524.2
2-Chlorotoluene	0.5	ug/L	ND	EPA 524.2
4-Chlorotoluene	0.5	ug/L	ND	EPA 524.2
1,3,5-Trimethylbenzene	0.5	ug/L	ND	EPA 524.2
tert-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,2,4-Trimethylbenzene	0.5	ug/L	ND	EPA 524.2
sec-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,3-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
1,4-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
1,2-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
p-iso-Propyltoluene	0.5	ug/L	ND	EPA 524.2
n-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,2-Dibromo-3-chloropropane	0.5	ug/L	ND	EPA 524.2
1,2,4-Trichlorobenzene	0.5	ug/L	ND	EPA 524.2
Naphthalene	0.5	ug/L	ND	EPA 524.2
Hexachlorobutadiene	0.5	ug/L	ND	EPA 524.2
1,2,3-Trichlorobenzene	0.5	ug/L	ND	EPA 524.2

### SURROGATE SPIKE

1,2-Dichloroethane-d4	%	129	EPA 524.2
Dibromofluoromethane	%	115	EPA 524.2
Toluene-d8	%	98	EPA 524.2
Bromofluorobenzene	%	106	EPA 524.2

*MDE Drinking Water Supply Laboratory Certification #333*

**ADVANCED ENVIRONMENTAL CONCEPTS, INC.**

1751-1 Pulaski Hwy., Havre de Grace, MD 21078-2207

Phone: 410-939-5550 Fax: 410-939-5552

www.AECEnviro.com

**Chain of Custody Record**

Client: Pantry One Foodmart			Project Name: DSW and POET Q3 2022				SDG#				
Address: 1897 Conowingo Road Rising Sun, MD 21911			Project Location:				Preservatives				
			Phone: Fax:				HCl				
Contact:			Email:				Requested Analysis				
Sample By: GP			Receive Completed Report Via (Circle One) U.S. Mail Email Fax				VOCS 5242				
	Sample #	Sample ID	Date	Time	Matrix	pH					Observation  no CHLORINE
1	2	Trip Blank	9/7/22	835	0	< 2					
2		1897 DSW		922	DW	< 2					
3		1894 Influent		943		< 2					
4		1894 Inter 1		941		< 2					
5		1894 Inter 2		940		< 2					
6		1894 Effluent		938		< 2					
7											
8											
9											
10											
Relinquished/Received By Signature			Date	Time	Delivery Method		Lab Use Only				
Relinquished By: <i>Doreen Patel</i>							Temp of Cooler 24°C				
Received By:							Ice Present (Y/N)				
Relinquished By:							Custody Seal (Y/N)				
Received By: <i>[Signature]</i>			9/5/22				Date of Extraction 2/17				
Relinquished By:							Turn Around Time: (STD) 1 Day 2 Day 3 Day Other				
Received By:											
Matrix Codes: SO = Soil, GW = Ground Water, WW = Waste Water, VP = Vapor, SL = Sludge, DW = Drinking Water, O = Other											
Special Instructions / Comments / QC Requirements:											