

Mettiki Coal, LLC W. Hunter Burow Manager of Environmental Affairs

February 23, 2021

Mr. Ed Dexter Solid Waste Program Maryland Department of the Environment Waste Management Administration 1800 Washington Blvd., STE 605 Baltimore, MD 21230-1719

Dear Mr. Dexter:

Enclosed please find one (1) copy of our 2021 Annual Generator Tonnage Report to meet the requirements of COMAR 26.04.10.08. The report covers the period from January 1, 2021 through December 31, 2021.

If you need additional information or clarification, please call.

Sincerely,

W. Hunter Burow

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Land and Materials Administration • Solid Waste Program

1800 Washington Boulevard • Suite 605 • Baltimore Maryland 21230-1719

410-537-3315 • 800-633-6101 x3315 • www.mde.maryland.gov

Coal Combustion Byproducts (CCBs) Annual Generator Tonnage Report Instructions for Calendar Year 2021

The following is general information relating to the requirement for reporting quantities of coal combustion byproducts (CCBs) that were managed in the State of Maryland during calendar year 2021. Please answer the questions on the form provided, attaching additional information and any requested supplemental information to the back of the form. Note that the form requires both volume and weight of the CCBs produced. If you know one of these parameters but not the others, for example, you have the tonnage produced but not the volume, you may calculate the other parameter; however, please provide the calculations and assumptions that you used in your estimate. Questions can be directed to the Solid Waste Program at (410) 537-3315 or via email at ed.dexter@maryland.gov.

I. Background. This requirement that generators of CCBs submit an annual report was instituted in the Code of Maryland Regulations COMAR 26.04.10.08, that was promulgated effective December 1, 2008. The regulation requires that any non-residential generator of CCBs submit a report to MDE by March 1 of each year describing the manner in which CCBs generated within the State were managed during the preceding calendar year. Additional information and specific instructions follow. For more detailed information, please refer to COMAR 26.04.10.08.

II. General Information and Applicability.

A. Definitions. CCBs are defined in COMAR 26.04.10.02B as:

- "(3) Coal Combustion Byproducts. (a) "Coal combustion byproducts" means the residue generated by or resulting from the burning of coal.
- (b) "Coal combustion byproducts" includes fly ash, bottom ash, boiler slag, pozzolan, and other solid residuals removed by air pollution control devices from the flue gas and combustion chambers of coal burning furnaces and boilers, including flue gas desulfurization sludge and other solid residuals recovered from flue gas by wet or dry methods."

A generator of CCBs is defined in COMAR 26.04.10.02B as:

- "(9) Generator.
- (a) "Generator" means a person whose operations, activities, processes, or actions create coal combustion byproducts.
- (b) "Generator" does not include a person who only generates coal combustion byproducts by burning coal at a private residence."

19-Jan-22 Page 1 of 6

TTY Users: 800-735-2258

B. Applicability. If you or your company meets the definition of a generator of CCBs as defined above, you must provide the information as required below. For the purposes of this report, "you" shall hereinafter refer to the generator defined above. Please note that COMAR 26.04.10.08 requires generators of CCBs to submit an annual report to the Department concerning the disposition of the CCBs that they generated the previous year. THIS INCLUDES CCBS THAT WERE NOT SEPARATELY COLLECTED BUT WERE PRODUCED BY THE BURNING OF COAL AND WERE DIRECTLY CONTRIBUTED TO A PRODUCT, such as cement. Where the amount cannot be directly measured, estimates based on the amount of coal burned can be used. The method of determining the volume of CCBs produced must be described.

III. Required Information. The following information must be provided to MDE by March 1, 2022:

A. Contact information:		
Facility Name: Mettiki Coal, LLC		
Name of Permit Holder: Mettiki Coal, LI	C	
Facility Address: 293 Table Rock Road	Street	
Facility Address: Oakland City	Maryland State	21550 Zip
County: Garrett		1929
Contact Information (Person filing report	or Environmental Manager)	
Facility Telephone No.: 301-334-5396	Facility Fax No.: 301-334-1602	
Contact Name: Hunter Burow		
Contact Title: Manager of Environmental	Affairs	
Contact Address: 293 Table Rock Road	Street	
Contact Address: Oakland City	MD State	21550 Zip
Contact Email: <u>hunter.burow@arlp.com</u>		
Contact Telephone No.: 301-334-5396	Contact Fax No.: 301-334-1602	

For questions on how to complete this form, please contact the Solid Waste Program at 410-537-3315

19-Jan-22

Facility Name: Mettiki Coal, LLC CCB Tonnage Report – 2021

B. A description of the process that generates the CCBs, including the type of coal or other raw material that generates the CCBs. If the space provided is insufficient, please attach additional pages:

The process that generates the subject CCBs is the operation of a coal thermal dryer burning bituminous coal. Raw coal is first sent to the preparation plant where it is washed in a water bath to reduce sulfur and ash content. In the final stage of preparation, hot air from the pulverized coal burners is passed through a fluidized bed of the wet washed coal in the thermal dryer. This is to reduce the moisture content of the processed coal from approximately 15% to approximately 5% to meet contract specification for shipment to the customer.

C. The volume and weight of CCBs generated during calendar year 2021, including an identification of the different types of CCBs generated and the volume of each type generated. If the space provided is insufficient, please attach additional pages in a similar format. If converting from volume to weight or weight to volume, please provide your calculations and assumptions.

Table I: Volume and Weight of CCBs Generated for Calendar Year 2021: Please note that this table includes both the volume and weight of the types of CCBs your facility produces.

Volume and Weight of CCBs Generated for Calendar Year 2021								
Thermal Dryer Ash								
Type of CCB	Type of CCB	Type of CCB	Type of CCB					
1115.31								
Volume of CCB, in Cubic Yards	Volume of CCB, in Cubic Yards	Volume of CCB, in Cubic Yards	Volume of CCB, in Cubic Yards					
1882								
Weight of CCB, in Tons	Weight of CCB, in Tons	Weight of CCB, in Tons	Weight of CCB, in Tons					

Facility Name:	Mettiki Coal. LLC	CCB Tonnage Report – 2021
Additional notes:		
1882 tons x 2 =1115.31 cu		b/cu ft x 27 cu ft/ cu yd)
D. Descriptions of	nny modeling or risk assess	sments, or both, conducted relating to the CCBs or
	erformed by you or your co	ompany during the reporting year. Please attach
E. Copies of all labe this information to t		ical characterizations of the CCBs. Please attach
F. A description of	how you disposed of or use	ed your CCBs in calendar year 2021, identifying:
Paragraph C above)	including any CCBs stored	oosed of or used (if different than described in d during the previous calendar year, the location of he type and volume of CCBs disposed of or used
		sed of in MDE Permit #DM 84-101 refuse near the mine in Garrett County Maryland.
		site and is used for the inherent alkalinity it

Facility Name: _	Mettiki Coal, LLC	CCB Tonnage Report – 2021
	rent uses by type and volume ash is used for disposal/	
	ded is insufficient, please at	tach additional pages in a similar format.
G. A description	of how you intend to dispos	te of or use CCBs in the next 5 years, identifying:
	, mine reclamation and use s	ended to be disposed of or used, the location of sites, and the type and volume of CCBs intended to
No anticipated	changes in the next 5 ye	ears,
and (b) The differ	rent intended uses by type ar	ad valume of CCRs
	sh will continue to be used for	
If the enges provi	dad is insufficient please att	ach additional pages in a similar format

If the space provided is insufficient, please attach additional pages in a similar format.

E TEA NE	Market Contract	CCD T D 202	i
Facility Name: _	Mettiki Coal. LLC	CCB Tonnage Report – 202	Į

IV. Signature and Certification. An authorized official of the generator must sign the annual report, and certify as to the accuracy and completeness of the information contained in the annual report:

	Duglet D. There	
	Dwight Kreiser, VP of Operations, 301-334-5382	2/15/2022
Signature	Name, Title, & Telephone No. (Print or Type)	Date

V: Attachments (please list):

tachment	E - Chenica	1 Characterization

Detection Summary

Client: Mettiki Coal Corporation Project/Site: Quarterly CCB Reporting Job ID: 410-18355-1

Client Sample ID: Mettiki Dryer Ash Grab Solid Sample

Lab Sample ID: 410-18355-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Sulfate	620		75	25	mg/Kg	5	0	EPA 300.0 R2.1	Soluble
Sulfate	54	н	5.0	1.5	mg/L	5		EPA 300.0 R2.1	ASTM Leach
Aluminum	2300		17	9.2	mg/Kg		O	6010C	Total/NA
Arsenic	1.2	1	4.3	1.0	mg/Kg	1	D	6010C	Total/NA
Barium	17		0.43	0.13	mg/Kg	3.	a	6010C	Total/NA
Chromium	4.3		1.3	0.16	mg/Kg	1	O	6010C	Total/NA
Copper	6.9		1.7	0.67	mg/Kg	1	O.	6010C	Total/NA
Iron	6000		17	5.4	mg/Kg	1	p	6010C	Total/NA
Lead	0.60	J	1.3	0.52	mg/Kg	1	Ø.	6010C	Total/NA
Lithium	3.5	J	4.3	1.2	mg/Kg	1	o	6010C	Total/NA
Manganese	6.0		1.7	0.45	mg/Kg	1	0	6010C	Total/NA
Molybdenum	0.35	J	0.86	0.22	mg/Kg	1	o	6010C	Total/NA
Zinc	7.0		1.7	0.86	mg/Kg	1	ø	6010C	Total/NA
Aluminum	0.26		0.20	0.15	mg/L	1		6010C	TCLP
Barium	0.066	В	0.0050	0.0010	mg/L	1		6010C	TCLP
Boron	0.016	J	0.030	0.012	mg/L	1		6010C	TCLP
Chromium	0.0032	J	0.015	0.0016	mg/L	1		6010C	TCLP
Copper	0.052		0.020	0.012	mg/L	1		6010C	TCLP
Iron	0.10	J	0.20	0.040	mg/L	1		6010C	TCLP
Lithium	0.063		0.050	0.011	mg/L	1		6010C	TCLP
Manganese	0.018		0.010	0.0030	mg/L	1		6010C	TCLP
Molybdenum	0.0099	J	0.010	0.0020	mg/L	1		6010C	TCLP
Zinc	0.028		0.020	0.0037	mg/L	1		6010C	TCLP



Client Sample Results

Client: Mettiki Coal Corporation Project/Site: Quarterly CCB Reporting Job ID: 410-18355-1

6

Client Sample ID: Mettiki Dryer Ash Grab Solid Sample Lab Sample ID: 410-18355-1 Date Collected: 10/20/20 13:30 Matrix: Solid Date Received: 10/27/20 08:20 Method: EPA 300.0 R2.1 - Anions, Ion Chromatography - ASTM Leach Analyte Result Qualifier MDL Unit D Prepared Analyzed Dil Fac Sulfate 5.0 54 H 1.5 mg/L 12/05/20 23:06 5 Method: 6010C - Metals (ICP) - TCLP Analyte Result Qualifier RL MDL Unit D Prepared Analyzed Dil Fac 0.20 Aluminum 0.26 0.15 mg/L 10/29/20 14:55 10/30/20 10:14 Arsenic ND 0.030 10/29/20 14:55 11/02/20 13:48 0.016 mg/L 0.0050 Barlum 0.066 0.0010 ma/L 10/29/20 14:55 11/03/20 06:36 0.030 Boron 0.012 10/29/20 14:55 10/30/20 10:14 0.016 ma/L Cadmium ND 0.0050 10/29/20 14:55 0.0010 mg/L 10/30/20 10:14 Chromium 0.0032 J 0.015 0.0016 mg/L 10/29/20 14:55 10/30/20 10:14 Copper 0.052 0.020 0.012 mg/L 10/29/20 14:55 10/30/20 10:14 0.040 Iron 0.10 . 0.20 ma/L 10/29/20 14:55 10/30/20 10:14 Lead ND 0.015 0.0071 mg/L 10/29/20 14:55 10/30/20 10:14 Lithium 0.063 0.050 0.011 11/02/20 13:48 mg/L 10/29/20 14:55 Manganese 0.018 0.010 0.0030 10/29/20 14:55 10/30/20 10:14 ma/L Molybdenum 0.010 0.0020 0.0099 mo/L 10/29/20 14:55 10/30/20 10:14 Selenium ND 0.050 0.016 10/29/20 14:55 10/30/20 10:14 Silver ND 0.010 0.0050 mg/L 10/29/20 14:55 10/30/20 10:14 Zinc 0.020 0.0037 10/29/20 14:55 10/30/20 10:14 0.028 ma/L Method: 7470A - Mercury (CVAA) - TCLP Analyte Result Qualifier RI MDL Unit D Prepared Analyzed Dil Fac Mercury NO 0.20 0.079 ua/L 10/29/20 14:58 10/30/20 11:20 **General Chemistry** Analyte Result Qualifier RL MDL Unit D Analyzed Dil Fac Prepared Percent Moisture 1.0 1.0 0.2 10/27/20 12:12 Percent Solids 1.0 06 99.8 1.0 10/27/20 12:12 Client Sample ID: Mettiki Dryer Ash Grab Solid Sample Lab Sample ID: 410-18355-1 Date Collected: 10/20/20 13:30 Matrix: Solid Date Received: 10/27/20 08:20 Percent Solids: 99.8 Method: EPA 300.0 R2.1 - Anions, Ion Chromatography - Soluble Analyte Result Qualifier RL MDI Unit D Prepared Analyzed Dil Fac Sulfate 75 620 25 mg/Kg 10/28/20 16:25 Method: 6010C - Metals (ICP) Analyte Result Qualifier RL MDL Unit D Prepared Analyzed Dit Fac 17 9.2 Aluminum 2300 mg/Kg 10/27/20 18:21 10/28/20 16:21 Arsenic 1.2 4.3 mg/Kg 10/27/20 18:21 10/28/20 16:21 Barium 17 0.43 0.13 mg/Kg ä 10/27/20 18:21 10/28/20 16:21 Boron ND 17 53 ma/Ka 10/27/20 18:21 10/28/20 16:21 Cadmium ND 0.43 0.086 mg/Kg 10/27/20 18:21 10/28/20 16:21 Chromium 4.3 1.3 0.16 ma/Ka 10/27/20 18:21 10/28/20 16:21 Copper 6.9 1.7 0.67 mg/Kg 10/27/20 18:21 10/28/20 16:21 В Iron 6000 17 5.4 mg/Kg 10/27/20 18:21 10/28/20 16:21 Lead 0.60 J 13 0.52 mg/Kg 10/27/20 18:21 10/28/20 16:21 Lithlum 3.5 4.3 1.2 mg/Kg 10/27/20 18:21 10/28/20 16:21 Manganese 6.0 1.7 0.45 ma/Ka 10/27/20 18:21 10/28/20 16:21 Molybdenum 0.86 0.22 mg/Kg 0.35 J 10/27/20 18:21 10/28/20 16:21

Eurofins Lancaster Laboratories Env, LLC

Client Sample Results

Client: Mettiki Coal Corporation Project/Site: Quarterly CCB Reporting Job ID: 410-18355-1

Client Sample ID: Mettiki Dryer Ash Grab Solid Sample

ND

Date Collected: 10/20/20 13:30 Date Received: 10/27/20 08:20

Mercury

Lab Sample ID: 410-18355-1

11/03/20 16:26

11/02/20 06:01

Matrix: Solid

Percent Solids: 99.8

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Selenium	ND		4.3	1.3	mg/Kg	D	10/27/20 18:21	10/28/20 16:21	1
Silver	ND		0.86	0.35	mg/Kg	10	10/27/20 18:21	10/30/20 13:22	1
Zinc	7.0		1.7	0.86	mg/Kg		10/27/20 18:21	10/28/20 16:21	1
Method: 7471A - Mercury (CVAA)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac

0.058

0.024 mg/Kg

