ANNUAL WATER OLLAITY REPORT

Reporting Year 2021



Presented By
City of Cambridge Municipal
Utilities Commission

We've Come a Long Way

Once again, we are proud to present our annual water quality report covering the period between January 1 and December 31, 2021. In a matter of only a few decades, drinking water has become exponentially safer and more reliable than at any other point in human history. Our exceptional staff continues to work hard every day—at all hours—to deliver the highest-quality drinking water without interruption. Although the challenges ahead are many, we feel that by relentlessly investing in customer outreach and education, new treatment technologies, system upgrades, and training, the payoff will be reliable, high-quality tap water delivered to you and your family.

When the well is dry, we

know the worth of water.

99

-Benjamin Franklin

Source Water Assessment

Asource Water Assessment Plan (SWAP) is now available at our office. This plan is an assessment of the delineated area around our listed sources through which contaminants, if present, could migrate and reach our source water. It also includes an inventory of potential sources of contamination within the delineated area and a determination of the water supply's susceptibility to contamination by the identified potential sources.

According to the SWAP, our water system is "not susceptible to contaminants originating at the land surface due to the protected nature of confining aquifers." If you would like to review the SWAP, please feel free to contact our office during regular office hours.

Water Treatment Process

Due to the high-quality well water used, the treatment process consists of just two steps. First, raw water is drawn from our wells and sent to an aeration tray, which allows for oxidation of the low iron levels that are present in the water. The water then goes to a holding tank, where chlorine is added for disinfection. (We carefully monitor the amount of chlorine,

adding the lowest quantity necessary to protect the safety of your water without compromising taste.) Finally, the water is pumped from the treatment facilities to sanitized water towers and into your home or business. Our certified water production operators monitor samples 365 days a year at different points in the system to ensure the quality of the water.

Important Health Information

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as those with cancer undergoing chemotherapy, those who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants may be particularly at risk from infections.

These people should seek advice about drinking water from their health care providers. The U.S. EPA/ CDC (Centers for Disease Control and Prevention) guidelines on appropriate means to lessen the risk of

infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791 or http://water.epa.gov/drink/hotline.

Substances That Could Be in Water

To ensure that tap water is safe to drink, the U.S. EPA prescribes regulations limiting the amount of certain contaminants in water provided by public water systems. U.S. Food and Drug Administration regulations establish limits for contaminants in bottled water that must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of these contaminants does not necessarily indicate that the water poses a health risk.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals, in some cases, radioactive material, and substances resulting from the presence of animals or from human activity. Substances that may be present

in source water include:

Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, or wildlife;

Inorganic Cosntaminants, such as salts and metals, which can be naturally occurring or may result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming;

Pesticides and Herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses;

Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production and may also come from gas stations, urban stormwater runoff, and septic systems;

Radioactive Contaminants, which can be naturally occurring or may be the result of oil and gas production and mining activities.

For more information about contaminants and potential health effects, call the U.S. EPA's Safe Drinking Water Hotline at (800) 426-4791.

For more information about this report, or for any questions relating to your drinking water, please call Jane Dorman, Water Resource Administrator; Ed Bramble, Superintendent; or James Hurley, Assistant Superintendent; at (410) 228-5440.

Where Does My Water Come From?

The City of Cambridge Municipal Utilities Commission customers are fortunate because we enjoy an abundant water supply from 10 wells withdrawing from three different aquifers. We have six wells pumping from the Piney Point Aquifer, two wells in the Magothy Aquifer, and two wells withdrawing from the Patapsco (Raritan) Aquifer.



Piney Point Formation

The Piney Point Aquifer is used by eight of the nine community water systems in the area. The thickness of the Piney Point Formation is variable, ranging from a few feet to about 160 feet. The formation consists of medium- to coarse-grained, olive-green to black, slightly glauconitic sand with interbedded clayey layers. The top of the Piney Point Formation is about 340 feet below sea level at Cambridge. Transmissivity values in Cambridge range from 25,000 to 45,000 gallons per day (gpd) per foot. The Piney Point Aquifer is overlain by the Chesapeake Group Formations, which function as confining and leaky confining beds to this aquifer. The Piney Point Aquifer does not outcrop at the ground surface and therefore is not directly recharged by precipitation. Recharge is derived from lateral and vertical leakage through adjacent beds.

Magothy Formation

This formation consists of medium- to coarse-grained, white, yellow, and gray sands with irregular lenses of dark clay containing lignite. The thickness ranges from 30 to 139 feet. The top of the Magothy Formation is about 900 feet below sea level in Cambridge. Transmissivity values at Cambridge are between 8,000 and 15,000 gpd per foot. The formation is overlain unconformably by the Matawan Formation, which functions as a confining unit in Dorchester County.

Patapsco (Raritan) Formation

The Patapsco Formation consists of fine- to medium-grained, greenish gray sand with layers of mottled, tough clay. The sands occur in four beds ranging in thickness from 15 to 40 feet. The top of the Patapsco Formation ranges from about 1,000 to 1,500 feet below sea level in Dorchester County. Cambridge's wells have a transmissivity of over 16,000 gpd per foot. The Patapsco Aquifer is overlain by multiple younger aquifers and confining units of variable thickness. The outcrop area extends from Washington, D.C., to Elkton, Maryland, in a band of varying width. Between Washington and Baltimore, the outcrop area is between 10 and 20 miles wide.


To meet our daily demand, we are currently operating three or four of the wells, with others in reserve. The wells pump water into ground storage tanks located at our four pumping stations. The stations are located on Stone Boundary Road, Nathans Avenue, Glasgow Street, and Brohawn Avenue. Water is pumped from our pumping stations into the distribution system, which consists of approximately 120 miles of pipe supported by elevated storage tanks with a capacity of 1.5 million gallons. We provide our customers with roughly 1.5 million gallons of good, safe drinking water every day.

Lead in Home Plumbing

If present, elevated levels of lead can cause serious Thealth problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing highquality drinking water, but we cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at (800) 426-4791 or at www.epa.gov/safewater/lead.

Safeguard Your Drinking Water

Protection of drinking water is everyone's responsibility. You can help protect your community's drinking water source in several ways:





- If you have your own septic system, properly maintain it to reduce leaching to water sources, or consider connecting to a public water system.
- Dispose of chemicals properly; take used motor oil to a recycling center.
- Volunteer in your community. Find a watershed or wellhead protection organization in your community and volunteer to help. If there are no active groups, consider starting one. Use the U.S. EPA's Adopt Your Watershed to locate groups in your community.
- Organize a storm drain stenciling project with others in your neighborhood. Stencil a message next to the street drain reminding people "Dump No Waste—Drains to River" or "Protect Your Water." Produce and distribute a flyer for households to remind residents that storm drains dump directly into your local water body.

Community Participation

You are invited to participate in our public forum and voice your concerns about your drinking water. We meet the fourth Thursday of every other month beginning at 5:30 p.m. at the Municipal Utilities Office, 410 Academy Street, Cambridge.



Test Results


those substances that were detected in our water. (A complete list of all our analytical results is available upon request.) Remember that detecting a substance does not mean the water ur water is monitored for many different kinds of substances on a very strict sampling schedule. Also, the water we deliver must meet specific health standards. Here, we show only is unsafe to drink; our goal is to keep all detects below their respective maximum allowed levels.

The state recommends monitoring for certain substances less often than once per year because the concentrations of these substances do not change frequently. In these cases, the most recent sample data are included, along with the year in which the sample was taken.

REGULATED SUBSTANCES										
SUBSTANCE (UNIT OF MEASURE)		YEAR	MCL [MRDL]	MCLG [MRDLG]	AMOUNT	RANGE LOW-HIGH	VIOLATION	TYPICAL SOURCE	RGE	
Arsenic (ppb)		2021	10	0	1.8	0–1.8	No	Erosion of r	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes	ards; Runoff from glass and
Barium (ppm)		2021	2	7	0.0166	0.0049-0.0166	%	Discharge of	drilling wastes: Discharge from meral	Discharge of drilling wastes: Discharge from mend refineries: Receive of manned 1
Beta/Photon Emitters (pCi/L)		2021	501	0	4.9	4.1–4.9	%	Decay of na	Decay of natural and human-made denocite	i cancares, exosion oi natural deposits
Chlorine (ppm)		2021	[4]	[4]	0.5	0.5-0.5	%	Water addit	Water additive used to control microbes	
Combined Radium (pCi/L)		2021	5	0	0.1	ND-0.1	N _o	Erosion of n	Erosion of natural denosits	
Fluoride (ppm)		2021	4	4	1.2	0.6–1.2	Š	Erosion of n from fertiliz	Erosion of natural deposits; Water additive that from fertilizer and aluminum factories	Erosion of natural deposits; Water additive that promotes strong teeth; Discharge from fertilizer and aluminum factories
Haloacetic Acids [HAAs]-Stage 2 (ppb)	(qd	2021	09	NA	>	0-5	°N	By-product	By-product of drinking water disinfection	
TTHMs [total trihalomethanes]-Stage 2 (ppb)	e 2 (ppb)	2021	80	NA	19	8.2-22.2	%	By-product	By-product of drinking water disinfection	
Tap water samples were collected for lead and copper analyses from sample sites throughout the community	nd copper analys	es from sam	ple sites th	roughout the	community.				0	
SUBSTANCE (UNIT OF MEASURE) YEAR SAMPLED	SAMPLED AL	MCLG	AMOUNT	DETECTED	AMOUNT DETECTED (90TH %ILE)	SITES ABOVE AL/TOTAL SITES	TOTAL SITES	VIOLATION	TYPICAL SOLIBCE	
Copper (ppm) 2	2020 1.3	3 1.3		0.12		0/31		Ž	Corrosion of household alumbing	. I I J
Lead (ppb) 2	2020 15	0		2.5		0/31		ž	Correction of household aliment.	Correction of household all all all all all all all all all a
UNREGULATED SUBSTANCES									Salvatori of mouscitorid printiparis	Corressor of notaction plumbing systems; Erosion of natural deposits
SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED		AMOUNT DETECTED		RANGETOW-HIGH	Definitions	ions			
Bromide (ppb)	2018		31.6		11.2–52.4	90th %ile: T	90th %ile: The levels reported for		MCLG (Maximum Contaminant	NA: Not applicable.
Bromochloroacetic Acid (ppb)	2018		8.0		0.3-1.6	lead and copp	lead and copper represent the 90th	l,	Level Goal): The level of a	ND (Not detected): Indicates that
Bromodichloroacetic Acid (ppb)	2018		0.5		<0.5-1.1	sites tested. T	sites tested. The 90th percentile is		below which there is no known or	the substance was not found by
Chlorodibromoacetic Acid (ppb)	2018		0.35		ND-0.7	equal to or gr	equal to or greater than 90% of our		expected risk to health. MCLGs	laboratory analysis.
Chromium, Total (ppb)	2021		2.1		ND-2.1	AI (A.S. I N. F.	ci delectionis.	d ,	allow for a margin of safety.	pCi/L (picocuries per liter): A
Dibromoacetic Acid (ppb)	2018		0.3		<0.3-0.6	concentration of a conta	AL (Action Level): The concentration of a contaminant		MRDL (Maximum Residual Disinfectant Level): The highest	measure of radioactivity.
Dichloroacetic Acid (ppb)	2018		1.4	(exserve	0.7-2.2	that, if exceed	that, if exceeded, triggers treatment		evel of a disinfectant allowed in	ppb (parts per billion); One part
HAA6Br (ppb)	2018		2.8		0.8-3.7	or other requiremen	or other requirements that a water system must follow		drinking water. There is convincing	micrograms per liter).
HAA9 (ppb)	2018		5.9		1.5-8.9	MCI (Mer.)	Mot Mesting 6		evisitice triat autumon of a disinfectant is necessary for control	ppm (parts per million): One part
Manganese (ppb)	2018		3.9	***************************************	0.4-12.6	Level): The hi	Level): The highest level of a		of microbial contaminants.	substance per million parts water (or
Nickel (ppm)	2021		1.1		ND-1.1	Contaminant t	contaminant that is allowed in		MRDLG (Maximum Residual	miligrams per liter),
Sodium (ppm)	2021		139		59-139	close to the M	UTHINING WATER MICLS ARE SET AS close to the MCLGs as feasible		Disinfectant Level Goal): The level of a drinking water disinfectant	
Total Organic Carbon [TOC] (ppb)	2018		9.0		ND-1.3	using the best	using the best available treatment		below which there is no known or	
Trichloroacetic Acid (ppb)	2018		1.2	v	<0.5-3.0	rechnology.		o -₹	expected risk to health. MRDLGs	
1 The MCL for beta particles is 4 mrem/year. The U.S. EPA considers 50 pCi/L to be the level of concern for	he U.S. EPA cor	siders 50 p(Ci/L to be th	ne level of c	oncern for			ਂ ਰ	of disinfectants to control microbial	
pera particles.								ၓ	contaminants.	

PFAS - short for per- and polyfluoroalkyl substances - refers to a large group of more than 4,000 human-made chemicals that have been used since the 1940s in a range of products, including stain- and water-resistant fabrics and carpeting, cleaning products, paints, cookware, food packaging and fire-fighting foams. These uses of PFAS have led to PFAS entering our environment, where they have been measured by several states in soil, surface water, groundwater and seafood. Some PFAS can last a long time in the environment and in the human body and can accumulate in the food chain.

of protection from lifetime exposure to PFOA and POS in drinking water. Beginning in 2020, the Maryland Department of the Environment (MDE) initiated a PFAS monitoring program. The combined PFOA and PFAS concentration from However, the U.S. Environmental Protection Agency (EPA) has issued a Health Advisory Level (HAL) of 70 parts per trillion when followed, the EPA HAL does provide drinking water customers, even the most sensitive populations, with a margin samples taken from our water system was below the detection limit. MDE anticipates that EPA will establish an MCL for Currently, there are no federal regulations (i.e. Maximum Contaminant Levels (MCLs)) for PFAS in drinking water. PFÔA and PFOS in the near future. This would entail additional monitoring. Additional information about PFAS can be (ppt) for the sum of PFOA and PFOS concentrations in drinking water. While not an enforceable regulatory standard, found on the MDE website: mde.maryland.gov"



Dorchester County Sanitary District, Inc. Lodgecliffe Water Distribution System PWSID #: 0090009 Water Quality Data

The table below lists drinking water contaminants that we detected up to the end of the 2021 calendar year. These represent testing we were required to perform. These tests are in addition to the tests required and completed by our wholesale supplier, Municipal Utilities Commission. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The state requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data, though representative of the water quality, is more than one year old.

Terms & abbreviations used below:

- Maximum Contaminant Level Goal (MCLG): the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLG's allow for a margin of safety.
- Maximum Contaminant Level (MCL): the highest level of a contaminant that is allowed in drinking water. MCL's are set as close to the MCLG's as feasible using the best available treatment technology.
- Action Level (AL): the concentration of a contaminant in which, when exceeded, triggers treatment or other requirements which a water system must follow.
- n/a: not applicable nd: not detectable at testing limit ppb: parts per billion or micrograms per liter ppm: parts per million or micrograms per liter

MCG	MCLG	Lodgecliffe Water	Violation	Typical Source
80	N/A	19	No	Byproducts of chlorine disinfection
60	N/A	5	No	Byproducts of chlorine disinfection
	80	80 N/A	80 N/A 19	80 N/A 19 No