



November 1, 2022

The Water and Science Administration has received the applications listed below. A preliminary review has indicated that the listed projects may be subject to the opportunity for a public hearing once the application is substantially complete. Projects may be significantly altered during the review process. The applications and related information are available for inspection and copying. You may also request written notice of any hearing opportunity by having your name placed on the interested persons list for each project in which you are interested. To inspect the file or to have your name placed on the interested persons list, contact the assigned division at the telephone number indicated below no later than Wednesday, November 30, 2022.

Water Supply Program - (410) 537-3590

County: Kent

KE2022G001/01: Harborview Farms Partnership has applied to appropriate and use an annual average of 229,500 gallons of groundwater per day (gpd) and 1,394,500 gpd during the month of maximum use for crop irrigation. Water will be withdrawn from five wells in the unconfined Aquia aquifer. The project is located at 9385 Earl Nicholson Road, Chestertown, Kent County, Maryland.

County: Wicomico

WI2022G001/01: Edmond H. Burns V has applied to appropriate and use an annual average of 71,900 gallons of groundwater per day (gpd) and an average of 476,000 gpd in the month of maximum use for crop irrigation. Water will be withdrawn from one well in the Columbia aquifer. The project is located at 8075 White Lowe Road, Salisbury, Wicomico County, Maryland.