

Summary of Hydrologic Indicators for September 2001					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Watch	Normal	Normal	Normal	Normal
Central	Watch	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for Mid-September 2001					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Watch	Normal	Normal	Normal ¹	Normal
Central	Watch	Warning	Normal	Normal ¹	Watch
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

¹Preliminary, based on estimate of change from previous month

Summary of Hydrologic Indicators for August 2001					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Watch	Normal	Normal	Normal	Normal
Central	Watch	Watch	Normal	Normal	Watch
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for Mid-August 2001 ²					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal ¹	Normal
Central	Watch	Normal	Normal	Normal ¹	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

²Rainfall and Streamflows updated through August 16.

Summary of Hydrologic Indicators for July 2001					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Watch	Normal	Normal	Normal ¹	Normal
Central	Watch	Watch	Normal	Normal ¹	Watch
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

¹Preliminary, based on estimate of change from previous month

Summary of Hydrologic Indicators for June 2001					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Watch	Normal	Normal	Normal	Normal
Central	Watch	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal


Summary of Hydrologic Indicators for May 2001					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Watch	Normal	Normal	Normal	Normal
Central	Watch	Normal	Normal	Normal	Normal
Eastern	Watch	Normal	Normal	N/A	Normal
Southern	Watch	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for April 2001					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Watch	Normal	Normal	Normal	Normal
Central	Watch	Normal	Normal	Normal	Normal
Eastern	Watch	Normal	Normal	N/A	Normal
Southern	Watch	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for March 2001					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Precipitation Indicators for Maryland Drought Regions						
30-Sep-01						
Region	3-Month		WY ¹ to date (12-Month)		12-Month	
	Percent of Normal	Condition	Percent of Normal	Condition	Percent of Normal	Condition
Western	83%	Normal	83%	Watch	83%	Watch
Central	78%	Normal	79%	Watch	79%	Watch
Southern	110%	Normal	92%	Normal	92%	Normal
Eastern	109%	Normal	95%	Normal	95%	Normal

¹WY or Water Year begins on October 1.



Precipitation Indicators for Maryland Drought Regions						
31-Aug-01						
Region	3-Month		WY ¹ to date (11-Month)		12-Month	
	Percent of Normal	Condition	Percent of Normal	Condition	Percent of Normal	Condition
Western	106%	Normal	85%	Watch	89%	Normal
Central	87%	Normal	78%	Watch	84%	Watch
Southern	134%	Normal	97%	Normal	100%	Normal
Eastern	135%	Normal	98%	Normal	103%	Normal

¹WY or Water Year begins on October 1.

Precipitation Indicators for Maryland Drought Regions						
31-Jul-01						
Region	3-Month		WY ¹ to date (10-Month)		12-Month	
	Percent of Normal	Condition	Percent of Normal	Condition	Percent of Normal	Condition
Western	105%	Normal	85%	Watch	92%	Normal
Central	86%	Normal	77%	Watch	83%	Watch
Southern	125%	Normal	93%	Normal	98%	Normal
Eastern	124%	Normal	94%	Normal	100%	Normal

¹WY or Water Year begins on October 1

Precipitation Indicators for Maryland Drought Regions						
31-May-01						
Region	3-Month		WY ¹ to date (8-Month)		12-Month	
	Percent of Normal	Condition	Percent of Normal	Condition	Percent of Normal	Condition
Western	94%	Normal	75%	Watch	93%	Normal
Central	90%	Normal	74%	Watch	88%	Normal
Southern	101%	Normal	80%	Watch	105%	Normal
Eastern	105%	Normal	82%	Watch	104%	Normal

¹WY or Water Year begins on October 1

Precipitation Indicators for Maryland Drought Regions						
30-Apr-01						
Region	3-Month		WY ¹ to date (6-Month)		12-Month	
	Percent of Normal	Condition	Percent of Normal	Condition	Percent of Normal	Condition
Western	88%	Normal	74%	Watch	94%	Normal
Central	86%	Normal	72%	Watch	87%	Normal
Southern	94%	Normal	76%	Watch	102%	Normal
Eastern	101%	Normal	79%	Watch	102%	Normal

¹WY or Water Year begins on October 1

Precipitation Indicators for Maryland Drought Regions						
31-Mar-01						
Regions	3-Month		WY ¹ to date (6-Month)		12-Month	
	Percent of Normal	Condition	Percent of Normal	Condition	Percent of Normal	Condition
Western	96%	Normal	74%	Watch	96%	Normal
Central	101%	Normal	75%	Watch	92%	Normal
Southern	107%	Normal	80%	Normal	109%	Normal
Eastern	108%	Normal	82%	Normal	107%	Normal

¹WY or Water Year begins on October 1

Streamflow Status of September 2001

Stream Gage Location	Region	Status as of 9/30/01	Flow (cfs) Reported on 10/4/2001	7-Day Median (cfs) Ending 9/30/2001	Historical Median Flow in cfs Ending 9/30	Historical Rank For Week Ending 9/30/01
Youghiogheny (near Oakland)	Western	Normal	20	29	37	40% - 45%
Savage River (near Barton)	Western	Normal	3	5	6	40% - 45%
Wills Creek (near Cumberland)	Western	Normal	24	30	39	35% - 40%
Antietam Creek (near Sharpsburg)	Western & Central	Watch	89	93	121	20% - 25%
Monocacy (near Frederick)	Central	Normal	88	170	166	50% - 55%
Patuxent (near Unity)	Central	Normal	9	12	13	45% - 50%
Deer Cr (at Rocks)	Central	Watch	29	33	59	10% - 15%
Choptank (near Greensboro)	Eastern	Normal	23	27	24	55% - 60%
Susquehanna (at Marietta)		Normal	10,000	22,750	7,375	85% - 90%
Potomac (at Little Falls) (Corrected)		Normal	1,820	2,754	2,735	50% - 55%

Streamflow Status of August 2001

Stream Gage Location	Region	Status as of 8/31/01	Flow (cfs) Reported on 9/4/2001	7-Day Median (cfs) Ending 8/31/2001	Historical Median Flow in cfs Ending 8/31	Historical Rank For Week Ending 8/31/01
Youghiogheny (near Oakland)	Western	Normal	45	45	43	50% - 55%
Savage River (near Barton)	Western	Normal	9	14	6	80%
Wills Creek (near Cumberland)	Western	Normal	33	37	40	45% - 50%
Antietam Creek (near Sharpsburg)	Western & Central	Watch	91	91	132	15% - 20%
Monocacy (near Frederick)	Central	Watch	66	81	159	10% - 15%
Patuxent (near Unity)	Central	Normal	10	12	11	55%
Deer Cr (at Rocks)	Central	Watch	31	35	59	10% - 15%
Choptank (near Greensboro)	Eastern	Normal	26	30	24	60% - 65%
Susquehanna (at Marietta)		Watch	6,580	4,985	7,390	20% - 25%
Potomac (at Little Falls) (Corrected)		Normal	2,510	2,990	2,990	50% - 55%

Streamflow Status of June 2001

Stream Gage Location	Region	Status as of 6/30/01	Flow (cfs) Reported on 7/06/2001	7-Day Median (cfs) Ending 6/30/2001	Historical Median Flow in cfs Ending 6/30	Historical Rank For Week Ending 6/30/01
Youghiogheny (near Oakland)	Western	Normal	888	70	74	45% - 50%
Savage River (near Barton)	Western	Normal	87	30	13	80%
Wills Creek (near Cumberland)	Western	Normal	130	171	90	75% - 80%
Antietam Creek (near Sharpsburg)	Western & Central	Normal	150	163	212	25% - 30%
Monocacy (near Frederick)	Central	Normal	201	248	314	30% - 35%
Patuxent (near Unity)	Central	Normal	30	33	21	75% - 80%
Deer Cr (at Rocks)	Central	Normal	55	65	94	20% - 25%
Choptank (near Greensboro)	Eastern	Normal	462	146	36	90% - 95%
Susquehanna (at Marietta)		Normal	16,400	40,500	15,300	90% - 95%
Potomac (at Little Falls) (Corrected)		Normal	4,644	11,410	5,065	90% - 95%

Streamflow Status of May 2001

Stream Gage Location	Region	Status as of 5/31/01	Flow (cfs) Reported on 6/1/2001	7-Day Median (cfs) Ending 5/31/2001	Historical Median Flow in cfs Ending 5/31	Historical Rank For Week Ending 5/31/01
Youghiogheny (near Oakland)	Western	Normal	177	469	157	85% - 90%
Savage River (near Barton)	Western	Normal	54	124	40	85% - 90%
Wills Creek (near Cumberland)	Western	Normal	164	251	201	60% - 65%
Antietam Creek (near Sharpsburg)	Western & Central	Normal	191	214	286	25% - 30%
Monocacy (near Frederick)	Central	Normal	279	429	568	35% - 40%
Patuxent (near Unity)	Central	Normal	25	33	33	50%
Deer Cr (at Rocks)	Central	Normal	81	95	116	35% - 40%
Choptank (near Greensboro)	Eastern	Normal	140	264	74	85% - 90%
Susquehanna (at Marietta)		Normal	19,800	20,900	31,900	25% - 30%
Potomac (at Little Falls) (Corrected)		Normal	9,758	15,062	9,045	75% - 80%

Streamflow Status of April 2001

Stream Gage Location	Region	Status as of 4/30/01	Flow (cfs) Reported on 5/1/2001	7-Day Median (cfs) Ending 4/30/2001	Historical Median Flow in cfs Ending 4/30	Historical Rank For Week Ending 4/30/01
Youghiogheny (near Oakland)	Western	Watch	90	130	260	15% - 20%
Savage River (near Barton)	Western	Normal	28	42	70	25% - 30%
Wills Creek (near Cumberland)	Western	Normal	191	262	330	35% - 40%
Antietam Creek (near Sharpsburg)	Western & Central	Normal	311	351	358	45% - 50%
Monocacy (near Frederick)	Central	Normal	531	673	770	40% - 45%
Patuxent (near Unity)	Central	Normal	30	33	40	25% - 30%
Deer Cr (at Rocks)	Central	Normal	116	124	137	40% - 45%
Choptank (near Greensboro)	Eastern	Normal	99	117	111	50% - 55%
Susquehanna (at Marietta)		Normal	33,000	45,400	49,800	40% - 45%
Potomac (at Little Falls)		Normal	7,415	9,571	11,500	35% - 40%

Streamflow Status of March 2001

Stream Gage Location	Region	Status as of 3/31/01	Flow (cfs) Reported on 4/2/2001	7-Day Median (cfs) Ending 3/31/2001	Historical Median Flow in cfs Ending 3/31/01	Historical Rank For Week Ending 3/31/01
Youghiogheny (near Oakland)	Western	Normal	617	416	432	45% - 50%
Savage River (near Barton)	Western	Normal	144	140	134	50% - 55%
Wills Creek (near Cumberland)	Western	Normal	526	504	613	40% - 45%
Antietam Creek (near Sharpsburg)	Western & Central	Normal	718	378	418	40% - 45%
Monocacy (near Frederick)	Central	Normal	12,300	1,100	1,180	40% - 45%
Patuxent (near Unity)	Central	Normal	95	41	50	30% - 35%
Deer Cr (at Rocks)	Central	Normal	264	140	137	50% - 55%
Choptank (near Greensboro)	Eastern	Normal	1,490	295	172	75% - 80%
Susquehanna (at Marietta)		Normal	128,000	76,900	69,600	55% - 60%
Potomac (at Little Falls)		Normal	36,750	27,088	18,300	70% - 75%

Groundwater Levels and Status for September 2001

Region	USGS Well ID	Well Level ¹	Status	Regional Status
Western	GA Bc 1	14.89	Normal	Normal
	WA Be 2	34.13	Normal	
Central	CL Bf 1	71.51	Normal	Normal
	BA Ea 18	22.9	Normal	
	MO Cc 14	38.4	Normal	
	MO Eh 20	14.49	Normal	
Eastern	CO Bc 1	2.71	Normal	Normal
	WI Cf 3	8.48	Normal	
	MC51-01	11.49	Normal	
	SO Cf 2	4.99	Normal	
Southern	CH Ee 16	15.49	Normal	Normal

¹Measurement of water level as feet below land surface

Groundwater Levels and Status for August 2001

Region	USGS Well ID	Well Level ¹	Status	Regional Status
Western	GA Bc 1	14.25	Normal	Normal
	WA Be 2	33.14	Normal	
Central	CL Bf 1	69.3	Normal	Normal
	BA Ea 18	22.14	Normal	
	MO Cc 14	35.33	Normal	
	MO Eh 20	13.77	Normal	
Eastern	CO Bc 1	2.31	Normal	Normal
	WI Cf 3	7.29	Normal	
	MC51-01	9.17	Normal	
	SO Cf 2	3.96	Normal	
Southern	CH Ee 16	13.84	Normal	Normal

¹Measurement of water level as feet below land surface

Groundwater Levels and Status for July 2001

Region	USGS Well ID	Well Level ¹	Status	Regional Status
Western	GA Bc 1	14.61	Normal	Normal
	WA Be 2	33.07	Normal	
Central	CL Bf 1	67	Normal	Normal
	BA Ea 18	21.2	Normal	
	MO Cc 14	31.12	Normal	
	MO Eh 20	13.77	Normal	
Eastern	CO Bc 1	1.95	Normal	Normal
	WI Cf 3	8.44	Normal	
	MC51-01	8.99	Normal	
	SO Cf 2	5.35	Emergency	
Southern	CH Ee 16	14.51	Normal	Normal

¹Measurement of water level as feet below land surface

Groundwater Levels and Status for June 2001

Region	USGS Well ID	Well Level ¹	Status	Regional Status
Western	GA Bc 1	13.88	Normal	Normal
	WA Be 2	31.61	Normal	
Central	CL Bf 1	66.41	Normal	Normal
	BA Ea 18	20.75	Normal	
	HO Bd 1		Normal	
	MO Cc 14	27.22	Normal	
	MO Eh 20	12.73	Normal	
Eastern	CO Bc 1	2.1	Normal	Normal
	WI Cf 3	7.73	Normal	
	MC51-01	10.2	Normal	
	SO Cf 2	4.53	Normal	
Southern	CH Ee 16	13.84	Normal	Normal

¹Measurement of water level as feet below land surface

Groundwater Levels and Status for May 2001

Region	USGS Well ID	Well Level ¹	Status	Regional Status
Western	GA Bc 1	12.57	Normal	Normal
	WA Be 2	30.24	Normal	
Central	CL Bf 1	66.09	Normal	Normal
	BA Ea 18	20.97	Normal	
	HO Bd 1	38.6	Normal	
	MO Cc 14	31.75	Normal	
	MO Eh 20 [3]	12.08	Normal	
Eastern	CO Bc 1	2.27	Normal	Normal
	WI Cf 3	6.51	Normal	
	MC51-01	11.35	Normal	
	SO Cf 2	1.87	Normal	
Southern	CH Ee 16	12.9	Normal	Normal

¹Measurement of water level as feet below land surface

Groundwater Levels and Status for April 2001

Region	USGS Well ID	Well Level ¹	Status	Regional Status
Western	GA Bc 1	13.11	Normal	Normal
	WA Be 2	25.85	Normal	
Central	FR Eh 11	10.66	Normal	Normal
	CL Bf 1	63.85	Normal	
	BA Ea 18	20.9	Normal	
	HO Ce 38	35.19	Alert ²	
	MO Eh 20 ³	12.44	Normal	
Eastern	CO Bc 1	2.07	Normal	Normal
	WI Cf 3	6.96	Watch	
	MC51-01	10.84	Normal	
	Jd42-03	5.4	Normal	
	SO Cf 2	1.73	Alert ²	
Southern	CH Ee 16	13.71	Normal	Normal

¹Measurement of water level as feet below land surface

²Well has not been analyzed in detail, but is outside of normal range as computed by USGS

³USGS lists this well as outside of the normal range, but MDE analysis indicates that this well is between the 72 and 74 percentile.

Groundwater Levels and Status for March 2001

Region	USGS Well ID	Well Level ¹	Status	Regional Status
Western	GA Bc 1	9.9	Normal	Normal
	WA Be 2	25.57	Normal	Normal
Central	FR Eh 11	11.01	Normal	Normal
	CL Bf 1	69.15	Normal	
	BA Ea 18	21.32	Normal	
	HO Ce 38	35.74	Alert ²	
	MO Eh 20 ³	11.32	Normal	
Eastern	CO Bc 1	1.81	Normal	Normal
	WI Cf 3	6.01	Normal	
	MC51-01	10.74	Normal	
	Jd42-03	5.09	Normal	
	SO Cf 2	0.93	Normal	
Southern	CH Ee 16	13.61	Normal	Normal

¹Measurement of water level as feet below land surface

²Well has not been analyzed in detail, but is outside of normal range as computed by USGS

³USGS lists this well as outside of the normal range, but MDE analysis indicates that this well is between the 72 and 74 percentile.

Reservoir Volumes and Storage for Drought Monitoring as of September 2001

Water System	Reservoir	Percent Full*	Days of Storage**
City of Frostburg	Piney	91%	371
City of Cumberland	Lake Gordon	96%	363
	Lake Koon	72%	
City of Baltimore	Liberty	90%	396
	Loch Raven	85%	165
	Prettyboy	58%	
WSSC	Tridelphia Reservoir	80%	193
	Rocky Gorge/Duckett	92%	
	Seneca Creek Reserve	97%	NA
	All Potomac River Plants	Jennings-Randolph Reserve***	100%

*Percent Full is the ratio of current volume to the maximum usable volume in each reservoir as of September 24, 2001.

**Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average withdrawals from similar time frame for previous three years (based on volumes as of September 24, 2001).

***Percent full for Jennings-Randolph Reservoir is based on allotted amount of water in reservoir used to supplement Potomac River for drinking water purposes.

Reservoir Volumes and Storage for Drought Monitoring as of August 2001

Water System	Reservoir	Percent Full*	Days of Storage**
City of Frostburg	Piney	100%	405
City of Cumberland	Lake Gordon	94%	409
	Lake Koon	89%	
City of Baltimore	Liberty	93%	370
	Loch Raven	89%	190
	Prettyboy	73%	
WSSC	Tridelphia Reservoir	87%	198
	Rocky Gorge/Duckett	89%	
	Seneca Creek Reserve	97%	NA
All Potomac River Plants	Jennings-Randolph Reserve***	100%	NA

*Percent Full is the ratio of current volume to the maximum usable volume in each reservoir as of August 27, 2001.

**Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average withdrawals from similar time frame for previous three years (based on volumes as of August 27, 2001).

***Percent full for Jennings-Randolph Reservoir is based on allotted amount of water in reservoir used to supplement Potomac River for drinking water purposes.

Reservoir Volumes and Storage for Drought Monitoring as of July 2001

Water System	Reservoir	Percent Full*	Days of Storage**
City of Frostburg	Piney	100%	408
City of Cumberland	Lake Gordon	100%	452
	Lake Koon	99%	
City of Baltimore	Liberty	100%	387
	Loch Raven	90%	209
	Prettyboy	90%	
WSSC	Tridelphia Reservoir	88%	202
	Rocky Gorge/Duckett	92%	
	Seneca Creek Reserve	98%	NA
All Potomac River Plants	Jennings-Randolph Reserve***	100%	NA

*Percent Full is the ratio of current volume to the maximum usable volume in each reservoir as of July 31, 2001.

**Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average withdrawals from similar time frame for previous three years (based on volumes as of July 31, 2001).

***Percent full for Jennings-Randolph Reservoir is based on allotted amount of water in reservoir used to supplement Potomac River for drinking water purposes.

Reservoir Volumes and Storage for Drought Monitoring as of June 2001

Water System	Reservoir	Percent Full*	Days of Storage**
City of Frostburg	Piney	100%	417
City of Cumberland	Lake Gordon	100%	411
	Lake Koon	97%	
City of Baltimore	Liberty	100%	364
	Loch Raven	97.70%	215
	Prettyboy	99.70%	
WSSC	Tridelphia Reservoir	100%	226
	Rocky Gorge/Duckett	100%	
	Seneca Creek Reserve	98.20%	
All Potomac River Plants	Jennings-Randolph Reserve***	100%	NA

*Percent Full is the ratio of current volume to the maximum usable volume in each reservoir as of June 25, 2001.

**Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average withdrawals from similar time frame for previous three years (based on volumes as of June 25, 2001).

***Percent full for Jennings-Randolph Reservoir is based on allotted amount of water in reservoir used to supplement Potomac River for drinking water purposes.

Reservoir Volumes and Storage for Drought Monitoring as of May 2001

Water System	Reservoir	Percent Full*	Days of Storage**
City of Frostburg	Piney	100%	437
City of Cumberland	Lake Gordon	100%	404
	Lake Koon	97%	
City of Baltimore	Liberty	100%	341
	Loch Raven	97.40%	212
	Prettyboy	98.90%	
WSSC	Tridelphia Reservoir	100%	240
	Rocky Gorge/Duckett	100%	
	Seneca Creek Reserve	98.70%	
All Potomac River Plants	Jennings-Randolph Reserve***	100%	NA

*Percent Full is the ratio of current volume to the maximum usable volume in each reservoir.

**Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average withdrawals from similar time frame for previous three years (based on volumes).

***Percent full for Jennings-Randolph Reservoir means the percent available of the amount of water reserved in the reservoir to supplement the Potomac River flow for drinking water utilities. The reservoir holds a total of 30 billion gallons, of which 13.4 billion gallons is allotted for supplementing flow for drinking water purposes.

Reservoir Volumes and Storage for Drought Monitoring as of April 30, 2001

Water System	Reservoir	Percent Full*	Days of Storage**
City of Frostburg	Piney	100%	454
City of Cumberland	Lake Gordon	100%	407
	Lake Koon	97.40%	
City of Baltimore	Liberty	100%	400
	Loch Raven	99.80%	330
	Prettyboy	94.70%	
WSSC	Tridelphia Reservoir	100%	243
	Rocky Gorge/Duckett	96.20%	
	Seneca Creek Reserve	97.40%	
All Potomac River Plants	Jennings-Randolph Reserve***	100%	NA

*Percent Full is the ratio of current volume to the maximum usable volume in each reservoir.

**Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average withdrawals from similar time frame for previous three years (based on volumes).

***Percent full for Jennings-Randolph Reservoir means the percent available of the amount of water reserved in the reservoir to supplement the Potomac River flow for drinking water utilities. The reservoir holds a total of 30 billion gallons, of which 13.4 billion gallons is allotted for supplementing flow for drinking water purposes.

Reservoir Volumes and Storage for Drought Monitoring as of March 26, 2001

Water System	Reservoir	Percent Full*	Days of Storage**
City of Frostburg	Piney	100%	454
City of Cumberland	Lake Gordon	100%	423
	Lake Koon	97%	
City of Baltimore	Liberty	100%	400
	Loch Raven	99.80%	330
	Prettyboy	94.70%	
WSSC	Tridelphia Reservoir	100%	242
	Rocky Gorge/Duckett	100%	
	Seneca Creek Reserve	100%	NA
All Potomac River Plants	Jennings-Randolph Reserve***	100%	NA

*Percent Full is the ratio of current volume to the maximum usable volume in each reservoir.

**Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average withdrawals from similar time frame for previous three years (based on volumes).

***Percent full for Jennings-Randolph Reservoir means the percent available of the amount of water reserved in the reservoir to supplement the Potomac River flow for drinking water utilities. The reservoir holds a total of 30 billion gallons, of which 13.4 billion gallons is allotted for supplementing flow for drinking water purposes.

! City of Baltimore values based on usable volumes from April 30, 2001 *!*