

Summary of Hydrologic Indicators for September 30, 2005					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Watch	Warning	Normal	Normal	Watch
Central	Normal	Watch	Normal	Normal	Normal
Eastern	Normal	Warning	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for August 31, 2005					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal[1]	Normal
Central	Normal	Normal	Normal	Normal[2]	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

[1] No data is available as of 13 September 2005 but Cumberland had 380 days of storage available at the end of June.

[2] Reservoir Levels were not available from the City of Baltimore but the city had 269 days of storage available at the end of June.

Summary of Hydrologic Indicators for July 31, 2005					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal[1]	Normal
Central	Normal	Normal	Normal	Normal[2]	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

[1] No data is available as of 18 August 2005 but Cumberland had 380 days of storage available at the end of June.

[2] Reservoir Levels were not available from the City of Baltimore but the city had 269 days of storage available at the end of June.

Summary of Hydrologic Indicators for June 30, 2005					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Watch	Normal	Normal	Normal[1]	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

[1] The City of Frostburg did not report reservoir levels for this period

Summary of Hydrologic Indicators for May 31, 2005					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal[1]	Normal
Central	Normal	Normal	Normal	Normal[2]	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

[1] The City of Frostburg and the City of Cumberland did not report reservoir levels for this period

[2] Reservoir levels were not available from the City of Baltimore for this period.

Summary of Hydrologic Indicators for April 30, 2005					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal[1]	Normal
Central	Normal	Normal	Normal	Normal[2]	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

[1] The City of Frostburg and the City of Cumberland did not report reservoir levels for this period

[2] Reservoir levels were not available from the City of Baltimore for this period.

Summary of Hydrologic Indicators for March 31, 2005					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal[1]	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

[1] The City of Frostburg did not report reservoir levels for this period

Summary of Hydrologic Indicators for February 28, 2005					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal[1]	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

[1] The City of Frostburg did not report reservoir levels for this period

Summary of Hydrologic Indicators for January 31, 2005					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal[1]	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

[1] The City of Frostburg did not report reservoir levels for this period

Summary of Hydrologic Indicators for December 31, 2004					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal[1]	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

[1] The City of Frostburg did not report reservoir levels for this period.

Summary of Hydrologic Indicators for November 30, 2004					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal[1]	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

[1] The City of Frostburg did not report reservoir levels for this period.



Summary of Hydrologic Indicators for October 31, 2004					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal[1]	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

[1] The City of Frostburg did not report reservoir levels for this period.

Precipitation Indicators for Maryland Drought Regions

Precipitation Indicators for Maryland Drought Regions						
September 30, 2005						
Regions	Three Month		Six Month		WY ¹ to Date	
	Percent of Normal	Condition	Percent of Normal	Condition	Percent of Normal	Condition
Western	69%	Watch	68%	Warning	82%	Watch
Central	83%	Normal	84%	Normal	90%	Normal
Eastern	62%	Warning	89%	Normal	93%	Normal
Southern	78%	Normal	94%	Normal	96%	Normal

¹WY or Water Year begins on October 1.



Precipitation Indicators for Maryland Drought Regions						
August 31, 2005						
Regions	Three Month		Six Month		WY ¹ to Date	
	Percent of Normal	Condition	Percent of Normal	Condition	Percent of Normal	Condition
Western	82%	Normal	84%	Normal	88%	Normal
Central	106%	Normal	102%	Normal	98%	Normal
Eastern	92%	Normal	102%	Normal	100%	Normal
Southern	102%	Normal	112%	Normal	104%	Normal

¹WY or Water Year begins on October 1.

Precipitation Indicators for Maryland Drought Regions						
July 31, 2005						
Regions	Three Month		Six Month		WY ¹ to Date	
	Percent of Normal	Condition	Percent of Normal	Condition	Percent of Normal	Condition
Western	80%	Normal	86%	Normal	90%	Normal
Central	103%	Normal	106%	Normal	102%	Normal
Eastern	117%	Normal	108%	Normal	106%	Normal
Southern	110%	Normal	109%	Normal	105%	Normal

¹WY or Water Year begins on October 1.

Precipitation Indicators for Maryland Drought Regions						
June 30, 2005						
	Three Month		Six Month		WY ¹ to Date	
Regions	Percent of Normal	Condition	Percent of Normal	Condition	Percent of Normal	Condition
Western	68%	Watch	87%	Normal	87%	Normal
Central	85%	Normal	95%	Normal	93%	Normal
Eastern	112%	Normal	112%	Normal	106%	Normal
Southern	113%	Normal	108%	Normal	104%	Normal

¹WY or Water Year begins on October 1.

Precipitation Indicators for Maryland Drought Regions						
April 30, 2005						
	Three Month		WY ¹ to Date		Twelve Month	
Regions	Percent of Normal	Condition	Percent of Normal	Condition	Percent of Normal	Condition
Western	94%	Normal	96%	Normal	111%	Normal
Central	109%	Normal	102%	Normal	117%	Normal
Eastern	98%	Normal	101%	Normal	115%	Normal
Southern	108%	Normal	103%	Normal	116%	Normal

¹WY or Water Year begins on October 1.

Precipitation Indicators for Maryland Drought Regions						
31-Mar-05						
	Three Month		WY ¹ to Date		Twelve Month	
Regions	Percent of Normal	Condition	Percent of Normal	Condition	Percent of Normal	Condition
Western	109%	Normal	98%	Normal	116%	Normal
Central	107%	Normal	97%	Normal	119%	Normal
Eastern	102%	Normal	98%	Normal	119%	Normal
Southern	103%	Normal	98%	Normal	119%	Normal

¹WY or Water Year begins on October 1.

Precipitation Indicators for Maryland Drought Regions						
February 28, 2005						
	Three Month		WY ¹ to Date		Twelve Month	
Regions	Percent of Normal	Condition	Percent of Normal	Condition	Percent of Normal	Condition
Western	96%	Normal	95%	Normal	113%	Normal
Central	96%	Normal	92%	Normal	115%	Normal
Eastern	96%	Normal	99%	Normal	116%	Normal
Southern	119%	Normal	93%	Normal	114%	Normal

¹WY or Water Year begins on October 1.

Precipitation Indicators for Maryland Drought Regions						
January 31, 2005						
	Three Month		WY ¹ to Date		Twelve Month	
Regions	Percent of Normal	Condition	Percent of Normal	Condition	Percent of Normal	Condition
Western	106%	Normal	97%	Normal	114%	Normal
Central	112%	Normal	96%	Normal	117%	Normal
Eastern	119%	Normal	103%	Normal	115%	Normal
Southern	119%	Normal	99%	Normal	114%	Normal

¹WY or Water Year begins on October 1.

Precipitation Indicators for Maryland Drought Regions						
31-Dec-04						
	WY ¹ to Date (3 Months)		Six Month		Twelve Month	
Regions	Percent of Normal	Condition	Percent of Normal	Condition	Percent of Normal	Condition
Western	88%	Normal	116%	Normal	112%	Normal
Central	88%	Normal	120%	Normal	112%	Normal
Eastern	94%	Normal	127%	Normal	110%	Normal
Southern	93%	Normal	112%	Normal	110%	Normal

¹WY or Water Year begins on October 1.

Precipitation Indicators for Maryland Drought Regions						
30-Nov-04						
	WY ¹ to Date (2 Months)		Three Month		Six Month	
Regions	Percent of Normal	Condition	Percent of Normal	Condition	Percent of Normal	Condition
Western	94%	Not Defined	144%	Normal	119%	Normal
Central	85%	Not Defined	114%	Normal	126%	Normal
Eastern	102%	Not Defined	104%	Normal	131%	Normal
Southern	97%	Not Devined	110%	Normal	126%	Normal

¹WY or Water Year begins on October 1.

Precipitation Indicators for Maryland Drought Regions						
31-Oct-04						
	WY ¹ to Date (1 Month)		Three Month		Six Month	
Regions	Percent of Normal	Condition	Percent of Normal	Condition	Percent of Normal	Condition
Western	69%	Not Defined	131%	Normal	120%	Normal
Central	46%	Not Defined	107%	Normal	123%	Normal
Eastern	51%	Not Defined	114%	Normal	121%	Normal
Southern	38%	Not Devined	91%	Normal	119%	Normal

¹WY or Water Year begins on October 1.

Stream Flow Status as of October 2, 2005

Stream Gage Location	Region	Status as of 10/02/2005	Flow (cfs) Reported on 10/03/2005	7-Day Median (cfs) Ending 10/02/2005	Historical Median Flow in cfs Ending Oct 2	Historical Rank For Week Ending 10/02/2005
Youghiogheny (near Oakland)	Western	Watch	13	17	41	20% - 25%
Savage River (near Barton)	Western	Warning	1.2	1.3	7	5% - 10%
Wills Creek (near Cumberland)	Western	Emergency	13	14	40	0.05
Antietam Creek (near Sharpsburg)	Western & Central	Watch	91	93	127	0.2
Monocacy (near Frederick)	Central	Watch	95	97	172	15% - 20%
Patuxent (near Unity)	Central	Normal	12	8	13	25% - 30%
Deer Cr (at Rocks)	Central	Watch	37	39	60	15% - 20%
Choptank (near Greensboro)	Eastern	Warning	10	11	26	0.1
Susquehanna (at Marietta)		Warning	3,770	3,550	8,190	5% - 10%
Potomac (at Little Falls) Corrected)		Watch	1,522	1,650	2,770	15% - 20%

Stream Flow Status as of September 1, 2005

Stream Gage Location	Region	Status as of 9/01/2005	Flow (cfs) Reported on 9/02/2005	7-Day Median (cfs) Ending 9/01/2005	Historical Median Flow in cfs Ending Sep 1	Historical Rank For Week Ending 9/01/2005
Youghiogheny (near Oakland)	Western	Normal	54	60	41	60% - 65%
Savage River (near Barton)	Western	Normal	4	4	6	30% - 35%
Wills Creek (near Cumberland)	Western	Watch	32	27	38	20% - 25%
Antietam Creek (near Sharpsburg)	Western & Central	Normal	114	107	132	25% - 30%
Monocacy (near Frederick)	Central	Normal	279	195	158	60% - 65%
Patuxent (near Unity)	Central	Normal	9	11	11	50%
Deer Cr (at Rocks)	Central	Normal	52	60	58	50% - 55%
Choptank (near Greensboro)	Eastern	Normal	16	22	24	45% - 50%
Susquehanna (at Marietta)		Watch	5,920	4,360	7370	10% - 15%
Potomac (at Little Falls) Corrected)		Normal	3,080	2,620	2920	40% - 45%

Stream Flow Status as of August 1, 2005

Stream Gage Location	Region	Status as of 8/02/2005	Flow (cfs) Reported on 8/02/2005	7-Day Median (cfs) Ending 8/01/2005	Historical Median Flow in cfs Ending Aug 1	Historical Rank For Week Ending 8/01/2005
Youghiogheny (near Oakland)	Western	Normal	50	90	64	55% - 60%
Savage River (near Barton)	Western	Watch	2	3	9	10% - 15%
Wills Creek (near Cumberland)	Western	Normal	47	57	55	50% - 55%
Antietam Creek (near Sharpsburg)	Western & Central	Watch	114	122	160	20% - 25%
Monocacy (near Frederick)	Central	Normal	255	327	217	70% - 75%
Patuxent (near Unity)	Central	Normal	23	26	15	80%
Deer Cr (at Rocks)	Central	Unknown	85	Eqp[1.]	71	Unknown
Choptank (near Greensboro)	Eastern	Normal	45	43	27	70% - 75%
Susquehanna (at Marietta)		Normal	6,880	7,950	10,000	35% - 40%
Potomac (at Little Falls Corrected)		Normal	3,450	4,330	3,640	60% - 65%

Eqp[1.] - The Deer Creek gage did not report between 20:00 on July 19 and 08:00 on August 1

Stream Flow Status as of July 4, 2005

Stream Gage Location	Region	Status as of 7/04/2005	Flow (cfs) Reported on 7/05/2005	7-Day Median (cfs) Ending 7/04/2005	Historical Median Flow in cfs Ending July 4	Historical Rank For Week Ending 7/04/2005
Youghiogheny (near Oakland)	Western	Warning	16	20	66	10%
Savage River (near Barton)	Western	Normal	7	9	12	35% - 40%
Wills Creek (near Cumberland)	Western	Normal	54	63	80	30% - 35%
Antietam Creek (near Sharpsburg)	Western & Central	Unknown	Eqp[1.]	Eqp[1.]	206	Eqp[1.]
Monocacy (near Frederick)	Central	Normal	175	226	299	30% - 35%
Patuxent (near Unity)	Central	Normal	15	16	21	35% - 40%
Deer Cr (at Rocks)	Central	Normal	73	97 Est[2.]	86	60% - 65%
Choptank (near Greensboro)	Eastern	Normal	39	49	33	65% - 70%
Susquehanna (at Marietta)		Watch	8,300	8,500	14,700	15% - 20%
Potomac (at Little Falls) Corrected)		Normal	2,860	3,470	4,520	25% - 30%
Eqp[1.] - Data not availble due to equipment failure						
Est[2.] - The Deer Creek gage did not report between 18:45 on June 28 and 11:00 on the 29th						

Stream Flow Status as of May 3, 2005

Stream Gage Location	Region	Status as of 5/03/2005	Flow (cfs) Reported on 5/04/2005	7-Day Median (cfs) Ending 5/03/2005	Historical Median Flow in cfs Ending May 3	Historical Rank For Week Ending 5/03/2005
Youghiogheny (near Oakland)	Western	Normal	268	377	242	65% - 70%
Savage River (near Barton)	Western	Normal	52	68	70	45% - 50%
Wills Creek (near Cumberland)	Western	Normal	214	265	320	35% - 40%
Antietam Creek (near Sharpsburg)	Western & Central	Normal	368	389	347	55% - 60%
Monocacy (near Frederick)	Central	Normal	743	851	743	55% - 60%
Patuxent (near Unity)	Central	Normal	41	42	39	55%
Deer Cr (at Rocks)	Central	Normal	181	192	134	75% - 80%
Choptank (near Greensboro)	Eastern	Normal	159	142	106	65%
Susquehanna (at Marietta)		Normal	31,000	37,000	46,700	35% - 40%
Potomac (at Little Falls) Corrected)		Normal	12,700	12,000	11,600	50% - 55%

Stream Flow Status as of April 3, 2005

Stream Gage Location	Region	Status as of 4/03/2005	Flow (cfs) Reported on 4/04/2005	7-Day Median (cfs) Ending 4/03/2005	Historical Median Flow in cfs Ending April 3	Historical Rank For Week Ending 4/03/2005
Youghiogheny (near Oakland)	Western	Normal	746	925	392	85% - 90%
Savage River (near Barton)	Western	Normal	218	269	121	80% - 85%
Wills Creek (near Cumberland)	Western	Normal	1,070	1,501	567	85% - 90%
Antietam Creek (near Sharpsburg)	Western & Central	Normal	1,340	1,335	437	>95%
Monocacy (near Frederick)	Central	Normal	4,320	4,140	1,180	90% - 95%
Patuxent (near Unity)	Central	Normal	134	104	51	85% - 90%
Deer Cr (at Rocks)	Central	Normal	508	321	141	90% - 95%
Choptank (near Greensboro)	Eastern	Normal	1,490	435	166	85% - 90%
Susquehanna (at Marietta)		Normal	429,000	232,000	69,700	90% - 95%
Potomac (at Little Falls) Corrected)		Normal	79,100	76,000	17,700	>95%

Stream Flow Status as of April 3, 2005

Stream Gage Location	Region	Status as of 4/03/2005	Flow (cfs) Reported on 4/04/2005	7-Day Median (cfs) Ending 4/03/2005	Historical Median Flow in cfs Ending April 3	Historical Rank For Week Ending 4/03/2005
Youghiogheny (near Oakland)	Western	Normal	746	925	392	85% - 90%
Savage River (near Barton)	Western	Normal	218	269	121	80% - 85%
Wills Creek (near Cumberland)	Western	Normal	1,070	1,501	567	85% - 90%
Antietam Creek (near Sharpsburg)	Western & Central	Normal	1,340	1,335	437	>95%
Monocacy (near Frederick)	Central	Normal	4,320	4,140	1,180	90% - 95%
Patuxent (near Unity)	Central	Normal	134	104	51	85% - 90%
Deer Cr (at Rocks)	Central	Normal	508	321	141	90% - 95%
Choptank (near Greensboro)	Eastern	Normal	1,490	435	166	85% - 90%
Susquehanna (at Marietta)		Normal	429,000	232,000	69,700	90% - 95%
Potomac (at Little Falls) Corrected)		Normal	79,100	76,000	17,700	>95%

Stream Flow Status as of March 3, 2005

Stream Gage Location	Region	Status as of 3/03/2005	Flow (cfs) Reported on 3/04/2005	7-Day Median (cfs) Ending 3/03/2005	Historical Median Flow in cfs Ending March 3	Historical Rank For Week Ending 3/03/2005
Youghiogheny (near Oakland)	Western	Normal	291	237	336	30% - 35%
Savage River (near Barton)	Western	Normal	105	65	86	35% - 40%
Wills Creek (near Cumberland)	Western	Normal	175	337	416	40% - 45%
Antietam Creek (near Sharpsburg)	Western & Central	Normal	288	303	320	45% - 50%
Monocacy (near Frederick)	Central	Normal	790	952	928	50% - 55%
Patuxent (near Unity)	Central	Watch	27	31	40	20% - 25%
Deer Cr (at Rocks)	Central	Normal	135	148	122	60%
Choptank (near Greensboro)	Eastern	Normal	196	179	159	55% - 60%
Susquehanna (at Marietta)		Normal	32,200	37,650	41,000	45% - 50%
Potomac (at Little Falls) Corrected)		Normal	10,480	10,570	13,600	35% - 40%

Stream Flow Status as of February 3, 2005

Stream Gage Location	Region	Status as of 2/03/2005	Flow (cfs) Reported on 2/04/2005	7-Day Median (cfs) Ending 2/03/2005	Historical Median Flow in cfs Ending February 3	Historical Rank For Week Ending 2/03/2005
Youghiogheny (near Oakland)	Western	Watch	95	106	283	10% - 15%
Savage River (near Barton)	Western	Unknown	39	Frozen[1.]	68	Unknown
Wills Creek (near Cumberland)	Western	Normal	164	172	260	30% - 35%
Antietam Creek (near Sharpsburg)	Western & Central	Normal	315	Eqp[2.]	256	Unknown
Monocacy (near Frederick)	Central	Normal	648	709	757	45% - 50%
Patuxent (near Unity)	Central	Normal	23	24	37	30% - 35%
Deer Cr (at Rocks)	Central	Normal	133	148	107	70% - 75%
Choptank (near Greensboro)	Eastern	Normal	103	119	138	35% - 40%
Susquehanna (at Marietta)		Normal	59,500	81,400	29,500	85% - 90%
Potomac (at Little Falls) Corrected)		Normal	15,060	9,190	11,200	40% - 45%

Stream Flow Status as of January 5, 2005

Stream Gage Location	Region	Status as of 1/05/2005	Flow (cfs) Reported on 1/06/2005	7-Day Median (cfs) Ending 1/05/2005	Historical Median Flow in cfs Ending January 5	Historical Rank For Week Ending 1/05/2005
Youghiogheny (near Oakland)	Western	Normal	2,340	182	262	30% - 35%
Savage River (near Barton)	Western	Normal	833	38	53	35% - 40%
Wills Creek (near Cumberland)	Western	Normal	2,460	222	225	45% - 50%
Antietam Creek (near Sharpsburg)	Western & Central	Normal	355	296	218	65% - 70%
Monocacy (near Frederick)	Central	Normal	2,510	857	680	55% - 60%
Patuxent (near Unity)	Central	Normal	32	23	30	35% - 40%
Deer Cr (at Rocks)	Central	Normal	165	123	96	65% - 70%
Choptank (near Greensboro)	Eastern	Normal	93	88	104	40% - 45%
Susquehanna (at Marietta)		Normal	84,300	38,100	26,800	65% - 70%
Potomac (at Little Falls) Corrected)		Normal	9,330	9,817	8,560	55% - 60%

Stream Flow Status as of December 2, 2004

Stream Gage Location	Region	Status as of 12/2/2004	Flow (cfs) Reported on 12/03/2004	7-Day Median (cfs) Ending 12/2/2004	Historical Median Flow in cfs Ending December 2	Historical Rank For Week Ending 12/02/2004
Youghiogheny (near Oakland)	Western	Normal	233	587	222	80% - 85%
Savage River (near Barton)	Western	Normal	49	174	35	85% - 90%
Wills Creek (near Cumberland)	Western	Normal	135	1,050	132	>95%
Antietam Creek (near Sharpsburg)	Western & Central	Normal	147	303	153	80% - 85%
Monocacy (near Frederick)	Central	Normal	1,590	Eqp[1]	405	Normal[1]
Patuxent (near Unity)	Central	Normal	27	20	21	45%
Deer Cr (at Rocks)	Central	Normal	156	158	80	80% - 85%
Choptank (near Greensboro)	Eastern	Normal	132	128	64	75% - 80%
Susquehanna (at Marietta)		Normal	155,000	87,900	27,100	90% - 95%
Potomac (at Little Falls) Corrected)		Normal	28,050	23,360	5,255	90% - 95%

Stream Flow Status as of November 04, 2004

Stream Gage Location	Region	Status as of 11/04/2004	Flow (cfs) Reported on 11/05/2004	7-Day Median (cfs) Ending 11/04/2004	Historical Median Flow in cfs Ending November 4	Historical Rank For Week Ending 11/04/2004
Youghiogheny (near Oakland)	Western	Normal	1470	410	76	90% - 95%
Savage River (near Barton)	Western	Normal	105	52	11	80% - 85%
Wills Creek (near Cumberland)	Western	Normal	345	208	58	80% - 85%
Antietam Creek (near Sharpsburg)	Western & Central	Normal	273	199	127	75% - 80%
Monocacy (near Frederick)	Central	Normal	802	374	244	65% - 70%
Patuxent (near Unity)	Central	Normal	48	13	16	35%
Deer Cr (at Rocks)	Central	Normal	169	87	65	65% - 70%
Choptank (near Greensboro)	Eastern	Watch	54	20	31	25%
Susquehanna (at Marietta)		Normal	27,400	28,300	11,400	75% - 80%
Potomac (at Little Falls) Corrected)		Normal	8,020	6,010	3,285	70% - 75%

Ground Water – End Sept 2005

Region	USGS Well ID	Well Level[1]	Status	Regional Status
Western	WA Be 2	47.4	Normal	Normal
	WA Bk 25	34.75	Normal	
Central	BA Ea 18	21.53	Normal	Normal
	HA Bd 31	14.01	Normal	
	MO Eh 20	15.14	Watch	
Eastern	QA Ec 1	4.95	Normal	Normal
	WI Cg 20	7.41	Normal	
	MC51-01[2]	13.03	Normal	
	SO Cf 2	5.06	Normal	
Southern	AA Bf 3 (unconfined)	14.61	Normal	Normal
	CH Bg 12 (unconfined)	16.07	Watch	
	AA Cc 40 (confined)	48.07	On Trend[3]	
	CA Bb 27 (confined)	182.17	On Trend	
	CH Dd 33 (confined)	133.59	On Trend	
	PG De 21 (confined)	62.12	On Trend	
	SM Dd 50 (confined)		Not Available	
	SM Fg 45 (confined)	92.87	On Trend	

Well Level[1] - Measurement of water level as feet below land surface

MC51-01[2] - Data from the end of August was not available as of 04 October. value was estimated from real time well MC51-01a.

On Trend[3] - In accordance with Maryland's drought monitoring and response plan, the impact of drought upon confined aquifers is analyzed as a departure from long term trend.

Ground Water – End Aug 2005

Region	USGS Well ID	Well Level[1]	Status	Regional Status
Western	WA Be 2	34.22	Normal	Normal
	WA Bk 25	46.15	Normal	
Central	BA Ea 18	20.45	Normal	Normal
	HA Bd 31	12.02	Normal	
	MO Eh 20	14.03	Normal	
Eastern	QA Ec 1		Not Available	Normal
	WI Cg 20		Not Available	
	MC51-01[2]	11.87	Normal	
	SO Cf 2		Not Available	
Southern	AA Bf 3 (unconfined)	14.15	Normal	Normal
	CH Bg 12 (unconfined)	15.56	Normal	
	AA Cc 40 (confined)	47.67	On Trend[3]	
	CA Bb 27 (confined)	179.76	On Trend	
	CH Dd 33 (confined)		Not Available	
	PG De 21 (confined)		Not Available	
	SM Dd 50 (confined)		Not Available	
	SM Fg 45 (confined)		Not Available	
			Not Available	
Well Level[1] - Measurement of water level as feet below land surface				
MC51-01[2] - Data from the end of July was not available as of 13 September. value was estimated from real time well MC51-01a.				
On Trend[3] - In accordance with Maryland's drought monitoring and response plan, the impact of drought upon confined aquifers is analyzed as a departure from long term trend.				

Ground Water Status – End July 2005

Region	USGS Well ID	Well Level[1]	Status	Regional Status
Western	WA Be 2	33.59	Normal	Normal
	WA Bk 25	44.45	Normal	
Central	BA Ea 18	19.37	Normal	Normal
	HA Bd 31	10.48	Normal	
	MO Eh 20	13.14	Normal	
Eastern	QA Ec 1		Not Available	Normal
	WI Cg 20		Not Available	
	MC51-01[2]	10.2	Normal	
	SO Cf 2		Not Available	
Southern	AA Bf 3 (unconfined)	13.78	Normal	Normal
	CH Bg 12 (unconfined)	15	Normal	
	AA Cc 40 (confined)	47.27	On Trend[3]	
	CA Bb 27 (confined)	179.17	On Trend	
	CH Dd 33 (confined)		Not Available	
	PG De 21 (confined)		Not Available	
	SM Dd 50 (confined)		Not Available	
	SM Fg 45 (confined)		Not Available	
			Not Available	
Well Level[1] - Measurement of water level as feet below land surface				
MC51-01[2] - Data from the end of July was not available as of 18 August. value was estimated from real time well MC51-01a.				
On Trend[3] - In accordance with Maryland's drought monitoring and response plan, the impact of drought upon confined aquifers is analyzed as a departure from long term trend.				

Ground Water – End of June 2005

Region	USGS Well ID	Well Level[1]	Status	Regional Status
Western	WA Be 2	33.52	Watch	Normal
	WA Bk 25	43.81	Normal	
Central	BA Ea 18	19.17	Normal	Normal
	HA Bd 31	10.06	Normal	
	MO Eh 20	13.35	Normal	
Eastern	QA Ec 1	3.28	Normal	Normal
	WI Cg 20		Not Available	
	MC51-01	11.14	Normal	
	SO Cf 2	2.52	Normal	
Southern	AA Bf 3 (unconfined)	13.25	Normal	Normal
	CH Bg 12 (unconfined)	14.32	Normal	
	AA Cc 40 (confined)	47	On Trend[2]	
	CA Bb 27 (confined)	176.27	On Trend	
	CH Dd 33 (confined)		Not Available	
	PG De 21 (confined)		Not Available	
	SM Dd 50 (confined)		Not Available	
	SM Fg 45 (confined)		Not Available	
Well Level[1] - Measurement of water level as feet below land surface				
On Trend[2] - In accordance with Maryland's drought monitoring and response plan, the impact of drought upon confined aquifers is analyzed as a departure from long term trend.				

Ground Water – End April 2005

Region	USGS Well ID	Well Level[1]	Status	Regional Status
Western	WA Be 2	25.45	Normal	Normal
	WA Bk 25	30.98	Normal	
Central	BA Ea 18	17.86	Normal	Normal
	HA Bd 31	5.08	Normal	
	MO Eh 20	11.32	Normal	
Eastern	QA Ec 1	0.55	Normal	Normal
	WI Cg 20	5.28	Emergency	
	MC51-01 (est)[2]	9.74	Normal	
	SO Cf 2	0.98	Normal	
Southern	AA Bf 3 (unconfined)	11.53	Normal	Normal
	CH Bg 12 (unconfined)	13	Normal	
	AA Cc 40 (confined)	46.21	On Trend[2]	
	CA Bb 27 (confined)	172.5	On Trend	
	CH Dd 33 (confined)	132.74	On Trend	
	PG De 21 (confined)	59.51	On Trend	
	SM Dd 50 (confined)	179.72	On Trend	
	SM Fg 45 (confined)	91.97	On Trend	
Well Level[1] - Measurement of water level as feet below land surface				
On Trend[2] - In accordance with Maryland's drought monitoring and response plan, the impact of drought upon confined aquifers is analyzed as a departure from long term trend.				

Ground Water – End March 2005

Region	USGS Well ID	Well Level[1]	Status	Regional Status
Western	WA Be 2	21.66	Normal	Normal
	WA Bk 25	26.92	Normal	
Central	BA Ea 18	19.94	Normal	Normal
	HA Bd 31	5.41	Normal	
	MO Eh 20	10	Normal	
Eastern	QA Ec 1	0.58	Normal	Normal
	WI Cg 20	4.33	Normal	
	MC51-01 (est)[2]	10.73	Normal	
	SO Cf 2	1.01	Normal	
Southern	AA Bf 3 (unconfined)	12.38	Normal	Normal
	CH Bg 12 (unconfined)	13.8	Normal	
	AA Cc 40 (confined)	46.79	On Trend[3]	
	CA Bb 27 (confined)	172.11	On Trend	
	CH Dd 33 (confined)		Not Available	
	PG De 21 (confined)		Not Available	
	SM Dd 50 (confined)		Not Available	
	SM Fg 45 (confined)		Not Available	
Well Level[1] - Measurement of water level as feet below land surface				
est[2] - Estimated from real time well MC51-01a				
On Trend[3] - In accordance with Maryland's drought monitoring and response plan, the impact of drought upon confined aquifers is analyzed as a departure from long term trend.				

Ground Water – End February 2005

Region	USGS Well ID	Well Level[1]	Status	Regional Status	
Western	WA Be 2	40.65	Normal	Normal	
	WA Bk 25	28.65	Normal		
Central	BA Ea 18	19.89	Normal	Normal	
	HA Bd 31	6.02	Normal		
	MO Eh 20	11.55	Normal		
Eastern	QA Ec 1	Not Available		Normal	
	WI Cg 20	4.44	Normal		
	MC51-01	12.2	Normal		
	SO Cf 2	0.98	Normal		
Southern	AA Bf 3 (unconfined)	13.41	Normal	Normal	
	CH Bg 12 (unconfined)	13.94	Normal		
	AA Cc 40 (confined)	Not Available			
	CA Bb 27 (confined)	172.71	On Trend[2]		
	CH Dd 33 (confined)	Not Available			
	PG De 21 (confined)	Not Available			
	SM Dd 50 (confined)	Not Available			
	SM Fg 45 (confined)	Not Available			
	Well Level[1] - Measurement of water level as feet below land surface				
	On Trend[2] - In accordance with Maryland's drought monitoring and response plan, the impact of drought upon confined aquifers is analyzed as a departure from long term trend.				

Ground Water – End January 2005

Region	USGS Well ID	Well Level[1]	Status	Regional Status	
Western	WA Be 2	40.97	Normal	Normal	
	WA Bk 25	25.92	Normal		
Central	BA Ea 18	20.08	Normal	Normal	
	HA Bd 31	3.26	Normal		
	MO Eh 20	11.85	Normal		
Eastern	QA Ec 1		Not Available	Normal	
	WI Cg 20	4.58	Normal		
	MC51-01	12.81	Normal		
	SO Cf 2	1.24	Normal		
Southern	AA Bf 3 (unconfined)		Not Available	Normal	
	CH Bg 12 (unconfined)	13.62	Normal		
	AA Cc 40 (confined)	46.99	On Trend[2.]		
	CA Bb 27 (confined)	173.36	On Trend		
	CH Dd 33 (confined)		Not Available		
	PG De 21 (confined)		Not Available		
	SM Dd 50 (confined)		Not Available		
	SM Fg 45 (confined)		Not Available		
	Well Level[1] - Measurement of water level as feet below land surface				
	On Trend[2] - In accordance with Maryland's drought monitoring and response plan, the impact of drought upon confined aquifers is analyzed as a departure from long term trend.				

Ground Water – End Nov 2004

Region	USGS Well ID	Well Level[1]	Status	Regional Status	
Western	WA Be 2	30.01	Normal	Normal	
	WA Bk 25	43.86	Normal		
Central	BA Ea 18	21.05	Normal	Normal	
	HA Bd 31	8.78	Normal		
	MO Eh 20	12.84	Normal		
Eastern	QA Ec 1		Not Available	Normal	
	WI Cg 20	4.81	Normal		
	MC51-01	14.2	Normal		
	SO Cf 2	1.05	Normal		
Southern	AA Bf 3 (unconfined)	14.4	Normal	Normal	
	CH Bg 12 (unconfined)	3.73	Normal		
	AA Ad 102 (confined)	7.72	On Trend		
	CA Bb 27 (confined)	173.92	On Trend		
	CH Dd 33 (confined)		Not Available		
	PG De 21 (confined)		Not Available		
	SM Dd 50 (confined)		Not Available		
	SM Fg 45 (confined)		Not Available		
	Well Level[1] - Measurement of water level as feet below land surface				
	On Trend[2] - In accordance with Maryland's drought monitoring and response plan, the impact of drought upon confined aquifers is analyzed as a departure from long term trend.				

Ground Water – End Oct 2004

Region	USGS Well ID	Well Level[1]	Status	Regional Status	
Western	WA Be 2	42.85	Normal	Normal	
	WA Bk 25	26.87	Normal		
Central	BA Ea 18	20.92	Normal	Normal	
	HA Bd 31	9.55	Normal		
	MO Eh 20	13.5	Normal		
Eastern	QA Ec 1	4.77	Normal	Normal	
	WI Cg 20	5.02	Normal		
	MC51-01	14.17	Normal		
	SO Cf 2	3.04	Normal		
Southern	AA Bf 3 (unconfined)		Not Available	Normal	
	CH Ee 16 (unconfined)		Not Available		
	AA Cc 40 (confined)		Not Available		
	CA Bb 27 (confined)	174.95	On Trend		
	CH Dd 33 (confined)		Not Available		
	PG De 21 (confined)		Not Available		
	SM Dd 50 (confined)		Not Available		
	SM Fg 45 (confined)		Not Available		
	Well Level[1] - Measurement of water level as feet below land surface				
	On Trend[2] - In accordance with Maryland's drought monitoring and response plan, the impact of drought upon confined aquifers is analyzed as a departure from long term trend.				

Reservoir Volumes and Storage for Drought Monitoring as of September, 2005

Water System	Reservoir	Percent Full*	Days of Storage**
City of Frostburg ****	Piney	72%	281
City of Cumberland ****	Lake Gordon	100%	334
	Lake Koon	74%	
City of Baltimore	Liberty	87%	258
	Loch Raven		
	Prettyboy		
WSSC	Triadelphia Reservoir	72%	165
	Rocky Gorge/Ducket		
	Seneca Creek Reserve	93%	NA
All Potomac River Plants	Jennings-Randolph Reserve***	100%	NA

* Percent Full is the ratio of current volume to the maximum usable volume in each reservoir at the end of the month.

** Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous two years.

*** Percent full for Jennings-Randolph Reservoir is based on allotted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

**** values for Cumberland and Frostburg are approximate

Reservoir Volumes and Storage for Drought Monitoring as of August, 2005

Water System	Reservoir	Percent Full*	Days of Storage**
City of Frostburg	Piney		Not Available
City of Cumberland *****	Lake Gordon		Not Available
	Lake Koon		
City of Baltimore ****	Liberty		Not Available
	Loch Raven		
	Prettyboy		
WSSC *****	Triadelphia Reservoir	82%	178
	Rocky Gorge/Ducket t		
	Seneca Creek Reserve	100%	NA
All Potomac River Plants	Jennings-Randolph Reserve***	100%	NA

* Percent Full is the ratio of current volume to the maximum usable volume in each reservoir at the end of the month.

** Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous two years.

*** Percent full for Jennings-Randolph Reservoir is based on allotted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

**** Data from Baltimore was not available for August, but 269 day of storage were available at the end of June 2005.

***** Source - ICPRB

Reservoir Volumes and Storage for Drought Monitoring as of July, 2005

Water System	Reservoir	Percent Full*	Days of Storage**
City of Frostburg	Piney		Not Available
City of Cumberland *****	Lake Gordon		Not Available
	Lake Koon		
City of Baltimore ****	Liberty		Not Available
	Loch Raven		
	Prettyboy		
WSSC *****	Triadelphia Reservoir	92%	198
	Rocky Gorge/Ducket t		
	Seneca Creek Reserve	100%	NA
All Potomac River Plants	Jennings-Randolph Reserve***	100%	NA

* Percent Full is the ratio of current volume to the maximum usable volume in each reservoir at the end of the month.

** Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous two years.

*** Percent full for Jennings-Randolph Reservoir is based on allotted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

**** Data from Baltimore was not available for July, but 269 day of storage were available at the end of June 2005.

***** Source - ICPRB

***** Data from Cumberland was not available for July, but 280 days of storage were available at the end of June.

Reservoir Volumes and Storage for Drought Monitoring as of June, 2005

Water System	Reservoir	Percent Full*	Days of Storage**
City of Frostburg	Piney	Not Available	Not Available
City of Cumberland	Lake Gordon	100%	379
	Lake Koon	100%	
City of Baltimore ****	Liberty	98%	269
	Loch Raven		
	Prettyboy		
WSSC *****	Triadelphia Reservoir	91%	197
	Rocky Gorge/Ducket		
	Seneca Creek Reserve	100%	NA
All Potomac River Plants	Jennings-Randolph Reserve***	100%	NA

* Percent Full is the ratio of current volume to the maximum usable volume in each reservoir at the end of the month.

** Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous two years.

*** Percent full for Jennings-Randolph Reservoir is based on allotted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

**** Source - USGS

***** Source - ICPRB

Reservoir Volumes and Storage for Drought Monitoring as of April, 2005

Water System	Reservoir	Percent Full*	Days of Storage**
City of Frostburg *****	Piney	Not Available	Not Available
City of Cumberland *****	Lake Gordon	Not Available	Not Available
	Lake Koon	Not Available	
City of Baltimore ****	Liberty	Not Available	Not Available
	Loch Raven		
	Prettyboy		
WSSC ****	Triadelphia Reservoir	100%	226
	Rocky Gorge/Ducket		
	Seneca Creek Reserve		
All Potomac River Plants	Jennings-Randolph Reserve***	100%	NA

* Percent Full is the ratio of current volume to the maximum usable volume in each reservoir at the end of the month.

** Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous two years.

*** Percent full for Jennings-Randolph Reservoir is based on allotted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

**** Data from Baltimore is not available for April 2005

***** Data from Frostburg is not available for April 2005.

***** Data from Cumberland is not available for April 2005

Reservoir Volumes and Storage for Drought Monitoring as of March, 2005

Water System	Reservoir	Percent Full*	Days of Storage**
City of Frostburg *****	Piney	Not Available	Not Available
City of Cumberland	Lake Gordon	100%	401
	Lake Koon	100%	
City of Baltimore ****	Liberty	100%	289
	Loch Raven		
	Prettyboy		
WSSC ****	Triadelphia Reservoir	100%	227
	Rocky Gorge/Ducket		
	Seneca Creek Reserve		
All Potomac River Plants	Jennings-Randolph Reserve***	100%	NA

* Percent Full is the ratio of current volume to the maximum usable volume in each reservoir at the end of the month.

** Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous two years.

*** Percent full for Jennings-Randolph Reservoir is based on allotted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

**** Source - USGS

***** Data from Frostburg is not available for March 2005.

Reservoir Volumes and Storage for Drought Monitoring as of February, 2005

Water System	Reservoir	Percent Full*	Days of Storage**
City of Frostburg *****	Piney	Not Available	Not Available
City of Cumberland	Lake Gordon	100%	414
	Lake Koon	100%	
City of Baltimore ****	Liberty	100%	298
	Loch Raven		
	Prettyboy		
WSSC ****	Triadelphia Reservoir	96%	210
	Rocky Gorge/Ducket		
	Seneca Creek Reserve	100%	NA
All Potomac River Plants	Jennings-Randolph Reserve***	100%	NA

* Percent Full is the ratio of current volume to the maximum usable volume in each reservoir at the end of the month.

** Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous two years.

*** Percent full for Jennings-Randolph Reservoir is based on allotted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

**** Source - USGS

***** Data from Frostburg is not available for January 2005.

Reservoir Volumes and Storage for Drought Monitoring as of January, 2005

Water System	Reservoir	Percent Full*	Days of Storage**
City of Frostburg ****	Piney	Not Available	Not Available
City of Cumberland	Lake Gordon	100%	419
	Lake Koon	100%	
City of Baltimore ****	Liberty	100%	294
	Loch Raven		
	Prettyboy		
WSSC ****	Triadelphia Reservoir	100%	219
	Rocky Gorge/Ducket		
	Seneca Creek Reserve		
All Potomac River Plants	Jennings-Randolph Reserve***	100%	NA

* Percent Full is the ratio of current volume to the maximum usable volume in each reservoir at the end of the month.

** Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous two years.

*** Percent full for Jennings-Randolph Reservoir is based on allotted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

**** Source - USGS

***** Data from Frostburg is not available for January 2005.

Reservoir Volumes and Storage for Drought Monitoring as of December, 2004

Water System	Reservoir	Percent Full*	Days of Storage**
City of Frostburg ****	Piney		Not Available
City of Cumberland	Lake Gordon	100%	415
	Lake Koon	100%	
City of Baltimore ****	Liberty	99%	291
	Loch Raven		
	Prettyboy		
WSSC ****	Triadelphia Reservoir	93%	208
	Rocky Gorge/Ducket		
	Seneca Creek Reserve		
All Potomac River Plants	Jennings-Randolph Reserve***	100%	NA

* Percent Full is the ratio of current volume to the maximum usable volume in each reservoir at the end of the month.

** Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous two years.

*** Percent full for Jennings-Randolph Reservoir is based on allotted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

**** Source - USGS

Reservoir Volumes and Storage for Drought Monitoring as of November, 2004

Water System	Reservoir	Percent Full*	Days of Storage**
City of Frostburg****	Piney		Not Available
City of Cumberland	Lake Gordon	100%	406
	Lake Koon	100%	
City of Baltimore****	Liberty	98%	288
	Loch Raven		
	Prettyboy		
WSSC****	Triadelphia Reservoir	82%	194
	Rocky Gorge/Ducket		
	Seneca Creek Reserve	100%	NA
All Potomac River Plants	Jennings-Randolph Reserve***	100%	NA

* Percent Full is the ratio of current volume to the maximum usable volume in each reservoir at the end of the month.

** Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous two years.

*** Percent full for Jennings-Randolph Reservoir is based on allotted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

**** Source - USGS

Reservoir Volumes and Storage for Drought Monitoring as of October, 2004

Water System	Reservoir	Percent Full*	Days of Storage**
City of Frostburg****	Piney		Not Available
City of Cumberland	Lake Gordon	100%	415
	Lake Koon	100%	
City of Baltimore****	Liberty	98%	290
	Loch Raven		
	Prettyboy		
WSSC	Triadelphia Reservoir	80%	184
	Rocky Gorge/Ducket		
	Seneca Creek Reserve	100%	NA
All Potomac River Plants	Jennings-Randolph Reserve***	100%	NA

* Percent Full is the ratio of current volume to the maximum usable volume in each reservoir at the end of the month.


** Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous two years.

*** Percent full for Jennings-Randolph Reservoir is based on allotted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

**** Source - USGS

Drought Status in Maryland

As of September 30, 2005



Drought Status in Maryland

As of January 31, 2004

